DEXOL RED SPIDER and MITE SPRAY has been formulated specifically for the control of Red Spider and most species of Mites including the following:

apple rust Bermuda Carmine Citrus flat citrus red (purple) citrus rust clover (brown almond) cycalmen desert

dryberry European red McDaniel Pacific peach silver plum nursery privet Schoene Six-spotted spruce strawberry (Atlantic) Texas citrus tomato russet tropical two-spotted (red spider) Willamette yellow (carpin) Yuma

INDOORS, on HOUSEPLANTS, in GREENHOUSES and on PATIOS. May be used on such plants as Ivy, Philodendron, African Violets, Rubber Plants, Bracken and Boston Ferns, Fuchsia, Chrysanthemum, Gardenia, and Ornamental Citrus. Use with adequate ventilation. Remove birds or fish from room while spraying; avoid spraying on asphalt tile, furniture and plastics. Spray thoroughly, covering upper as well as under side of leaves. Do not spray in direct sunlight or in mid-day heat. Do not use on sensitive plants such as cyclamen, lantana, or nasturtium; or on delicate new growth.

IN HOMES AND BUILDINGS for the control of Clover Mites. Thoroughly spray wherever clover mites may enter premises around door sills and window frames. Also spray wherever clover mites crawl or congregate, such as walls and foundations of buildings and porches. Plants and lawns at base of homes or other buildings should be sprayed as well.

IN VEGETABLE GARDENS ON BEANS, CANTALOUPES, CUCUMBERS, MELONS, PEPPERS, PUMPKINS, SOUASH (WINTER AND SUMMER), TOMATOES AND WATER-MELONS to control pacific, tomato russet, tropical and red spider mites Apply at first sign of mite build-up and repeat as necessary. Do not use on eggclants. Do not apply within 2 days of harvest. Do not apply to Beans within 7 days of harvest.

FLOWERS and ORNAMENTAL SHRUBS. Controls European red mite, spruce mite and other mites listed common on both greenhouse plants and outdoor plants.

DIRECTIONS. Scrav both upper and lower surfaces of foliage. Apply when mites first appear

DEXOL RED SPIDER and MITE SPRAY is compatible with marry other insecticides and fungicides but should not be used in combination with highly alkaline materials such as lime or lime-sulphur

CAUTION: Avoid skin contact, and if contacted wash thoroughly thereafter. Avoid inhalation of mist. Do not take internally. Avoid contamination of foodstuffs. Toxic to fish and wild life. Keep out of lakes, streams and ponds.

Do not reuse container. Destroy when empty ACTIVE INGREDIENT

TOTAL 100.000%

DEXOL INDUSTRIES TORRANCE, California 90501 EPA Reg. No. 192-122-AA EPA Est., 192-CA-1

61 **E**-1 ρ ∞ 2 ٩. 4

