

DEXOL CHLORDANE 45% RED FIRE ANT SPRAY
RESTRICTED USE PESTICIDE

DEXOL CHLORDANE 45% RED FIRE ANT SPRAY contains 4.5% CHLORDANE per gallon.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product may not be used against any pests not named on the label.



This product may be applied under the direct supervision of a certified applicator who is not physically present at the site of application, but is nonetheless available to the person applying the pesticide.

For use on lands not presently used or to be used for food or feed production or grazing for a period of two years following treatment.

Application rate for DEXOL CHLORDANE 45% SPRAY

oz /5000 sq ft	pints A	Equivalent (lb. A) Technical Chlordane
18.28	10.14	5.7

Use sufficient water for full coverage. Do not contaminate food or feed. Keep children and pets off treated turf until material has been washed into the soil by watering or rain, and grass is dry.



Herr
vap:
cont

This
treat
runo
treat
App'

If sw

If int
If on
If in

Prohi
Oper
Pesti
chem
burle
Cont
or Oil
Gene
proci
NOTI
condi
repre
handi
respo
misus

DEXO
Terra

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing vapors or spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of the reach of children.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

STATEMENT OF PRACTICAL TREATMENT

- If swallowed — Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled — Remove victim to fresh air and apply respiration if indicated.
- If on skin — Wash promptly with soap and water. Rinse thoroughly.
- If in eyes — Rinse eyes for at least 15 minutes with water and call a physician immediately.

STORAGE AND DISPOSAL

Prohibitions — Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
Pesticide Disposal — Pesticide spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
Container Disposal — Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.
General — Consult federal, state or local disposal authorities for approved alternative procedures.

NOTICE: Because Dexol Industries has no control over storage, handling, and conditions of use, which are of critical importance, Dexol Industries makes no representation or warranty, either express or implied, for results due to misuse, improper handling or storage of this material. Nor does Dexol Industries assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

*Equivalent to 27.0% octachloro-4,7-methanotetrahydroindane and 1.6% other related compounds.

DEXOL INDUSTRIES
Torrance, CA 90501

EPA Reg. No. 192-130
EPA Est. 192-CA-1