

(Front Panel)

CYGON*
SYSTEMIC
INSECTICIDE



FOR ORNAMENTALS

Controls Aphids, Thrips, Scale,
Mites, Leafminers, Whiteflies & Mealybugs.

Active Ingredient:
Dimethoate: (O,O-dimethyl S-
N-methylcarbamoylmethyl)
phosphorodithioate 23.4%
Inert Ingredients: 76.6%
Total...100.0%

Keep Out of Reach of Children
CAUTION
See back panel for additional
precautionary statements

*Reg. Trademark of American Cyanamid Company
NET CONTENTS 16 FL. OZS. (1 PT.)



(Back Panel)
DEXOL CYGON SYSTEMIC INSECTICIDE

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DEXOL CYGON SYSTEMIC INSECTICIDE is used for the control of insects listed below. For proper timing of treatments for the control of specific pests, consult your state agricultural extension service. **SPRAY WHEN PESTS APPEAR OR WHEN DAMAGE IS FIRST OBSERVED. DO NOT OVERSPRAY.**

DO NOT USE ON ANY ORNAMENTAL STOCK PLANTS GROWN AS A SOURCE OF PROPAGATION MATERIAL, SUCH AS CUTTINGS, LAYERS, ROOT STOCKS OR SCIONS FOR GRAFTING OR BUDDING. THE USES LISTED BELOW ARE FOLIAR SPRAYS UNLESS OTHERWISE INDICATED. DO NOT APPLY TO FOOD OR FEED CROPS.

Azaleas: Lace Bugs, Leaf Miners, Mites, Tea Scale, Whiteflies- Apply 2 tbsp. in 3 gal. water. **Birch:** Aphids, Leaf Miners- Apply 1 tbsp. in 3 gal. water. (For Leaf Miners, apply when leaves are expanded [about mid-May] and repeat in early July.) **Boxwood:** Leaf Miners, Mealybugs, Mites- Apply 2 tbsp. in 3 gal. water. (For Leaf Miners, apply in spring when Leaf Miner Flies first appear or in early summer for control of larvae in the infested leaves.) **Camellias:** Aphids, Camellia Scale, Mites, Tea Scale- Apply 2 tbsp. in 3 gal. water. (Foliar Spray: Apply 2 sprays 6 weeks apart the first year followed by annual application soon after first growth begins in the spring. Soil Drench: Apply DEXOL CYGON SYSTEMIC INSECTICIDE as a soil drench around the base of plants in early spring at the rate of 4 tbsp. per 1 gal. of water per plant up to 6 ft. tall. Increase this rate proportionately for larger plants.) **Euonymus:** Aphids, Scale- Apply 4 tbsp. in 3 gal. water. **Gladiolus:** Aphids, Thrips- Apply 2 tbsp. in 3 gal. water. **Hemlock:** Mites, Scale- Apply 2 tbsp. in 3 gal. water. **Juniper:** Aphids, Bagworms, Midges, Mites- Apply 4 tbsp. in 3 gal. water. **Pine:** Aphids, Bagworms, European Pine Shoot Moth, Nantucket Pine Tip Moth, Zimmerman Pine Moth- Apply 4 tbsp. in 3 gal. water. **Roses:** Aphids, Leafhoppers, Mites Thrips- Apply 2 tbsp. in 3 gal. water.

HOUSEFLIES

GENERAL OUTSIDE USE: For the control of houseflies around homes and recreation areas, garbage cans, animal quarters, food-processing plants, warehouses, loading docks, and refuse areas, thoroughly spray exposed surfaces, such as walls, fences, garbage and refuse containers with 8 fl. oz. of Dexol Cygon Systemic Insecticide in 3 gallons of water. Repeat applications should be made when necessary. **DO NOT CONTAMINATE FEED AND FOODSTUFFS, DRINKING FOUNTAINS, LITTER AND FEED TROUGHS. DO NOT USE IN MILK PROCESSING ROOMS INCLUDING MILK HOUSES AND MILK STORAGE ROOMS. DO NOT USE IN HOMES.**

STORAGE & DISPOSAL

STORAGE: Store in a cool, dry place away from heat or open flame. Keep in original container and preferably in a locked storage area. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse container. Rinse thoroughly before discarding in trash.

(Back Panel Cont'd)

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

WARNING

Harmful or fatal if swallowed. Vapor Harmful. Concentrated material causes eye irritation. Combustible.

The following protective clothing must be worn during application:

- a. Impermeable gloves (for example rubber or plastic covered reinforced gloves).
- b. Boots or boot covers.
- c. Long-sleeved shirt and long pants.
- d. Wide-brimmed hat.

Avoid breathing vapor or spray mist. Use only with adequate ventilation. Avoid contact with skin and eyes. Wash thoroughly after handling. Do not contaminate food or feed products. Keep children and pets off treated areas and until this material has dried completely. Food utensils such as teaspoon and measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed- Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. If Inhaled- Remove victim to fresh air. Apply artificial respiration if indicated. If On Skin- Remove contaminated clothing. Wash affected areas with plenty of soap and water. If In Eyes- Flush with plenty of water for at least 15 minutes. Get medical attention immediately.

NOTE TO PHYSICIAN: This product, upon repeated or prolonged use, may cause cholinesterase inhibition. Atropine is antidotal. Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

ENVIRONMENTAL HAZARDS

Toxic to birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply directly to water. Do not apply to areas where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or to residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME. DO NOT STORE BELOW FREEZING TEMPERATURES.

NOTICE: Buyer assumes all responsibility for safety and use not in strict accordance with directions.

Dexol Industries
Torrance, Ca 90501

EPA Reg. No. 192-142
EPA Est. No. 192-134

