

[FRONT PANEL]

ACCEPTED
SEP 16 1993
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 192-134

DEXOL

CYGON^(R)

SYSTEMIC INSECTICIDE*

FOR ORNAMENTALS
 Controls Aphids, Thrips, Scale, Mites,
 Leafminers, Whiteflies & Mealybugs.

ACTIVE INGREDIENT:

Dimethoate: (O,O-dimethyl S-N-methylcarbamoylmethyl)
 phosphorodithioate 23.4%

INERT INGREDIENTS: 76.6%

TOTAL: 100.0%


CYGON - Reg. TM of Amercian Cyanamid Company.

Keep Out of Reach of Children

W A R N I N G

See back panel for additional precautionary statments

Net Contents _____ Fl.Oz. (_____ ml)



[BACK PANEL]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Harmful or fatal if swallowed, inhaled or absorbed through skin. Vapor harmful. Concentrated material causes eye irritation. Combustible. The following protective clothing must be worn during application: a. Impermeable gloves (for example rubber or plastic covered reinforced gloves). b. Boots or boot covers. c. Long-sleeved shirt and long pants. d. Wide-brimmed hat.

Avoid breathing vapor or spray mist. Use only with adequate ventilation. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Do not contaminate food or feed products. Keep children and pets off treated areas until this material has dried completely. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. **If inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention. **If on skin:** Remove contaminated clothing and thoroughly wash affected areas with plenty of soap and water. **If in eyes:** Flush eyes with plenty of water. Get medical attention immediately.

NOTE TO PHYSICIAN: This product, upon repeated or prolonged use, may cause cholinesterase inhibition. Atropine is antidotal. Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife and aquatic invertebrate. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its label. **READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY. THIS PRODUCT IS ONLY FOR USE AROUND THE HOME. DO NOT USE THIS PRODUCT FOR USES OTHER THAN THOSE LISTED ON THIS LABEL.**

STORAGE & DISPOSAL

Storage: Store in a cool, dry place away from heat or open flame. Avoid storage in temperatures below 32°F. Keep product in original container and preferably in a locked storage area inaccessible to

BEST AVAILABLE COPY

[BACK PANEL CONT'D]

children and pets. Disposal: Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.

Use DEXOL CYGON SYSTEMIC INSECTICIDE to the control the insects listed below. For proper timing of treatments for control of specific pests, consult your state agricultural extension service. Apply when pests appear or when damage is first observed. DO NOT OVERSPRAY. DO NOT USE ON ORNAMENTAL STOCK PLANTS GROWN AS A SOURCE OF PROPAGATION MATERIAL, SUCH AS CUTTINGS, LAYERS, ROOT STOCKS OR SCIONS FOR GRAFTING OR BUDDING. THE USES LISTED BELOW ARE FOR FOLIAR SPRAYS UNLESS OTHERWISE INDICATED. DO NOT APPLY THIS PRODUCT TO FEED OR FOOD CROPS.

Azaleas: Lace Bugs, Leaf Miners, Mites, Tea Scale, Whiteflies - Apply 2 tbsp. in 3 gallons of water. Birch: Aphids, Leaf Miners - Apply 1 tbsp. in 3 gallons of water. For Leaf Miners, apply when leaves are expanded (about mid-May) and repeat application in early July. Boxwood: Leaf Miners, Mealybugs, Mites - Apply 2 tbsp. in 3 gallons of water. For Leaf Miners, apply in the Spring when Leaf Miner Flies first appear or in early Summer for control of larvae in the infested leaves. Camellias: Aphids, Camellia Scale, Mites, Tea Scale - Apply 2 tbsp. in 3 gallons. As a foliar spray, make 2 applications 6 weeks apart the first year followed by annual applications soon after first growth begins in the Spring. As a soil drench, apply around the base of the plants in early Spring at the rate of 4 tbsp. per 1 gallon of water per plant up to 6 ft. tall. Increase this rate proportionately for larger plants. Euonymus: Aphids, Scale - Apply 4 tbsp. in 3 gallons of water. Gladiolus: Aphids, Thrips - Apply 2 tbsp. in 3 gallons of water. Hemlock: Mites, Scale - Apply 2 tbsp. in 3 gallons of water. Juniper: Aphids, Bagworms, Midges, Mites - Apply 4 tbsp. in 3 gallons of water. Pine: Aphids, Bagworms, European Pine Shoot Moth, Nantucket Pine Tip Moth, Zimmerman Pine Moth - Apply 4 tbsp. in 3 gallons of water. Roses: Aphids, Leafhoppers, Mites, Thrips - Apply 2 tbsp. in 3 gallons of water.

HOUSEFLIES

Spot Sprays: For localized housefly control, apply a spray containing 8 fl.oz. of Dexol Cygon Systemic Insecticide in 5 quarts of water with a knapsack or similar type sprayer to outdoor areas frequented by flies, such as doorways, around windows, etc. Repeat applications should be made when necessary. Good sanitation is a necessary part of any effective fly control program. DO NOT APPLY THIS PRODUCT INSIDE THE HOME.

General Outside Use: For the control of houseflies around homes, thoroughly spray exposed surfaces, such as walls, fences and garbage containers with 1 pint of Dexol Cygon Systemic Insecticide in 3 gallons of water. Repeat applications should be made when necessary. Do not contaminate feed and foodstuffs. DO NOT APPLY THIS PRODUCT INSIDE THE HOME.

NOTICE: SELLER MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER

BEST AVAILABLE COPY

[BACK PANEL CONT'D]

ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE AND/OR HANDLING IS CONTRARY TO INSTRUCTIONS.

DEXOL INDUSTRIES
Torrance, CA 90501

EPA Reg. No. 192-134
EPA Est. No. 192-CA-1

