

(DEXOL BARRKN CONCENTRATE VEGETATION KILLER FRONT PANEL)

**DEXOL
BARRKN CONCENTRATE
VEGETATION KILLER**

- * For total vegetation control
- * Prevents plant growth for up to one year
- * One gallon covers up to 400 square feet.

BEST AVAILABLE COPY

Active Ingredients:

Prometon: 2,4 bis (Isopropylamino)

6 methoxy-s triazine 1.50%

Inert Ingredients:

..... 98.50%


Total 100.00%

* Contains petroleum distillates

Keep Out of Reach of Children

CAUTION

See side panel for additional precautionary statements.



Net Contents: 1 gal (128 fl. oz.)

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

(Dexol Barren concentrate Vegetation Killer Back Panel)


Important: Read the entire Directions for Use and the conditions of sale and Warranty before using this product.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dexol Barren Concentrate Vegetation Killer is a non selective herbicide with a fast acting double killing action. It kills by contact and by root absorption. It is recommended for killing existing weed and grasses, and to prevent regrowth on walks, patios, driveways, blacktop and graveled areas, and playgrounds, and for creating firebreaks around structures in potential fire areas. The following are a few common weeds and other vegetation that can be destroyed and regrowth prevented with **Dexol Barren Concentrate Vegetation Killer:** Oxalis, Crabgrass, Bermuda Grass, Rye, Oats, Barley, Foxtail, Dog Fennel, Plantain, Spotted Spurge, Pigweed, Puncture Vine, Mustard, Watergrass, Green Ground Mold, Halva, Wild Turnip, Lambsquarters, and such hard to kill perennial weeds as Hoary Cress, Dandelion, Wild Morning Glory, Johnson Grass, Bindweed and Wild Carrot. Also woody plants such as Poison Oak, Honeysuckle and Blackberry.

How to Apply: Uniformly spray 1/2 gal. of **Dexol Barren Concentrate Vegetation Killer** in 2 gallons of water over 175-200 Sq. feet of soil surface. Thoroughly wet all foliage to insure contact action. Best results are obtained with applications are made during or after weed emergence while growth is succulent. Where vegetation is tall and dense, use 3 quarts of **Dexol Barren Concentrate Vegetation Killer** in 2 gallons of water per 100 sq. feet. For control of hard to-kill perennial weeds and grasses such as Johnson Grass, Bindweed, and Wild Carrot, use 1/2 gal. per 50 sq. feet. Although **Dexol Barren Concentrate Vegetation Killer** has considerable activity through foliar contact, much of its activity is through the roots and therefore adequate rainfall to move the chemical into the root zone is necessary. Under conditions where the rainfall is high and the growing season long, a second application may be necessary to maintain a weed-free soil surface. Two days after applying **Dexol Barren Concentrate Vegetation Killer**, water the treated area deeply to increase plant absorption. One day treatment normally provides control for a full season. Repeat application if necessary.

Spot Treatment: For woody plants such as poison oak, honeysuckle, blackberry and bermuda grass on driveways, patios, and parking lots apply at the rate of 1/2 gallons **Dexol Barren Concentrate Vegetation Killer** mixed with 4 gallons of water over 100 sq. feet. Spray all exposed parts and saturate the soil around the base. Follow with deep watering. Use a tank sprayer or sprinkling can. Consult the following table to determine the amounts of **Dexol Barren Concentrate Vegetation Killer** and water required for other area sizes:



BEST AVAILABLE COPY

3
-49
3

Growth Stage	Area to be Treated	Amt. Dexol Barren	Amt. of Water
Weed Emergent Period	25 sq. ft.	1/2 pt. (8 fl. oz.)	1 qt.
	50 sq. ft.	1 pt. (16 fl. oz.)	1/2 gal.
	100 sq. ft.	1 qt. (32 fl. oz.)	1 gal.
	200 sq. ft.	1/2 gal. (64 fl. oz.)	2 gal.
For Dense Foliage	25 sq. ft.	1 pt. (16 fl. oz.)	2 1/2 gal.
	50 sq. ft.	1 qt. (32 fl. oz.)	5 gal.
	100 sq. ft.	1/2 gal. (64 fl. oz.)	10 gal.

Equivalent to 16 tsp. (Use this rate for spot treatment) ⁹⁹ Equivalent to 2 c. ⁹⁹⁹ Equivalent to 4 c. ⁹⁹⁹⁹ Equivalent to 8 c.

Care must be taken to keep this herbicide away from desirable flower beds, lawns and shrubs. Do not apply over roots of valuable trees or woody ornamental plants. Only apply herbicide outside the dripline of trees. Avoid spray drift to desirable plants.

STORAGE AND DISPOSAL

Storage: Keep pesticide in original container. Store in a cool, dry place and preferable in a locked storage area inaccessible to children and pets. Store at temperatures above 32°F. **Disposal:** Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with eyes and skin. In case of skin contact: wash with soap and water. In case of eye contact: flush eyes with plenty of water. Get medical attention if irritation persists. Avoid inhalation of spray mist. Avoid contamination of food and feed.


ENVIRONMENTAL HAZARDS

Do not contaminate water used for irrigation or domestic purposes. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

NOTICE: Since weather and other conditions under which this product may be used will vary, Dexol makes no warranty of any kind, expressed or implied, concerning the use of this product other than indicated on the label.



DEXOL INDUSTRIES
Torrance, Ca. 90501

BEST AVAILABLE COPY

RPA Reg. No. 192-135
RPA Est. 192 CA 1