m 192 1	35		8-26.	-2003				3
SEPA	Environmental Weshi	nited States Protection ngton, DC 2046	n Agency	Form Approv	Registra Amend Other	ation	O. Approvel expires 2.	
		Application	for Pestici	de - Sectio	n l	<del>,</del>		
Company/Product Number     192-135				EPA Product Manager     Jim Tompkins			oposed Classification  None Restrict	cted
4. Company/Product (Name) Dexo! Weedso! Non Selective Weed & Grass Killer			PM# 25					
5. Name and Address of App Value Garden Supply P. O. Box 585 St. Joseph, MO 6450	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.							
Check if this	is a new address		Produ	ct Name	<u> </u>			
			Section - I					
Amendment - Explain  Resubmission in resp  Notification - Explain  Explanation: Use addition  Notification of label change in regulations at 40 CFR 156.10 product. I understand that it consistent with the guidance may be subject to enforceme	below.  nal page(s) if necessar elative to PR Notice 200 and 40 CFR 152.46, a is a violation of 18 U.S. of PR Notice 2001-6 ar	y. (For section 01-6. This notific and no other char C. Sec. 1001 to and the requireme	ation is consistent nges have been ma willfully make any f nts of 40 CFR 156.	"Me Too" Applied Other - Explain with the guidance ade to the labeling alse statement to 10 and 40 CFR 1	below.  e in PR Notice 2 g or the confide	AUC	ent of formula of this that if this notification is	s not
			Section - I					
1. Material This Product Will	Be Packaged In:				<u> </u>			
Child-Resistent Packaging  Yes No No  * Certification must be submitted  Unit Packaging  Unit Packaging  Yes No No  If "Yes" Unit Packaging wgt.		No. per container	Ves Yes No  If "Yes" Peckage wgt	Yes No. per		f Container  Metal Plastic Glass Paper Other (Specify)		
3. Location of Net Contents	Information	4. Size(s) Reta	  Container	5.	Location of Lal	bel Direction	ns	
6. Manner in Which Label is Affixed to Product Lit		Lithogra Paper g Stencile	ograph er glied neiled					
			Section - I'	V				
1. Contact Point (Complete	items directly below f	or identification	of individual to b	contacted, if n	ecessary, to pi	ocess this	epplication.)	
			itle Regulatory Affairs Manager		Telephone No. (include Ares Code) 540-864-8490			
l certify that the state I acknowledge that an both under applicable	y knowlinglly false or		Il attachments the				6. Dete Application Received (Stamped)	
			. Title					
Carrie Crawford			Regulatory Affairs Manager					
		5. Date July 21, 2003						

Carrie Crawford

NOTIFICATION

AUG 2 & 2003

# DEXOL BARREN CONCENTRATE VEGETATION KILLER

For Total Vegetation Control Prevents Plant Growth for up to One Year One Gallon Covers up to 400 Square Feed

**ACTIVE INGREDIENTS:** 

prometon: 2.4-bis (Isopropylamino) -

Inert Ingredients: 98.50%

TOTAL

CONTAINS PETROLEUM DISTILLATES

EPA Reg. No. 192-135 EPA Est. No. 44616-MO-3

Distributed by: Value Garden Supply, LLC.

P. O. Box 585

St. Joseph, MO 64502

(952) 884-6477

www.valuegardens.com

# KEEP OUT OF REACH OF CHILDREN CAUTION

See side/back panel for additional precautionary statements

## **NET CONTENTS:**

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

#### **FIRST AID**

If in eyes:

•Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

·Call a poison control center or doctor for treatment advice.

if swallowed:

Immediately call a poison control center or doctor.

•Do not induce vomiting unless told to do so by the poison control center or

doctor

•Do not give any liquid to the person.

•Do not give anything by mouth to an unconscious person.

If inhaled:

·Move person to fresh air.

If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably by mouth-to-mouth, if possible.

·Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15 - 20 minutes.

·Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

## **ENVIRONMENTAL HAZARDS**

Do not contaminate water used for irrigation or domestic purposes. Keep out of lakes, streams, or ponds, Do not use on slopes or in areas where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

# PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

Important: Read the entire Directions for Use and the conditions of sale and warranty before using this product.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Dexol Barren Concentrate Vegetation Killer is a non-selective herbicide with a fast acting double killing action. It kills by contact and b root absorption. It is recommended for killing existing weed and grasses, and to prevent regrowth on walks, patios, driveways, blacktop and graveled areas, and playgrounds, and for creating firebreaks around structures in potential fire areas. The following are a few common weeds and other vegetation that can be destroyed and regrowth prevented with Dexol Barren Concentrate Vegetation Killer: Oxalis, Crabgrass, Bermuda Grass, Rye, Oats, Barley, Foxtail, Dog Fennel, Plantain, Spotted Spurge, Pigweed, Puncture Vine, Mustard, Watergrass, Green Ground Mold, Malva, Wild Turnip, Lambsquarters, and such hard to kill perennial weeds as Hoary Cress, Dandelion, Wild Morning Glory, Johnson Grass, Bindweed and Wild Carrot. Also wood plants such as Poison Oak, Honeysuckle and Blackberry.

How to Apply: Uniformly spray ½ gal. of Dexol Barren Concentrate Vegetation Killer in 2 gallons of water over 175-200 sq. ft. of soil surface. thoroughly wet all foliage to insure contact action. Best results are obtained when applications are made during or after weed emergence while growth is succulent. Where vegetation is tall and dense, use 3 quarts of Dexol Barren Concentrate Vegetation Killer in 2 gallons of water per 100 sq. ft. For control of hard-to-kill perennial weeds and grasses such as Johnson Grass, Bindweed, and Wild Carrot, use ½ gal. per 40 sq. ft. Although Dexol Barren Concentrate Vegetation Killer has considerable activity through foliar contact, much of its activity is through the roots and, therefore, adequate rainfall to move the chemical into the root zone is necessary. Under conditions where the rainfall is high and the growing season long, a second application may be necessary to maintain a weed-free soil surface. Two days after applying Dexol Barren Concentrate Vegetation Killer, water the treated area deeply to increase plant absorption. One day treatment normally provides control for a full season. Repeat application if necessary.

Spot Treatment: For woody plants such as poison oak, honeysuckle, blackberry and Bermuda grass on driveways, patios, and parking lots apply at the rate of ½ gallon Dexol Barren Concentrate Vegetation Killer mixed with 4 gallons of water over 100 sq. ft. Spray all exposed parts and saturate the soil around the base. Follow with deep watering. Use a tank sprayer or sprinkling can. Consult the following table to determine the amounts of Dexol Barren Concentrate Vegetation Killer and water required for other area rates:

Growth Stage	Area to be Treated	Amt. Dexol Barren	Amt. Water
Weed Emergent	25 sq. ft.	½ pt. (*8 fl. oz.)	1 qt.
Period	50 sq. ft.	1 pt. (**16 fl. oz.)	1∕₂ gal.
	100 sq. ft.	1 qt. (***32 fl. oz.)	1 gal.
	200 sq. ft.	½ gal. (****64 fl. oz.)	2 gal.
For Dense	25 sq. ft,	1 pt. (**16 fl. oz.)	2 ½ gal.
Foliage	50 sq. ft.	1 gt. (***32 fl. oz.)	5 gal.
Ţ	100 sq. ft.	½ gal.(****64 fl. oz.)	10 gal.

Equivalent to 16 tbsp. (Use this rate for spot treatment) \*\*Equivalent to 2 c. \*\*\*Equivalent to 4 c. \*\*\*\*Equivalent to 8 c.

Care must be taken to keep this herbicide away from desirable flower beds, lawns and shrubs. Do not apply over roots of valuable trees or wood ornamental plants. Only apply herbicide outside the dripline of trees. Avoid spray drift to desirable plants.

# Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry area away from heat or open flame. Keep in original container and preferably in a locked storage area inaccessible to children and pets. Store at temperatures above 22°F. Disposal: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions and precautions.