

MAY 28 1996

Mr. John Prues
Dexol Industries
1450 West 228th Street
Torrance, California 90501

Subject: Revised Labeling--Fire Ant Control,
Environmental Hazards Statement
Dexol Dexaklor Granules Soil Insect Control
EPA Registration Number 192-141
Your Application Dated March 5, 1996

Dear Mr. Prues:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable provided that you make the labeling change indicated below before you release the product for shipment bearing the amended labeling:

In the Environmental Hazards section, after the sentence "Do not apply directly to water," add the sentence "Runoff may be hazardous to aquatic organisms in neighboring areas."

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

2 7 6

[FRONT PANEL]

DEXOL

DEXAKLOR

GRANULES

Soil Insect Control

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAY 28 1996

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
192-141

Controls Ants, Fleas, Ticks, Crickets,
Cutworms, Chinch Bugs, Sod Webworms (Lawn Moths),
Earwigs, Sowbugs (Pillbugs), Certain White Grubs
Hyperodes (Turfgrass) Weevils and More

For Home Lawns, Flower Beds, Under Shrubbery and
Other Ornamental Turf Areas

ACTIVE INGREDIENTS:

*Chlorpyrifos [0,0-diethyl 0-3,5,6-trichloro-2-
pyridyl) phosphorothioate]..... 0.50%

INERT INGREDIENTS: 99.50%

TOTAL:..... 100.00%


*DURSBAN and the protection logo are trademarks of DowElanco

Keep Out of Reach of Children

CAUTION

See back panel for additional precautionary statements

NET WT. 1 LB. (454 GRAMS)



[BACK PANEL]

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dexol Dexaklor Granules Soil Insect Control controls Chinch bugs, Fleas, Ants, Crickets, Sowbugs (Pillbugs), Billbugs, Cutworms, Grasshoppers, Boxelder Bugs, Clover Mites, Sod Webworms (Lawn Moths), Chiggers, Fire Ants, Earwigs, Hyperodes (Turfgrass) Weevils, European Crane Fly Larvae, White Grubs and Ticks (including Deer Ticks).

FOR USE ON HOME LAWNS AND OTHER ORNAMENTAL AND RECREATIONAL TURF GRASS AREAS.

HOW TO APPLY: Apply Dexol Dexaklor Granules Soil Insect Control uniformly to home lawns at the rate of 1 lb. per 200 sq.ft. Treat when insects first appear; retreat as needed.

NOTE: This product can be applied with any hand or power operated gravity or rotary type spreader designed for application of granular materials. Product packaged in canister with sprinkle top can be applied directly from container. Use the following table for application rates:

To help obtain uniform distribution, apply one-half the required amount of product in one direction; then apply the balance at a right angle. Immediately after application, thoroughly water the treated turf to wash the insecticide into the zone of insect infestation.

Area to be Treated	Pounds for Lawn & Perimeter	Gallons of Water to Sprinkle on Area after Treatment
200 sq.ft.	1 lb.	5 gallons
1,000 sq.ft.	5.0 lbs.	30 gallons
5,000 sq.ft.	25 lbs.	150 gallons
10,000 sq.ft.	50 lbs.	300 gallons

CHINCH BUGS: Apply when insects appear and/or their damage is imminent. Control will last up to 8 weeks. To prevent damage apply as soon as daily temperatures reach 80°F and repeat every 2 months.

SOD WEBWORMS: Delay watering or mowing the treated area for 12 - 24 hours after treatment. Treat in the spring or when insects first appear troublesome. Additional treatments at 30 day intervals may be needed for new infestations.

WHITE GRUB CONTROL: (such as larvae of Japanese Beetle, Black Turfgrass ataeinus, European chafer, and Southern Masked chafer) Apply Dexol Dexaklor Granules Soil Insect Control at 10 lbs. per 1,000 sq. ft. Apply the granules uniformly over the area to be treated, followed immediately by a thorough watering to wash the insecticide into the turf. When high populations of grubs are present in the area to be treated, a repeat application of 10 lbs. of product may be made 7-14 days following the initial application. For best results remove thatch first & treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service for proper time to treat in your area.

EUROPEAN CRANE FLY LARVAE: Apply 7.0 lbs. of Dexol Dexaklor Granules Soil Insect Control per 1000 sq. ft. Immediately after application, sprinkle the turf with enough water to move the insecticide into the soil. For timing of applications you should consult your local Agricultural Extension Service.

TURFGRASS WEEVIL CONTROL (larvae of Hyperodes weevil): Apply 10 lbs. of Dexol Dexaklor Granules Soil Insect Control per 1,000 sq. ft. Apply the granules uniformly over the area to be treated. Treat suspected problem areas in mid-April and again in mid-May or as recommended by your local Agricultural Extension Service specialist.

TO HELP PREVENT INFESTATION OF BUILDING BY INSECTS BY: Ants, Crickets, Sowbugs (Pillbugs), Earwigs, Ticks, Spiders, Crickets, Fleas, Clover Mites, Boxelder Bugs: Use 1 lb. to treat 200 sq. ft. around the structure. Apply when insects have become troublesome or before they cause problems in the spring or early fall. Repeat one month later and then as needed for control but not more than once every 7 days. Keep children and pets off treated area until granules are sprinkled and the area is dry.

TO CONTROL INSECTS IN FLOWER GARDENS AND UNDER AND AROUND SHRUBBERY SUCH AS: Ants, Crickets, Sowbugs (Pillbugs), Earwigs, Ticks, Cutworms, Grasshoppers and Armyworms: Apply evenly over soil within flower beds and under shrubbery. Use the same dosage recommended on turf.

FIRE ANT CONTROL (for Individual Fire Ant Mounds): Apply Dexol Dexaklor Granules Soil Insect Control at a rate of 4 ounces (8-tablespoons) per active mound. Sprinkle granules gently and evenly over surface of mound and out approximately two feet surrounding the mound. Avoid disturbing ants. After application of granules, gently sprinkle the treated area with a minimum of 1 quart water per 6 inches of mound diameter. NOTE: For best results apply in cool

weather 65°-80°, or in early morning or late evening hours. Treat new mounds as they appear.

FOR CONTROL OF TICKS INFESTING AREAS AROUND HOUSES AND IN YARD AREAS: Use the same dosage recommended on turf. Treat perimeter of house and yard by applying under shrubbery, in and around ground cover, and around and under patios. Treat edges or perimeter of yard area where grass and other ground cover plants exist and other areas that appear likely to serve as harborage sites for ticks that have removed themselves from their host. Prior to and following treatment, weeds and high grasses should be kept trimmed to reduce tick harborage sites. Rodents can serve as hosts for ticks. Rock piles, wood piles, and other rodent habitats should be removed or reduced. Key months for deer tick control are April through November in most parts of the country. For specific timing of application in your geographic area, contact your local extension service.

NOTE: During application tuck pant legs into socks to avoid tick bites. An insect repellent sprayed onto lower legs and socks should give additional protection from possible bites. Wearing light colored pants and socks will aid in spotting ticks that may attack during treatment.

STORAGE & DISPOSAL

Storage: Store in a cool, dry place. Keep in original container and preferably in a locked storage area. **Pesticide Disposal:** Securely wrap original container in several layers of newspaper and discard in trash. **Container Disposal:** Do not reuse container. Discard container in trash.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Caution: Keep out of reach of children. May be harmful if swallowed. Do not take internally. Avoid inhaling dust. Avoid eye contact. Flush contaminated eyes with plenty of water, and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep away from food, feedstuffs and domestic water supplies. As directed, water lawn after application and allow to dry before permitting children or pets on treated area.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. **If Inhaled:** Remove victim to fresh

air. If symptoms of cholinesterase inhibition appear get medical attention immediately. **If on Skin:** Wash thoroughly with soap and water. Get medical attention if irritation persists. **If in Eyes:** Flush with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to birds, fish, and aquatic invertebrates. Birds feeding in treated areas may be killed. Clean up spilled product to reduce exposure to wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and / or handling of this material when such use and / or handling is contrary to label instructions.

Dexol Industries
1450 W. 228th St.
Torrance, CA 90501

EPA Reg. No. 192-141
EPA Est. No. 192-CA-1

3/1/96

Questions call: (310) 326-8373

