DEXOL DEXA-KLOR³ INSECT SPRAY

USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label. Apply this product only as specified on this label.

Do not spray vegetable gardens or other plants used for food purposes.

DEXOL DEXA-KLOR® is a pyrethrin insecticide which provides control of insects attacking home lawns and other ornamentals and recreational turf grass areas.

PESTS OF LAWNS — By control of Ants, Armyworms, Brown Dog Ticks, Chiggers, Chinch Bugs, Clover Mite, Mole Crickets, Crickets, Cutworms, Delmodoid Flea Beetle, Earwigs, Fleas, Grass Hoppers, Sod Webworms, Mix 3½ oz. DEXOL DEXA-KLOR® in 15 gal. water to treat 5000 sq. ft. or 4 oz. in 30 gal. water for 1,000 sq. ft. of area. Spray when pests first appear; repeat as necessary. Apply as a coarse spray using a hose end sprayer. Thorough y water in two after treatment except as noted. For best results, the lawn should be moist at time of treatment. One application usually will control Chinch Bugs for up to 6 weeks. For Sod Webworms, delay watering or mowing of treated area for 1-2 days after treatment. For Sunflower (Hyperodes) Weevil: Use 8 oz. in 15 gal. water. Spray in mid April and again in mid May and follow recommended use directions. For Alfalfa Snout, European Chafer and Japanese Beetle (adult only): Use 8 12 fl. oz. in 30 gal. water. Spray when grubs are young and actively feeding near the soil surface, usually late July and August. Immediately after spraying, irrigate the treated area with ½-2 2" of water. Contact local Agricultural Extension Service specialist for the proper timing to treat in your area for Japanese Beetle and Alfalfa Snout.

NOTE: Damaged lawns and ornamen[illegible] should be fertilized to stimulate growth and recovery from insect injury.

PESTS INDOORS — For spot treatment of Ants, Cockroaches, Clover Mites, Crickets, Firebrats, Silverfish and Spiders. Apply as a coarse spray or with a paint brush to control cracks in walls along baseboards, behind sinks, stoves and around plumbing. FOR ANTS: Apply to ant trails around doors and windows. Use a 0.25% spray to control light infestations and a 0.5% spray to quickly reduce heavy infestations of the following rate: 0.25% spray = 5 1/3 oz. DEXA KLOR® per 1 gal. water; 1 qt. 3 gal. water. 0.5% spray = 1 1/2 oz. DEXA KLOR® per 1 gal. water; 1 qt. 3 gal. water.

PESTS OUT OF DOORS — For control of Ants, Brown Dog Ticks, Chiggers, Chinch Bugs, Cockroaches, Clover Mites, Crickets, Cutworms, Earwigs, Fleas, Fleas, Grasshoppers, Sod Webworms, Millipedes, Mosquitoes, Sowbugs and Spiders. Mix 3½ oz. in 15 gal. water. Apply as a spray or with a paint brush to outside surfaces of buildings, porches, screens, window frames, eaves, patios and garages. DO NOT ALLOW SPRAY TO CONTACT PLANTS BECAUSE OF POSSIBLE INJURY. Repeat as needed.

FOR OUTDOOR CONTROL OF PESTS AND INSECTS in Yards — Apply 1 part of the 1% DEXOL DEXA-KLOR® in 16 parts of water as a coarse low pressure spray to cover 2000 sq. ft. (1 lb. 6 oz. of DEXOL DEXA KLOR® in 6 gallons of water covers 2000 sq. ft.). Spray may be applied with a garden house sprayer. Water as necessary. Thoroughly water immediately after treatment to wash the insecticide into the treated area. For best results, the lawn should be moist at time of treatment. See next section for Termites and Bees. To control Termites, mix 8 oz. of DEXOL DEXA-KLOR® in 1 gallon of water to building, resting areas, walls and floors. Old backing of pets should be removed and replaced with clean fresh bedding after treatment. See note below.

Note: Remove pets before spraying. Do not treat pets with this product. Keep children and pets out of treated areas until spray has dried.

NOTE: To help prevent infestation of buildings by Ants, Cockroaches, Crickets, Earwigs, Millipedes and Sowbugs, treat a band of soil 6 12 in. wide around and adjacent to the building and 2 3 ft. into the foundation. Mix 2 fl. oz. in 2 gal. water and thoroughly apply as a coarse spray over 1,000 sq. ft. of area.

TO CONTROL FIRE ANTS — Dissolve 4 oz. of DEXA-KLOR® per gal. of water. Apply 1 gal. of solution as a general rain to each Fire Ant mound as soon as it is discovered. Thoroughly wet mound and surrounding area in a 6 in. diameter (12.5 sq. ft.) for best results, apply in cool weather (65-80°F) or in early morning or late evening hours. Treat new mounds as they appear. Do not disturb the mound prior to treatment. It is possible that all mounds in the vicinity are not treated or some which may not as yet have constructed a mound.

Keep children and pets off treated areas until spray has dried. Avoid tracking pesticide into the home via contaminated footwear.

PESTS OF ORNAMENTALS — [illegible] NOTE: DO NOT USE ON AZALEAS, CAMELLIAS, POINSETTIAS, ROSE BUSHES OR VARIEGATED BECAUSE OF POSSIBLE INJURY. [illegible] Aphids, Bagworms, Eastern Tent Caterpillars, Fall Webworm, Grasshoppers, Orange [illegible], Sowbugs and Millipedes. Mix 1 0 fl. oz. in 1 gal. water. Spray leaves and stems and [illegible]. Avoid spraying [illegible] repeat at 7-10 day intervals if [illegible]. Control Cutworms, Leaf Hoppers, Webworm, Rechumped Caterpillars, Thrips and Mites: Use 1 2 fl. oz. in 1 gal. water. For Borers of Ash and Lilac Borers, Oak, Pine, Poplar, Tea and White Peach Scale, Crawlers: Use 1 2 fl. oz. in 1 gal. water.

*Equivalent to 4 oz. of chlorpyrifos per 100 gal.
**Equivalent to 8 oz. of chlorpyrifos per 100 gal.
Note: 1 fl. oz. = 2160 = 6 tsp.

STORAGE AND DISPOSAL

CAUTION

Do not reuse empty container. [illegible]

CAUTION! [illegible] Insecticide, Rodenticide Act.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION!

Keep children and pets off treated areas until spray has dried. Do not [illegible] through the skin. Avoid contact [illegible] thoroughly after handling. Wash [illegible] before eating, drinking or using tobacco. In case of contact immediately flush exposed eyes [illegible]. Get medical attention if irritation persists. Avoid breathing spray mist. [illegible] from food, foodstuffs and domestic water supplies. Keep container closed. Do not reuse empty container.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on plants.

PHYSICAL OR CHEMICAL HAZARDS

WARNING

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Drink one or two glasses of water. Do not induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled — Remove victim to fresh air and apply respiration if indicated.

If on skin — Wash promptly with soap and water. Rinse thoroughly.

If in eyes — Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

NOTICE: Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one is authorized to make any other warranty, guarantee or direction concerning this product. Because the many [illegible] rate of application and other conditions of use [illegible] Seller's control, Seller's liability from the [illegible] storage and use of this product is limited to refund of product or refund of purchase price.

DEXOL INDUSTRIES
Torrance, Calif. 90501

EPA Reg. No. 192-182
EPA Est. 192-CA-1

78493 00132 0

ACCEPTED
NOV 16 1981
Insecticide, Rodenticide Act,

DEXA-KLOR
INSECT SPRAY

Controls
ANTS, FLEAS, GRASSHOPPERS, RED FIRE ANTS, GRUBS and more