



DEXOL DIAZINON

25% INSECT SPRAY
Controls Insects on Lawns,
Fruits, Vegetables, Ornamentals,
Flowers, Trees & Shrubs.

COVERS UP TO 8,000 SQ. FT. OF LAWN.

NET 32 FL. OZS. (1 QT)

9/15/86

STORAGE & DISPOSAL
Store in original container in a cool, dry place. Do not use if container is damaged or leaking. Dispose of contents and container in accordance with local, state, and federal regulations.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
WARNING
Irritant to eyes, nose, and throat. May cause dizziness and headache. Avoid breathing dust or spray. Wash thoroughly after handling. Do not eat, drink, or use tobacco while using this product.

STATEMENT OF PRAGMATIC TREATMENT
This product is intended for use on lawns, fruits, vegetables, ornamentals, flowers, trees, and shrubs. It is not intended for use on food crops.

NOTE TO PHYSICIAN
In case of poisoning, call your physician immediately. Symptoms may include nausea, vomiting, diarrhea, and difficulty breathing.

Page 5

ENVIRONMENTAL HAZARDS
This product is highly toxic to aquatic life. Do not apply near water bodies. Avoid runoff into water.

PHYSICAL OR CHEMICAL HAZARDS
This product is flammable. Keep away from heat and open flames. Do not mix with other chemicals.

NOTICE
This product is a restricted use pesticide. It may only be used by or under the direct supervision of a licensed applicator.

DEXOL INDUSTRIES
Torrance, CA 90501

EPA REG. NO. 102-145-AA
EPA EST. NO. 192-CA-1

Page 6

NOT REVIEWED
In Accordance with PR Notice 82-2
Base on DPH Labeling Dated 9/15/86

DIAZINON
25% INSECT SPRAY

Controls insects on lawns, fruits, vegetables, ornamentals, flowers, trees & shrubs.

The Pint Covers up to 4,000 Sq. Ft. of Lawn

ACTIVE INGREDIENT	25.0%
INERT INGREDIENTS	75.0%

Keep Out of Reach of Children

WARNING
See back panel for additional precautionary statements

Page 7

NOT REVIEWED
 In Accordance with FR Notice 82-2
 Base on Draft Labeling Dated 9/15/86

SEE ATTACHED PAMPHLET FOR COMPLETE DIRECTIONS FOR USE

**PRECAUTIONARY STATEMENTS
 HAZARDOUS TO HUMANS & DOMESTIC ANIMALS
 WARNING**

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not permit children or pets to go onto treated areas until the spray has completely dried. Do not contaminate ornamental fish ponds. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL SUPERVISION. Product contains petroleum distillates which may cause aspiration pneumonia. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. If on Skin: Remove contaminated clothing and wash affected areas with soap and water. If in Eyes: Flush eyes with plenty of water. Call a physician immediately. **NOTE TO PHYSICIAN:** Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Solvent presents aspiration hazards. Gastric lavage may be indicated if material was taken internally.

ENVIRONMENTAL HAZARDS


This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply where bees are actively visiting the crop or over crop or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. **NOTICE:** Buyer assumes all risk of use, storage or handling of this material, not in strict accordance with directions given hereon. **DEXOL INDUSTRIES**
 Torrance, CA 90501

EPA Reg. No. 192-145-AA
 EPA Est. No. 192-04-1

ASSEMBLY INSTRUCTIONS



NOT REVIEWED
 In Accordance with FR Notice 82-2
 Base on Draft Labeling Dated 9/15/86

BEST AVAILABLE COPY

DEXOL
DIAZINON
25% INSECT SPRAY
 Controls Insects on Lawns,
 Fruits, Vegetables, Ornamentals,
 Flowers, Trees & Shrubs.

COVERS UP TO 4 000 SQ. FT. OF LAWN.
 Keep Out of Reach of Children

WARNING
 See back panel for additional
 precautionary statements.
NET 16 FL. OZS. (1 PT.)

ACTIVE INGREDIENT
 Diazinon 25%
INERT INGREDIENTS
 75%

EZ

DEXOL
DIAZINON
25% INSECT SPRAY

ACTIVE INGREDIENT
 Diazinon 25%
INERT INGREDIENTS
 75%

Keep Out of Reach of Children
WARNING
 See side panel for additional precautionary statements
NET 16 FL. OZ. (1 PT.)

DIAZ

ZINON

25% INSECT SPRAY

Controls Insects on Lawns,
Fruits, Vegetables, Ornamentals,
Flowers, Trees & Shrubs.

4,000 SQ. FT. OF LAWN.
Children

Additional
ents.

ZS. (1 PT.)

ACTIVE INGREDIENT:

Diazinon (O,O-dimethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate) 25%

INERT INGREDIENTS

Total

75%

100%

Contains aromatic petroleum derivative solvent.

BEST AVAILABLE COPY

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NEEDLE DIAZINON 25% INSECT SPRAY is an organophosphorus compound and can be used to control the insects listed below.

HOSE-END SPRAYER INSTRUCTIONS: 1) Attach siphon/hose tube to hose end sprayer attachment. 2) Screw hose into hose end sprayer attachment. 3) Remove cap from bottle and insert sprayer attachment. 4) Securely tighten sprayer attachment on bottle. 5) Turn water on. TO START FLOW OF INSECTICIDE, place finger over hole on right side of sprayer attachment. Hold about 2 feet above area to be treated moving at a steady pace to ensure constant coverage. 6) TO STOP FLOW OF INSECTICIDE, remove finger from hole to break siphon action. **NOTE:** To ensure adequate coverage, use moderate to high water pressures when applying through hose end sprayer attachment.

LAWNS

Bluegrass, Mexican Fescue, St. Augustine, Dichondra, Bent, Bermuda. To control: Chinch Bugs, Sod Webworms, Bermuda Mites, Sowbugs, Cutworms, Crickets, Fleas, Ants, Brown Dog Ticks, Earwigs, Lawn Billbugs (Grubs), Dichondra Flea Beetles. Apply 1 pint to cover 2,000 sq. ft. To control: Millipedes - Apply 1 pint to cover 1,000 sq. ft. Thoroughly wet down grass a few hours before applying. For Lawn Billbugs, water lawn thoroughly after treatment. *In the North, if Chinch Bugs are the only insect problem, a lower rate of application can be used. Apply 1/2 pint to cover 4,000 sq. ft.

FRUITS

Aphids - Mealybugs, Aphids, Mites, Scale Crawlers, -yths - Codling Moths, Mites, Aphids, Leaf Rollers and Scale Crawlers, Pear and Redworms - Mites, Aphids, Leaf Rollers and Scale Crawlers, Peas - Aphids, Scale Crawlers, Mites, Pear Psylla, Borers, Mites, Aphids and Scale Crawlers, Plum and Prunes - Mites, Aphids, Leaf Rollers and Scale Crawlers, Raspberries - Mites, Aphids and Scale Crawlers, Raspberries - Mites, Aphids and Leaf Rollers. Apply as a full cover spray. Start spraying after blooming and repeat at 10-14 day intervals if needed. Do not spray fruit within 21 days of picking.

VEGETABLES

Tomatoes - Aphids, Leaf Miners, Beetles - Aphids, Pearflies, Beetles, Leaf Miners, Beetles, Root Aphids, Beetles, Squash, Cucumbers, Cactaceae, Peppers - Aphids, Leaf Miners, Cutworms, Beetles, Beetles - Aphids, Cabbages - Aphids, Leaf Miners, Cutworms. Apply 1 ounce to cover 16,000 sq. ft. Generally, applications at 7-10 day intervals may be required. Do not apply within one day of picking tomatoes. 35 days of harvesting potatoes or 14 days of picking all other crops listed in this section.

SHRUBS AND FLOWERS

Roses, Azaleas, Chrysanthemums, Hibiscus, Geraniums - Aphids, Mites, Leafhoppers, Thrips. Apply as a thorough foliar spray. Spray underside of leaves. Wet plants in the drooping point.

TREES AND SHRUBS

Oaks - Aphids and Scale Crawlers, Maple and Laurel - Aphids, Yucca and Yucca - Mites, Scale Crawlers, and Leaf Miners, Pines - Aphids and Scale Crawlers, Apples - Aphids, Scale Crawlers and Bagworms, Willows - Aphids, Scale Crawlers and Leaf Miners. Apply as a thorough foliar spray. Wet leaves and branches to the drooping point. Try to penetrate dense foliage.

STORAGE & DISPOSAL

STORAGE: Store in a cool, dry place away from heat or open flame. Keep in original container and preferably in a locked storage area.

DISPOSAL: Do not reuse empty container or hose end sprayer attachment. Wash container and hose and sprayer attachment in newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before eating or drinking. Avoid contamination of feed and foodstuffs. Do not permit children to play in or on treated areas until the spray has completely dried. Do not contaminate ornamental fish ponds, fountains, such as

fountains or swimming pools should not be used for fish purposes after use with this spray.

STATEMENT OF PRACTICAL TREATMENT

WARNING: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL SUPERVISION. Product or fumes petroleum distillates which may cause aspiration pneumonia. If inhaled, Remove victim to fresh air. Apply artificial respiration if indicated. If on skin, Remove contaminated clothing and wash affected area with soap and water. If in eyes, Flush eyes with plenty of water. Call a physician immediately. **NOTE TO PHYSICIAN:** Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is an antidote. 2-PAM is also antidotal and may be administered, but rely in conjunction with atropine. Solvent presents aspiration hazard. Gastric lavage may be indicated if material was taken internally.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop or when crop or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use open flame or other heat heat near flame.

NOTICE: Pesticides should not be used, stored or handled if this material is not in strict accordance with printed label directions.

REGULATORY INFORMATION EPA Reg. No. 102-145-AA
TAMPA, FL 33601 EPA Reg. No. 102-145-CA

In EPA Letter Dated:

SEP 15 1986

DEXOL

**DIAZINON
25% INSECT SPRAY**

Under the Federal Insecticide,
Fungicide, and Plant Growth Act
as amended, for the pesticide
registered under EPA Reg. No.
192-145

Controls Insects on Lawns,
Fruits, Vegetables, Ornamentals,
Flowers, Trees & Shrubs.

Covers Up To 4,000 Sq. Ft. Of Lawn.

ACTIVE INGREDIENT:

0,0-diethyl 0-(2-isopropyl-6-methyl-4-
pyrimidinyl) phosphorothic acid..... 25%

INERT INGREDIENTS:..... 75%


Total:..... 100%

Keep out of Reach of Children

W A R N I N G

See back panel for additional precautionary statements.

NET 16 FL. OZ. (1 PT.)



BACK PANEL - DEXOL DIAZINON 25% INSECT SPRAY (CONTAINER LABEL)

SEE ATTACHED PAMPHLET FOR COMPLETE DIRECTIONS FOR USE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not permit children or pets to go onto treated areas until the spray has completely dried. Do not contaminate ornamental fish ponds. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL SUPERVISION. Product contains petroleum distillates which may cause aspiration pneumonia. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **If on Skin:** Remove contaminated clothing and wash affected areas with soap and water. **If in Eyes:** Flush eyes with plenty of water. Call a physician immediately. **NOTE TO PHYSICIAN:** Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply where bees are actively visiting the crop, cover crop or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. **NOTICE:** Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

DEXOL INDUSTRIES
Torrance, CA 90501

EPA REG. NO. 192-145
EPA EST NO. 192-CA-1

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
in EPA Letter 10/1/66

SEP 15 1966

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

PAMPHLET [ALL INCLUSIVE]

DEXOL
DIAZINON
25% INSECT SPRAY

Controls Insects on Lawns,
Fruits, Vegetables, Ornamentals,
Flowers, Trees & Shrubs.

Covers Up To 4,000 Sq.Ft. Of Lawn.

ACTIVE INGREDIENT:

0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl phosphorothioate)..... 25%

INERT INGREDIENTS:..... 75%


Total..... 100%

Keep Out of Reach of Children

W A R N I N G

See back panel for additional precautionary statements.

NET 16 FL. OZ. (1 PT.)



PAMPHLET - DEXOL DIAZINON 25% INSECT SPRAY [ALL INCLUSIVE]

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DEXOL DIAZINON 25% INSECT SPRAY is an organophosphorous compound and can be used to control the insects listed below.

RECOMMENDED RATE: Apply at the rate of 2 tbsp. (1 fl.oz.) in 3 gal. water unless otherwise directed.

HOSE-END SPRAYER INSTRUCTIONS: 1) Attach siphonage tube to hose-end sprayer attachment. 2) Screw hose into hose-end sprayer attachment. 3) Remove cap from bottle and insert sprayer attachment. 4) Securely tighten sprayer attachment on bottle. 5) Turn water on. TO START FLOW OF INSECTICIDE, place finger over hole on right side of sprayer attachment. Hold about 3 feet above area to be treated moving at a steady pace to insure consistent coverage. 6) TO STOP FLOW OF INSECTICIDE, remove finger from hole to break siphon action. **NOTE:** To ensure adequate coverage, use moderate to high water pressures when applying through hose-end sprayer attachment.

LAWNS:

Bluegrass, Merion, Fescue, St. Augustine, Dichondra, Bent, Bermuda. To control Chinch Bugs*, Sod Webworms, Bermuda Mites, Sowbugs, Cutworms, Crickets, Fleas, Ants, Brown Dog Ticks, Earwigs, Lawn Billbugs (Grubs), Dichondra Flea Beetles - Apply recommended rate to cover 125 sq.ft. or 8 fl.oz. in sufficient water to cover 1,000 sq. ft. (1 pint to cover 2,000 sq. ft.). To control Millipedes - Apply 4 tbsp. (2 fl.oz.) in 3 gal water to cover 125 sq. ft. or 8 fl.oz. in sufficient water to cover 500 sq.ft. (1 pint to cover 1,000 sq.ft.). Thoroughly wet down grass a few hours before applying. For Lawn Billbugs, water lawn thoroughly after treatment. *In the North, if Chinch Bugs are the only insect problem, a lower rate of application can be used. Apply 2 tbsp. in 3 gallons of water to cover 250 sq.ft. or 8 fl.oz. in sufficient water to cover 2,000 sq.ft. (1 pint to cover 4,000 sq. ft.). To control Rhodes-Grass Scale Crawler - Apply recommended rate per 100 sq.ft. or 10 fl.oz. in 30 gallons water per 1,000 sq.ft. Apply when Scale Crawlers first emerge.

IMPORTED FIRE ANTS: To aid in the control of Imported Fire Ants in lawns and other recreation areas, apply 2 tbsp. (1 fl.oz.) in a minimum of 1 gal. of water to drench. Apply over and 6 inches around each mound. Apply gently to avoid disturbing ants. Reapply for multiple mound treatments. Use equipment capable of delivering the diluted product as a gentle rain at the rate of 1 gal. per mound. High pressure sprays may disturb the ants and cause migration, reducing product effectiveness.

NOTE: For best results, apply in cool weather, 65-80°F, or in early morning or late evening hours. Treat new mounds as they appear.

BEST AVAILABLE COPY


USE RECOMMENDED RATE TO CONTROL THE FOLLOWING:

FRUITS:

Apricots - Mealybugs, Aphids, Mites, Scale Crawlers. **Apples** - Codling Moths, Mites, Aphids, Leaf Rollers and Scale Crawlers. **Peach and Nectarines** - Mites, Aphids, Leaf Rollers and Scale Crawlers. **Pears** - Aphids, Scale Crawlers, Mites, Pear Psylla. **Oranges** - Mites, Aphids and Scale Crawlers. **Plum and Prunes** - Mites, Aphids, Leaf Rollers and Scale Crawlers. **Grapes** - Mites, Aphids and Scale Crawlers. **Strawberries** - Mites, Aphids and Leaf Rollers. Apply as a full cover spray. Start spraying after blooming and repeat at 10-14 day intervals if needed. Do not spray fruit within 21 days of picking.

VEGETABLES:

Tomatoes - Aphids, Leaf Miners. **Carrots** - Aphids. **Potatoes, Beans** - Aphids, Leaf Miners, Bean Beetles. **Melons, Squash, Cucumbers, Cantaloupe, Peppers** - Aphids, Leaf Miners, Cucumber Beetles. **Onions** - Aphids. **Cabbage** - Aphids, Leaf Miners, Cabbageworms. Apply recommended rate to cover 1,000 sq.ft. or in sufficient water 8 fl.oz. to cover 8,000 sq. ft. (1 pint to cover 16,000 sq.ft.). Generally, applications at 7-10 day intervals may be required. Do not apply within one day of picking tomatoes, 35 days of harvesting potatoes or 14 days of picking all other crops listed in this section. **Cabbage, Carrots, Corn, Lettuce, Peas, Pole Beans, Radishes, Red Beets, Cauliflower, Broccoli, Celery, Peppers, Snap Beans, Tomatoes, Turnips** - Cutworms (Surface and Subterranean), Wireworms, Root Maggots, Garden Symphylans, Mole Crickets. Apply 15 fl.oz. per 1,000 sq.ft. as a soil treatment in sufficient water to obtain thorough coverage. Make application to soil surface as a broadcast spray prior to planting. Thoroughly mix the chemical into the top 4-8 inches of soil. **NOTE:** Apply not more than 2 tbsps. (1 fl.oz.) to 1,350 sq.ft. of soil surface where beans, carrots and cabbage will be planted, and 2 tbsp. (1 fl.oz.) to 2,700 sq.ft. of soil surface where peppers will be planted.



ROSES AND FLOWERS:

Roses, Azaleas, Chrysanthemums, Gladioli, Carnations - Aphids, Mites, Leafhoppers, Thrips. Apply as a thorough foliar spray; Spray underside of leaves. Wet plants to the dripping point.

TREES AND SHRUBS:

Oak - Aphids and Scale Crawlers. **Maple and Locust** - Aphids. **Holly and Boxwood** - Mites, Scale Crawlers, and Leaf Miners. **Pine** - Aphids and Scale Crawlers. **Spruce** - Aphids, Scale Crawlers and Bagworms. **Willows** - Aphids, Scale Crawlers and Leaf Miners. Apply as a thorough foliar spray. Wet leaves and branches to the dripping point. Try to penetrate dense foliage.

OUTSIDE NUISANCE PESTS: Flies, Fleas, Scorpions, Silverfish, Ants, Cockroaches, Boxelder Bugs, Clover Mites, Spiders, Brown Dog Ticks, Chiggers, Earwigs. Apply 8 fl.oz. (1 cup) per 3

PAMPHLET - CONTINUED - DEXOL DIAZINON 25% INSECT SPRAY [ALL INC.]

gallons of water. Thoroughly spray window frames, doors, sills, screens, porch and patio walls and ceiling, foundations, walks, garbage cans, and into cracks and other places where insects may hide. Do not treat plants or animals.

STORAGE & DISPOSAL

For Products Packaged Without Hose-end Sprayer Attachment:

STORAGE: Store in a cool, dry place away from heat or open flame. Keep in original container and preferably in a locked storage area.

DISPOSAL: Do not reuse empty container. Wrap container in newspaper and discard in trash.

For Products Packaged With Hose-end Sprayer Attachment:

STORAGE: Store in a cool, dry place away from heat or open flame. Keep in original container and preferably in a locked storage area.

DISPOSAL: Do not reuse empty container or hose-end sprayer attachment. Wrap container and hose-end sprayer attachment in newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not permit children or pets to go onto treated areas until the spray has completely dried. Do not contaminate ornamental fish ponds. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

BEST AVAILABLE COPY

If Swallowed: Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL SUPERVISION.** Product contains petroleum distillates which may cause aspiration pneumonia. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **If on Skin:** Remove contaminated clothing and wash affected areas with soap and water. **If in Eyes:** Flush eyes with plenty of water. Call a physician immediately. **NOTE TO PHYSICIAN:** Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.



ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This

PAMPHLET - CONTINUED - DEXOL DIAZINON 25% INSECT SPRAY [ALL INC.]

pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

NOTICE: Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

DEXOL INDUSTRIES
Torrance, CA 90501

EPA REG. NO. 192-146
EPA EST. NO. 192-CA-1

PAMPHLET [WITH SPRAYER ATTACHMENT]

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 15 1986

DEXOL
DIAZINON
25% INSECT SPRAY

Under the Federal Insecticide,
Fungicide, and Herbicide Act
as amended, for this product
registered under EPA Reg. No.

192-145

Controls Insects on Lawns,
Fruits, Vegetables, Ornamentals,
Flowers, Trees & Shrubs.

Covers Up To 4,000 Sq.Ft. Of Lawn.

ACTIVE INGREDIENT:

0,0-diethyl 0-(2-isopropyl-6-methyl-4-
pyrimidinyl phosphorothioate..... 25%

INERT INGREDIENTS:..... 75%

Total:..... 100%

Keep Out of Reach of Children

W A R N I N G

See back panel for additional precautionary statements.

NET 16 FL. OZ. (1 PT.)

PAMPHLET - DEXOL DIAZINON 25% INSECT SPRAY [W/SPRAYER] - CONT'D

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DEXOL DIAZINON 25% INSECT SPRAY is an organophosphorous compound and can be used to control the insects listed below.

HOSE-END SPRAYER INSTRUCTIONS: 1) Attach siphonage tube to hose-end sprayer attachment. 2) Screw hose into hose-end sprayer attachment. 3) Remove cap from bottle and insert sprayer attachment. 4) Securely tighten sprayer attachment on bottle. 5) Turn water on. TO START FLOW OF INSECTICIDE, place finger over hole on right side of sprayer attachment. Hold about 3 feet above area to be treated moving at a steady pace to insure consistent coverage. 6) TO STOP FLOW OF INSECTICIDE, remove finger from hole to break siphon action. **NOTE:** To ensure adequate coverage, use moderate to high water pressures when applying through hose-end sprayer attachment.

LAWNS:

Bluegrass, Merion, Fescue, St. Augustine, Dichondra, Bent, Bermuda. To control Cinch Bugs*, Sod Webworms, Bermuda Mites, Sowbugs, Cutworms, Crickets, Fleas, Ants, Brown Dog Ticks, Earwigs, Lawn Billbugs (Grubs), Dichondra Flea Beetles - Apply 1 pint to cover 2,000 sq.ft. To control Millipedes - Apply 1 pint to cover 1,000 sq.ft. Thoroughly wet down grass a few hours before applying. For Lawn Billbugs, water lawn thoroughly after treatment. *In the North, if Chinch Bugs are the only insect problem, a lower rate of application can be used. Apply 1 pint to cover 4,000 sq. ft.

FRUITS:

Apricots - Mealybugs, Aphids, Mites, Scale Crawlers. **Apples** - Codling Moths, Mites, Aphids, Leaf Rollers and Scale Crawlers. **Peach and Nectarines** - Mites, Aphids, Leaf Rollers and Scale Crawlers. **Pears** - Aphids, Scale Crawlers, Mites, Pear Psylla. **Oranges** - Mites, Aphids and Scale Crawlers. **Plum and Prunes** - Mites, Aphids, Leaf Rollers and Scale Crawlers. **Grapes** - Mites, Aphids and Scale Crawlers. **Strawberries** - Mites, Aphids and Leaf Rollers. Apply as a full cover spray. Start spraying after blooming and repeat at 10-14 day intervals if needed. Do not spray fruit within 21 days of picking.

VEGETABLES:

Tomatoes - Aphids, Leaf Miners. **Carrots** - Aphids. **Potatoes**, **Beans** - Aphids, Leaf Miners, Bean Beetles. **Melons, Squash**, **Cucumbers, Cantaloupe, Peppers** - Aphids, Leaf Miners, Cucumber Beetles. **Onions** - Aphids. **Cabbage** - Aphids, Leaf Miners, Cabbageworms. Apply 1 pint to cover 16,000 sq.ft. Generally, applications at 7-10 day intervals may be required. Do not apply within one day of picking tomatoes, 35 days of harvesting potatoes or 14 days of picking all other crops listed in this section.

BEST AVAILABLE COPY

PAMPHLET-DEXOL DIAZINON 25% INSECTICIDE SPRAY [W/SPRAYER]-CONT'D

ROSES AND FLOWERS:

Roses, Azaleas, Chrysanthemums, Gladioli, Carnations - Aphids, Mites, Leafhoppers, Thrips. Apply as a thorough foliar spray. Spray underside of leaves. Wet plants to the dripping point.

TREES AND SHRUBS:

Oak - Aphids and Scale Crawlers. Maple and Locust - Aphids. Holly and Boxwood - Mites, Scale Crawlers, and Leaf Miners. Pine - Aphids and Scale Crawlers. Spruce - Aphids, Scale Crawlers and Bagworms. Willow - Aphids, Scale Crawlers and Leaf Miners. Apply as a thorough foliar spray. Wet leaves and branches to the dripping point. Try to penetrate dense foliage.

STORAGE & DISPOSAL

STORAGE: Store in a cool, dry place away from heat or open flame. Keep in original container and preferably in a locked storage area.

DISPOSAL: Do not reuse empty container or hose-end sprayer attachment. Wrap container and hose-end sprayer attachment in newspaper and discard in trash.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
WARNING**


May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not permit children or pets to go onto treated areas until the spray has completely dried. Do not contaminate ornamental fish ponds. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL SUPERVISION. Product contains petroleum distillates which may cause aspiration pneumonia. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **If on Skin:** Remove contaminated clothing and wash affected areas with soap and water. **If in Eyes:** Flush eyes with plenty of water. Call a physician immediately. **NOTE TO PHYSICIAN:** Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This



PAMPHLET-DEXOL DIAZINON 25% INSECT SPRAY [W/SPRAYER]-CONT'D

pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.


PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

NOTICE: Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

DEXOL INDUSTRIES
Torrance, CA 90501

EPA REG. NO. 192-145
EPA EST. NO. 192-CA-1



PAMPHLET [WITHOUT SPRAYER ATTACHMENT]

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 15 1986

Under the Fungicide, Insecticide,
Fungicide, and Plant Growth Regulator Act
as amended, for the pesticide
registered under EPA Reg. No.

192-145

DEXOL

DIAZINON
25% INSECT SPRAY

Controls Insects on Lawns,
Fruits, Vegetables, Ornamentals,
Flowers, Trees & Shrubs.

Covers Up To 4,000 Sq.Ft. Of Lawn.

ACTIVE INGREDIENT:

0,0-diethyl 0-(2-isopropyl-6-methyl-4-
pyrimidinyl phosphorothioate..... 25%

INERT INGREDIENTS:..... 75%


Total:..... 100%

Keep Out of Reach of Children

WARNING

See back panel for additional precautionary statements.

NET 16 FL. OZ. (1 PT.)



PAMPHLET - DEXOL DIAZINON 25% INSECT SPRAY [W/OUT SPRAYER]-CONT'D

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DEXOL DIAZINON 25% INSECT SPRAY is an organophosphorous compound and can be used to control the insects listed below.

RECOMMENDED RATE: Apply at the rate of 2 tbsp. (1 fl.oz.) in 3 gal. water unless otherwise directed.

LAWNS:

Bluegrass, Merion, Fescue, St. Augustine, Dichondra, Bent, Bermuda. To control Chinch Bugs*, Sod Webworms, Bermuda Mites, Sowbugs, Cutworms, Crickets, Fleas, Ants, Brown Dog Ticks, Earwigs, Lawn Billbugs (Grubs), Dichondra Flea Beetles - Apply recommended rate to cover 125 sq.ft. or 8 fl.oz. in sufficient water to cover 1,000 sq. ft. To control Millipedes - Apply 4 tbsp. (2 fl.oz.) in 3 gal water to cover 125 sq. ft. or 8 fl.oz. in sufficient water to cover 500 sq.ft. Thoroughly wet down grass a few hours before applying. For Lawn Billbugs, water lawn thoroughly after treatment. *In the North, if Chinch Bugs are the only insect problem, a lower rate of application can be used. Apply 2 tbsp in 3 gallons of water to cover 250 sq.ft. or 8 fl.oz. in sufficient water to cover 2,000 sq.ft. To control Rhodes-Grass Scale Crawler - Apply recommended rate per 100 sq.ft. or 10 fl.oz. in 30 gallons water per 1,000 sq.ft. Apply when Scale Crawlers first emerge.

IMPORTED FIRE ANTS: To aid in the control of Imported Fire Ants in lawns and other recreation areas, apply 2 tbsp. (1 fl.oz.) in a minimum of 1 gal. of water to drench. Apply over and 6 inches around each mound. Apply gently to avoid disturbing ants. Reapply for multiple mound treatments. Use equipment capable of delivering the diluted product as a gentle rain at the rate of 1 gal. per mound. High pressure sprays may disturb the ants and cause migration, reducing product effectiveness.

NOTE: For best results, apply in cool weather, 65-80°F, or in early morning or late evening hours. Treat new mounds as they appear.

FRUITS:

Apricots - Mealybugs, Aphids, Mites, Scale Crawlers. **Apples** - Codling Moths, Mites, Aphids, Leaf Rollers and Scale Crawlers. **Peach and Nectarines** - Mites, Aphids, Leaf Rollers and Scale Crawlers. **Pears** - Aphids, Scale Crawlers, Mites, Pear Psylla. **Oranges** - Mites, Aphids and Scale Crawlers. **Plum and Prunes** - Mites, Aphids, Leaf Rollers and Scale Crawlers. **Grapes** - Mites, Aphids and Scale Crawlers. **Strawberries** - Mites, Aphids and Leaf Rollers. Apply as a full cover spray. Start spraying after blooming and repeat at 10-14 day intervals if needed. Do not spray fruit within 21 days of picking.

BEST AVAILABLE COPY

PAMPHLET - DIAZINON 25% INSECT SPRAY [WITHOUT SPRAYER] - CONT'D

VEGETABLES:

Tomatoes - Aphids, Leaf Miners. **Carrots** - Aphids. **Potatoes,**
Beans - Aphids, Leaf Miners, Bean Beetles. **Melons, Squash,**
Cucumbers, Cantaloupe, Peppers - Aphids, Leaf Miners, Cucumber
Beetles. **Onions** - Aphids. **Cabbage** - Aphids, Leaf Miners, Cab-
bageworms. Apply recommended rate to cover 1,000 sq.ft. or in
sufficient water 8 fl.oz. to cover 8,000 sq. ft. Generally,
applications at 7-10 day intervals may be required. Do not apply
within one day of picking tomatoes, 35 days of harvesting pota-
toes or 14 days of picking all other crops listed in this sec-
tion. **Cabbage, Carrots, Corn, Lettuce, Peas, Pole Beans, Ra-**
dishes, Red Beets, Cauliflower, Broccoli, Celery, Peppers, Snap
Beans, Tomatoes, Turnips - Cutworms (Surface and Subterranean),
Wireworms, Root Maggots, Garden Symphylans, Mole Crickets. Apply
15 fl.oz. per 1,000 sq.ft. as a soil treatment in sufficient
water to obtain thorough coverage. Make application to soil
surface as a broadcast spray prior to planting. Thoroughly mix
the chemical into the top 4-8 inches of soil. **NOTE:** Apply not
more than 2 tbsps. (1 fl.oz.) to 1,350 sq.ft. of soil surface
where beans, carrots and cabbage will be planted, and 2 tbsp. (1
fl.oz.) to 2,700 sq.ft. of soil surface where peppers will be
planted.

ROSES AND FLOWERS:

Roses, Azaleas, Chrysanthemums, Gladioli, Carnations - Aphids,
Mites, Leafhoppers, Thrips. Apply as a thorough foliar spray.
Spray underside of leaves. Wet plants to the dripping point.

TREES AND SHRUBS:

Oak - Aphids and Scale Crawlers. **Maple and Locust** - Aphids.
Holly and Boxwood - Mites, Scale Crawlers, and Leaf Miners.
Pine - Aphids and Scale Crawlers. **Spruce** - Aphids, Scale
Crawlers and Bagworms. **Willow** - Aphids, Scale Crawlers and Leaf
Miners. Apply as a thorough foliar spray. Wet leaves and bran-
ches to the dripping point. Try to penetrate dense foliage.

OUTSIDE NUISANCE PESTS: Flies, Fleas, Scorpions, Silverfish,
Ants, Cockroaches, Boxelder Bugs, Clover Mites, Spiders, Brown
Dog Ticks, Chiggers, Earwigs. Apply 8 fl.oz. (1 cup) per 3
gallons of water. Thoroughly spray window frames, doors, sills,
screens, porch and patio walls and ceiling, foundations, walks,
garbage cans, and into cracks and other places where insects may
hide. Do not treat plants or animals.

STORAGE & DISPOSAL

STORAGE: Store in a cool, dry place away from heat or open
flame. Keep in original container and preferably in a locked
storage area.

DISPOSAL: Do not reuse empty container. Wrap container in
newspaper and discard in trash.

BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
WARNING**

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not permit children or pets to go onto treated areas until the spray has completely dried. Do not contaminate ornamental fish ponds. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING UNLESS UNDER MEDICAL SUPERVISION. Product contains petroleum distillates which may cause aspiration pneumonia. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **If on Skin:** Remove contaminated clothing and wash affected areas with soap and water. **If in Eyes:** Flush eyes with plenty of water. Call a physician immediately. **NOTE TO PHYSICIAN:** Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

NOTICE: Buyer assumes all risk of use, storage or handling of this material not in strict accordance with directions given herewith.

DEXOL INDUSTRIES
Torrance, CA 90501

EPA REG. NO. 192-145
EPA EST. NO. 192-CA-1

BEST AVAILABLE COPY