

[FRONT PANEL]

DEXOL

DEXA-KLOR  
DUST

-KILLS ANTS FAST

-ALSO CONTROLS:  
ROACHES, FLEAS, RED FIRE ANTS,  
EARWIGS, SOWBUGS,  
BROWN DOG TICKS, BLACK  
WIDOW SPIDERS, CRICKETS, SILVERFISH AND MORE

ACCEPTED

MAY 9 1991

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 192-148

Active Ingredient:

Bendiocarb: (2,2-dimethyl-1,3 benzodioxol-4-yl methylcarbamate*).....	1.0%
Inert Ingredients:.....	99.0%
Total.....	100.0%

\*Protected by U.S. Patent No. 3,736,338

Keep Out of Reach of Children

CAUTION

See back panel for additional precautionary statements

Net Wt. 10 oz.

[BACK PANEL]

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DEXOL DEXA-KLOR DUST is a ready-to-use insecticide dust which has given effective knockdown and residual control of the pests listed. DEXOL DEXA-KLOR DUST is for residual pest control in and on buildings and structures and their immediate surroundings including houses, garages, trailers, campers, storage beds, and apartment buildings.

**INDOOR USE:** DEXOL DEXA-KLOR DUST is intended for application with a shaker or puffer container to hiding and runway areas and those places where pests are found. The amount to be applied will vary with the site, but should usually be in the range of 1/3 to 2/3 oz. of DEXOL DEXA-KLOR DUST per sq. yd.


**Cockroaches, Ants, Crickets, Silverfish and Firebrats:** Thoroughly dust all areas where these pests crawl and hide, especially cracks and crevices around sinks, stoves, refrigerators and cabinets; behind baseboards; around doors and windows and in attics, basements and crawl spaces. For ants, apply to ant trails and around door and windows where they may enter premises.

**Carpenter Ants:** Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Also force dust into infested wood through existing openings or newly drilled small holes. When possible locate and treat nest and surrounding areas.

**Brown Dog Ticks and Fleas in Buildings:** Apply dust to infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. NOTE: When dusting pet beds and resting quarters old bedding must be discarded and replaced with fresh clean bedding. DO NOT TREAT ANIMALS OR BEDDING INTENDED FOR RESTING PURPOSES.

**Spiders:** Apply along and behind baseboards, to window and other door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

**Sowbugs, Pillbugs, Ground Beetles, Earwigs, Millipedes, Centipedes, and Scorpions:** Apply around doors, windows and other places where these pests may enter. Treat baseboards, storage areas, and cracks and crevices, especially in dark, musty areas where these pests may hide.



[BACK PANEL CONTINUED]

**Termites:** Apply DEXOL DEXA-KLOR DUST to voids or channels in damaged wooden members of a structure, or to cracks, spaces or bearing joints between wooden members of a structure or between such members and the foundations, in locations vulnerable to termite attack. Drilling may be necessary prior to applying DEXOL DEXA-KLOR DUST to voids, cracks or joint spaces in vulnerable locations and to channeled sections of wood, but it must be recognized that such drilling and treating of a timber in place may not result in complete coverage of infested and vulnerable voids or galleries.

The purpose of such applications of DEXOL DEXA-KLOR DUST is to kill workers or winged reproductive forms which may be present in the treated channels and spaces at the time of treatment and to impart a temporary resistance at these places to termite attack which may aid, in some part, in the prevention of immediate reinfestation by termites. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement, particularly where use of other insecticides may pose an odor problem.

**OUTDOOR USE-** Use DEXOL DEXA-KLOR DUST as residual treatment for control of Ants, Brown dog ticks, Centipedes, Cockroaches, Crickets, Earwigs, Firebrats, Fleas, Ground Beetles, Millipedes, Pillbugs, Scorpions, Silverfish, Sowbugs and Spiders (including Black Widows). Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide.

To help prevent invasion of building and structures by the above pests, treat a band of soil and vegetation 6-10 feet wide around and adjacent to the building or structure. Also treat building foundation and crawl spaces where pests are active and may find entrance. Apply thoroughly and uniformly to the band area. Pay particular attention to ant hills in the band area.

**Fire Ants:** Stir \*7 oz. into 2 gallons of water. Pour a small amount of material around the perimeter of the mound. Apply the remaining volume directly on the mound so as to penetrate insect galleries, using 2 gallons of mixture on mounds 8 inches or larger in diameter. Less mixture can be used on smaller mounds, however, thorough penetration of the insect galleries must be achieved. A second treatment may be necessary if complete control is not obtained. Do not disturb the mound prior to application. If possible, treat all colonies in the vicinity. Also, treat colonies which have not yet constructed a mound.

\*7 oz. = 1C. plus 2 tbsp.

**STORAGE & DISPOSAL**

**Storage:** Keep pesticide in original container. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. **Pesticide Disposal:** Securely wrap original container in several layers of newspaper and discard in trash. **Container Disposal:** Do not reuse canister. Discard canister in trash.

[BACK PANEL CONTINUED]

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin. Do not breath dust. Do not allow to contact skin, eyes or clothing. Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before reuse.

**Precautions**

Do not use on or contaminate fruit, vegetables, or other food or feed crops. Do not apply to humans, animals clothing or bedding. Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.

**STATEMENT OF PRACTICAL TREATMENT**

**If swallowed:** Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.  
**If inhaled:** Keep patient strictly at rest and transfer to hospital immediately to get medical attention. **If on skin:** Wash with soap and warm water. **If in eyes:** Rinse thoroughly with clean water. **NOTE TO PHYSICIAN:** Contains anticholinesterase carbamate insecticide. In cases of overexposure, atropine sulfate-2 mg. (equivalent to 1/30 grain adult dose) should be given, preferably by injection, and repeated as necessary until fully atropinized.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**NOTICE:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

DEXOL INDUSTRIES  
Torrance, CA 90501

Rev. 3/91

EPA Reg. No. 192-148  
EPA Est. No. 192-Ca-1.

