

76. 16

192-172

1-1/2

(Front Panel)

DEXOL

FLEA KILLER
FOR DOGS

ACC
FEB 25 1987
192-172

READY
TO USE

Kills Fleas on Dogs
and Prevents Reinfestations
For Up To One Month!

ACTIVE INGREDIENTS:

Chlorpyrifos [0,0-Diethyl 0-(3,5,6-trichloro-2-pyridyl) Phosphorothioate]	0.22%
Inert Ingredient:	99.78%
TOTAL	100.00%

Keep Out of Reach of Children

CAUTION

See back panel for additional precautionary statements

Net _____ fl. oz.

RECEIVED
EPA

DEC 1 1986

(Back Panel)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before using. Place dog on a table or bench, preferably outdoors. Adjust the spray nozzle to deliver the desired spray pattern and thoroughly spray all over the dog's body. Apply against the lay of coat. Avoid spraying in eyes, nose or on mouth. Apply until coat is slightly damp to skin level. Apply approximately 1 to 1½ ounces on a medium size dog. Do not over apply.

One treatment will kill fleas and protect against reinfestation for up to one month. Repeat treatment as necessary. Also spray bedding and sleeping area. Old bedding of pets should be replaced with clean fresh bedding after treatment of pet area. IMPORTANT: Do not get in eyes. Do not apply to cats. In case of eye contact, flush eyes with plenty of water. Wash hands thoroughly after use.

STORAGE & DISPOSAL

STORAGE: Store in a cool place but avoid temperatures below 32° F. Keep in original container and preferably in a locked storage area.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse empty container. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: May be harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of food and feedstuffs.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed, call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. If on Skin, remove contaminated clothing. Wash affected areas with soap and water. If in Eyes, flush eyes with plenty of water. Get medical treatment if irritation persists. NOTE TO

PHYSICIAN AND VETERINARIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Avoid contamination of water by cleaning of equipment or disposal of wastes.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

DEXOL INDUSTRIES
Torrance, California 90501

EPA Est. NO. 192-CA-1
EPA Reg. No. 192-