

(FRONT PANEL)

DEXOL

TERMITE &  
LAWN INSECT  
KILLER

- Contains DURSBAN(R) Insecticide.
- Controls Termites, Wood Borers, Carpenter Ants, Fire Ants, Chinch Bugs, Sod Webworms, Armyworms, Fleas, Ticks, Ants, Crickets, Chiggers, and Others Listed.



Active Ingredient:  
 Chlorpyrifos \*[O,O-diethyl  
 O-(3,5,6-Trichloro-2-pyridyl)  
 phosphorothioate ..... 12.6%  
 Inert Ingredients: ..... 87.4%

Keep Out Of Reach of Children  
**WARNING**  
 See back panel for additional  
 precautionary statements

Contains aromatic petroleum distillates

\* Trademark of DowElanco

NET CONTENTS \_\_\_\_\_



2075

(BACK PANEL)

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dexol Termite & Lawn Insect Killer is especially designed for the prevention and control of termites and certain other wood destroying insects. In addition, this product provides effective control of many pests that are found in lawns and outdoor areas around the home.

**ALWAYS SHAKE WELL BEFORE USING.**


**NOTE:** Do not permit people or pets to contact treated surfaces until spray has dried. Treated areas (especially those which are confined) should be ventilated during and immediately following application before the areas are reoccupied.

**TREATMENT FOR WOOD DESTROYING PESTS (Outdoors):** Powder Post Beetles, Furniture Beetles, Deathwatch Beetles, Round-headed House Borers, Carpenter Ants, Carpenter Bees, Termites, For treatment of small areas, mix 5 1/3 fl. oz. per gallon. Apply by brushing or spraying the diluted spray evenly on wood surfaces. For large or overhead areas, use a coarse, low pressure spray, being careful to avoid dripping or run-off. Suitable protective clothing should also be worn in confined or overhead areas to help avoid exposure to eyes and skin. As a minimum, eye protection, protective head covering, chemically resistant gloves and footwear, a long-sleeved shirt and long-legged pants or coveralls are recommended.

**For Termites:** Mix 5 1/3 fl. oz. per gallon. Spray localized areas of structures, including voids and channels in damaged wood, in spaces between wooden members of a structure and between wood and foundations where infestation is likely to occur. Treatment of localized areas is intended to kill workers and winged reproductive forms of termites in the treated areas and to prevent infestation for a temporary period. This type of application is not intended to be a substitute for soil treatment or mechanical alteration to control subterranean termites.

**For Wood Infesting Ants:** Mix 5 1/3 fl. oz. per gallon. Apply the spray around doors and windows and other places where these ants enter the premises and where they crawl and hide. Also spray into cracks and crevices or through openings or small, newly-drilled holes into wall voids or other areas where these ants or their nests are present. Do not spray water based sprays into electrical outlets or utilities.

**For Carpenter Bees:** Mix 5 1/3 fl. oz. per gallon. Spray or inject insecticide into holes and tunnels already made by carpenter bees, or spray onto localized areas where carpenter bees are beginning to build tunnels in wood.



**For Beetles:** Mix 5 1/3 fl. oz. per gallon. Spray infested areas and areas where infestations are likely to occur, including, but not limited to, wood surfaces, voids and channels in damaged wood, in spaces between wooden members of a structure, and between wood and foundations. Applications may be made to inaccessible areas by drilling and by then injecting the solution.

**For Wood Piles and Stored Lumber** Apply 5-1/3 fl.oz. per gal. of water. Use a sprinkler can or a properly calibrated hose-end sprayer and deliver a coarse drenching spray.

**TO CONTROL SUBTERRANEAN TERMITES (Outdoors):** Remove all wood debris and wood forms. For prevention and light infestation, treat soil adjacent to both sides of foundations of poured concrete, pipes or piers by digging a trench 6 in. wide and 4 in. deep (or down to the top of the footing whichever is less). For the brick and block foundations, dig the trench about 12 in. deep. If footing is more than 12 in. deep, make holes with a crowbar, pipe or a rod about one foot apart that extend from the trench bottom to the top of the footing. NEVER DIG BELOW THE TOP OF THE FOOTING. Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the prepared solution while filling or mixing this material with water. Use anti-backflow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-backflow or anti-siphonage equipment will help insure that the user of this product will not contaminate domestic water supplies. Refer to FHA(Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated. NOTE: When conditions will not permit trenching, surface application adjacent to interior foundation walls may be made but the treated strip should not exceed 18" in width. Apply solution with a sprinkler can. Mix 5-1/3 fl.oz. per gal. of water and treat 2-1/2 linear ft. of trench or foundation (one-half gal. of Dexol Termite & Lawn Insect killer will make 12 gals. of diluted solution and treat 30 linear ft.). Do not treat soil that is water saturated or frozen. Mix solution into soil as it is replaced in the trench. Be sure to treat the interiors of accessible hollow block foundations at same rate as above. Be careful to have adequate ventilation when treating areas under structure. For severe infestations or treatment under slabs, in basements and buildings with insufficient crawl space, etc., contact a licensed pest control operator or termite control service.

**FENCE POST-TERMITE PREVENTION:**Mix 5 1/3 fl. oz. per gallon. Apply one gal. of diluted Dexol Termite & Lawn Insect Killer per post hole. Pour one-half of solution into hole and add the remaining 1/2 gal. diluted solution to the soil when filling the hole so that all the fill soil is treated.

Retreatment for termites should only be made when there is evidence of reinfestation subsequent to the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping or other methods. Annual retreatment of entire premises must be avoided.

7073

**HOME INVADING PESTS (Outside Dwellings):** Ants, Fleas, Ticks (American dog tick, Brown Dog Tick, Cattle fever tick, Deer Tick, Gulf coast tick and Lone star Tick), Earwigs, Crickets, Sowbugs, Millipedes - For best results, apply with a properly calibrated hose-end sprayer. Use 1-3/4 fl.oz. in 15 gals. to treat 500 sq.ft.

**NOTE:** One-half Tablespoon in 2 gals. water covers 66 sq.ft. to help prevent infestations of buildings, treat a band of soil 6-10 ft. wide around and adjacent to the building, also the building's foundation to a height of 2-3 ft. when pests are active and may find entrance. Do not treat pets with this product. Do not use inside dwellings.

**IMPORTED FIRE ANT MOUNDS:** Mix 2 TBS (Tablespoonfuls) per gal. of water to each individual mound using a sprinkler can. Thoroughly wet mound and treat a 4 ft. diameter circle around the mound. For best results, apply in cool weather or in early morning or late afternoon. Treat new mounds as they appear.

**LAWN PESTS:** Armyworms, Lawn Moth Larvae (Sod Webworms), Dichondra Flea Beetles, Chinch Bugs, Cutworms, European Crane Fly (Larvae), Fiery Skipper Larvae (California and Hawaii only), Tropical Grass Webworms (Hawaii only), Grasshoppers, Crickets, Chiggers, Clover Mites, Earwigs, Fleas - For best results, apply with a properly calibrated hose-end sprayer. Apply 1-3/4 fl.oz. in 15 gals. water to treat 500 sq.ft. of lawn. Mow lawn and water well 1-2 days before treatment. Heavy watering should be withheld for 2-3 days following treatment. Spray when pests first appear. Treat entire lawn. Do not attempt to control lawn pests by spot spraying. Repeat treatments may be necessary at 4-6 week intervals. Sprays are most effective if applied during 2 hour period prior to darkness. For European Crane Fly control, consult local Agr. Ext. Service for proper timing of application for your area. **NOTE:** Do not allow adults, children or pets on treated areas until spray has dried.

**WHITE GRUBS IN LAWNS:** (Larvae of Black turfgrass atenioides, European Chafer, Southern masked chafer and Japanese Beetle) - Mix 6-1/2 fl.oz. in 15 gals. water to treat 500 sq.ft. For best results, use a properly calibrated hose-end sprayer. Treat entire lawn. Do not attempt to control lawn pests by spot spraying. Water lawn thoroughly following application to wash the insecticide into the soil. Treat lawn when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service Specialist for proper time to treat in your area. **NOTE:** Mosquitoes coming to rest on areas treated for the control of lawn and home invading pests will be killed for varying periods of time after treatment, depending on weather conditions. Do not use on azaleas, camellias, poinsettias, rose bushes or variegated ivy because of possible injury to these plants.

**STORAGE & DISPOSAL**

**STORAGE:** Keep in original container. Store in a cool, dry place and preferably in a locked storage area. Do not store diluted spray. Avoid freezing. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

5045

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**WARNING:** Causes eye irritation. Harmful if swallowed. Do not get in eyes, on skin or clothing. Avoid breathing vapors and spray mist. Handle concentrate in a well ventilated area. Wash thoroughly after handling and before eating or smoking. Do not wear contaminated clothing or shoes. Avoid contamination of food, feedstuffs, and domestic water supplies. Keep children and pets off treated areas until these areas are completely dry.

**STATEMENT OF PRACTICAL TREATMENT:**

**If swallowed:** DO NOT induce vomiting. Call a physician immediately. **If on skin:** Remove contaminated clothing immediately. Wash affected areas with soap and water. **If in eyes:** Flush eyes with plenty of water. Call a physician and get prompt medical attention. **Note to Physician:** This product contains an aromatic petroleum solvent and may present an aspiration problem. Chlorpyrifos is a cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine by injection is antidotal; 2-PAM may also be given in conjunction with atropine, but should never be used alone.

**ENVIRONMENTAL HAZARDS:**

This product is toxic to birds, fish, and aquatic invertebrates. Birds feeding in treated areas may be killed. Clean up spilled product to reduce exposure to wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

**PHYSICAL OR CHEMICAL HAZARDS:**

Do not use or store near heat or open flame.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

Dexol Industries  
Torrance, CA 90501

EPA Reg. No. 192-173  
EPA Est. No. 192-CA-1

Rev. January 19, 1993

