Pm 19

192-173

[FRONT_CONTAINER PANEL]

ACCEPTED
APR 1 2 1994
Under the Pederal Insectición Progésión, and Redestición Art. as consuled, for the pastición
EFA Reg. No. 192.173

4age 1 of 10

DEXOL

TERMITE & LAWN

INSECT KILLER

- Contains DURSBAN[®] Insecticide.
- Effective Chlordane Replacement.
- Controls Termites, Carpenter Ants, Wood Borers, Armyworms, Sod Webworms, Chinch Bugs, White Grubs, Fleas, Fire Ants, Ticks & Others Listed.
- Controls Carpenter Ants, Carpenter Bees, Termites & Other Wood Destroying Pests.
- Lawn & Nuisance Pests, Makes Up To 274 Gallons of Spray (for 1 quart size container)
- Controls Ticks Which Transmit Lyme Disease.

Active Ingredients:*Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-
2-pyridyl) phosphorothioate2-pyridyl) phosphorothioateInert Ingredients:Total:100.0%

Contains aromatic petroleum distillates

Keep Out of Reach of Children

WARNING

See back panel for additional precautionary statements .

*DURSBAN and the DURSBAN logo are trademarks of DowElanco [logo] NET 1 QT. (946 ML)

[BACK CONTAINER PANEL]

SEE ATTACHED PAMPHLET FOR COMPLETE DIRECTIONS FOR USE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Avoid breathing vapors and spray mist. Handle concentrate in a well ventilated area. Wash thoroughly after handling and before eating or using tobacco. Do not wear contaminated clothing. Remove contaminated clothing and wash before reuse. Avoid contamination of food, feedstuffs and domestic water supplies. Do not allow children or pets onto treated areas until dried completely. Food utensils such as teaspoons and measuring cups must not be used for food purposes after use in measuring pesticides.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or seek medical attention immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. If in eyes: Flush eyes with plenty of water. Call a physician immediately and get prompt medical attention. If on skin: Remove contaminated clothing. Wash affected areas with plenty of soap and water. If inhaled: Remove victim to fresh Apply artificial respiration if indicated. Note to physician: air. Chlorpyrifos is a cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine by injection is antidotal. 2-PAM may also be given in conjunction with atropine, but should never be used This product contains aromatic petroleum distillates which may alone. present an aspiration hazard. Gastric lavage may be indicated if product was taken internally.

ENVIRONMENTAL HAZARDS

This product is toxic to birds, fish and aquatic invertebrates. Birds feeding on treated areas may be killed. Clean spilled product to reduce exposure to wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN STRICT ACCORDANCE WITH LABEL DIRECTIONS AND PRECAUTIONS.

EPA Reg. No. 192-1	173
EPA Est. No. 192-0	-X-1
	•••
	•••••
*****	• •••
	•
	•••••
	•
•	•••••
	•
*****	• ••
	EPA Est. No. 192-0

910

.....

[PAMPHLET LABEL]

DEXOL

TERMITE & LAWN

INSECT KILLER

- Contains DURSBAN[®] Insecticide.
- Effective Chlordane Replacement.
- Controls Termites, Carpenter Ants, Wood Borers, Armyworms, Sod Webworms, Chinch Bugs, White Grubs, Fleas, Fire Ants, Ticks & Others Listed.

3 4 10

- Controls Carpenter Ants, Carpenter Bees, Termites & Other Wood Destroying Pests.
- Lawn & Nuisance Pests, Makes Up To 274 Gallons of Spray (for 1 quart size container) - Controls Ticks Which Transmit Lyme Disease.

Active Ingredients:	
*Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-	
2-pyridyl) phosphorothioate	12.6%
Inert Ingredients:	87.48
Total:	

Contains aromatic petroleum distillates

Keep Out of Reach of Children

WARNING

.

See back panel for additional precautionary statement

[PAMPHLET LABEL - PAGE 2]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Avoid breathing vapors and spray mist. Handle concentrate in a well ventilated area. Wash thoroughly after handling and before eating or using tobacco. Do not wear contaminated clothing. Remove contaminated clothing and wash before reuse. Avoid contamination of food, feedstuffs and domestic water supplies. Do not allow children or pets onto treated areas until dried completely. Food utensils such as teaspoons and measuring cups must not be used for food purposes after use in measuring pesticides.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or seek medical attention immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. If in eyes: Flush eyes with plenty of water. Call a physician immediately and get prompt medical attention. If on skin: Remove contaminated clothing. Wash affected areas with plenty of soap and water. If inhaled: Remove victim to fresh Apply artificial respiration if indicated. air. Note to physician: Chlorpyrifos is a cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine by injection is antidotal. 2-PAM may also be given in conjunction with atropine, but should never be used alone. This product contains aromatic petroleum distillates which may present an aspiration hazard. Gastric lavage may be indicated if product was taken internally.

ENVIRONMENTAL HAZARDS

This product is toxic to birds, fish and aquatic invertebrates. Birds feeding on treated areas may be killed. Clean spilled product to reduce exposure to wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

[THE FOLLOWING DIRECTIONS FOR USE WILL BE USED ON LABELING OF PRODUCT SOLD "WITHOUT" A HOSE-END SPRAYER ATTACHMENT]

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is for use around home areas only as directed below. Do not apply this product to sites or areas not listed or that have been prohibited on this label. READ THE ENTIRE LABEL PRIOR TO USE OF THIS PRODUCT.

DO NOT APPLY THIS PRODUCT TO VEGETABLE GARDENS OR OTHER PLANTS INTENDED FOR FOOD OR FEED PURPOSES. DO NOT USE THIS PRODUCT INSIDE THE HOME

GENERAL: Dexol Termite & Lawn Insect Killer is especially designed for the prevention and control of Termites and other wood destroying insects. In addition, this product provides effective control of many pests that are found in lawns and outdoor areas around the home.

••••

[PAMPHLET LABEL - PAGE 3]

ALWAYS SHAKE WELL BEFORE USING

5 1 10

NOTE: Do not permit people or pets to contact treated surfaces until spray has dried completely. Treated areas (especially those which are confined) should be ventilated during and immediately following application before the areas are reoccupied.

TREATMENT FOR WOOD DESTROYING PESTS (Outdoors): Powder post beetles, Furniture beetles, Deathwatch beetles, Round-headed house borers, Carpenter ants, Carpenter bees, Termites - For treatment of small areas, mix 5% fl.oz. per gallon of water. Apply by brushing or spraying the diluted spray evenly on infested wood surfaces. For large or overhead areas, use a coarse, lowpressure spray, being careful to avoid dripping or run-off. Suitable protective clothing should also be worn in confined or overhead areas to help avoid exposure to eyes and skin. As a minimum, eye protection, protective head covering, chemically resistant gloves and footwear, a long-sleeved shirt and long-legged pants or coveralls are recommended.

For Termites: Mix 5% fl.oz. per gallon of water. Spray localized areas of structures, including voids and channels in damaged wood, in spaces between wooden members of a structure and between wood and foundations where infestation is likely to occur. Treatment of localized areas is intended to kill workers and winged reproductive forms of territes in the treated areas and to prevent infestation for a temporary period. This type of application is not intended to be a substitute for soil treatment or mechanical alteration to control subterranean termites.

For Wood Infesting Ants: Mix 5% fl.oz. per gallon of water. Apply spray around doors and windows and other places where these ants enter the premises and where they crawl and hide. Also spray into cracks and crevices or through openings or small, newly-drilled holes into wall voids or other areas where these ants or their nests are present. Do not spray into electrical outlets or utilities.

For Carpenter Bees: Mix 5% fl.oz. per gallon of water. Spray or inject insecticide into holes and tunnels already made by carpenter bees, or spray onto localized areas where carpenter bees are beginning to build tunnels in wood.

For Beetles: Mix 5% fl.oz. per gallon of water. Spray infested areas and areas where infestations are likely to occur, including, but not limited to, wood surfaces, voids and channels in damaged wood, in spaties between wooden members of a structure, and between wood and foundations. Applications may be made to inaccessible areas by drilling and by then injecting the solution.

For Wood Piles and Stored Lumber: Apply 5% fl.oz. per gallon of water. Use a sprinkler can or a properly calibrated hose-end sprayer and deliver a coarse drenching spray.

[PAMPHLET LABEL - PAGE 4]

TO CONTROL SUBTERRANEAN TERMITES (Outdoors): Remove all wood debris and wood forms. For prevention and light infestation, treat soil adjacent to both sides of foundations of poured concrete, pipes or piers by digging a trench 6 inches wide and 4 inches deep (or down to the top of the footing whichever is less). For the brick and block foundations, dig the trench 12 inches If footing is more than 12 inches deep, make holes with a crowbar, deep. pipe or rod about one foot apart that extend from the trench bottom to the NEVER DIG BELOW THE TOP OF THE FOOTING. top of the footing. Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the prepared solution while filling or mixing this material with water. Use anti-backflow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-backflow or anti-siphonage equipment will help insure that the user of this product will not contaminate domestic water supplies. Refer to FHA (Federal Housing Administration), state and local specifications for safe distances of treatment areas from wells.

Soil in the vicinity of wells, cisterns or ponds should not be treated. NOTE: When conditions will not permit trenching, surface application adjacent to interior foundation walls may be made but the treated strip should not exceed 18" in width. Apply solution with a sprinkler can. Mix 5% fl.oz. per gallon of water and treat 2½ linear ft. of trench or foundation (one-half gallon of Dexol Termite & Lawn Insect Killer will make 12 gallons of diluted solution and treat 30 linear ft.) Do not treat soil that is water saturated or frozen. Mix solution into soil as it is replaced in the trench. Be sure to treat the interiors of hollow block foundations at same rate as above. Be careful to have adequate ventilation when treating areas under structure. For severe infestations or treatment under slabs, in basements and buildings with insufficient crawl space, etc., contact a licensed pest control operator or termite control service.

Retreatment for termites should only be made when there is evidence of reinfestation subsequent to the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping or other methods. Annual retreatment of entire premises must be avoided.

FENCE POST-TERMITE PREVENTION: Mix 5% fl.oz. per gallon of water. Apply one gallon of diluted Dexol Termite & Lawn Insect Killer per post hole. Pour one-half of the solution into the hole and add the remaining $\frac{1}{2}$ gallon diluted solution to the soil when filling the hole so that all the fill is treated.

HOME INVADING PESTS (Outside Dwellings): Ants, Fleas, Ticks (Américan dog tick, Brown dog tick, Cattle fever tick, Deer tick, Gulf coast tick and Lone Star tick), Earwigs, Crickets, Sowbugs, Millipedes - For best results, apply with a properly calibrated hose-end sprayer. Use 1 3/4 fl.oz. in 15 gallons of water to treat 500 sq.ft. (NOTE: One-half tablespoon in 2 gallons of water covers 66 sq.ft.). To help prevent infestations of buildings, freat a band of soil 6-10 ft. wide, around and adjacent to the home, also the home's foundation to a height of 2-3 ft. when pests are active and may find entrance. Do not treat pets with this product. Do not use inside the home. NOTE: Do not apply to azaleas, camellias, poinsettias, rose buildings or variegated ivy because of possible injury to these plants.

••••

0 4 10

[PAMPHLET LABEL - PAGE 5]

TICKS WHICH TRANSMIT LYME DISEASE: For control of juvenile and adult <u>Ixodes</u> <u>spp.</u> ticks (Deer tick) and <u>Amblyomma spp.</u> ticks (Lone Star tick) - Use 1 3/4 fl.oz. in 15 gallons of water to cover 500 sq.ft. (or one-half tablespoon in 2 gallons of water to cover 66 sq.ft.). Begin applications in late spring or early summer (May/June). Thoroughly treat entire turf area, shrub beds, ornamental plantings, wooded hcme lawn areas and around outside perimeter of the home where exposure to ticks may occur. Retreat at 4-6 week intervals since ticks may be reintroduced from surrounding areas by animals. NOTE: Do not apply to azaleas, camellias, poinsettias, rose bushes or variegated ivy because of possible injury to these plants.

IMPORTED FIRE ANT MOUNDS: Mix 2 tablespoonsful per gallon of water. Apply 1 gallon of dilution to each individual mound using a sprinkler can. Thoroughly wet mound and treat a 4 ft. diameter circle around the mound. For best results, apply in cool weather or in early morning or late afternoon. Treat new mounds as they appear.

LAWN PESTS: Armyworms, Lawn moth larvae (Sod webworms), Dichondra flea beetle, Chinch bugs, Cutworms, Ruropean crane fly (larvae), Fiery skipper larvae (California and Hawaii only), Tropical grass webworms (Hawaii only), Grasshoppers, Crickets, Chiggers, Clover mites, Earwigs, Fleas - For best results, apply with a properly calibrated hose-end sprayer. Apply 1 3/4fl.oz. in 15 gallons of water to treat 500 sq.ft. of lawn. Mow lawn and water well 1-2 days before treatment. Heavy watering should be withheld for 2-3 days following treatment. Spray when pests first appear. Treat entire Do not attempt to control lawn pests by spot spraying. lawn. Repeat treatments may be necessary at 4-6 week intervals. Sprays are most effective if applied during 2 hour period prior to darkness. For European Crane Fly control, consult your local Agricultural Extension Service for proper timing of application for your area. Do spray azaleas, camellias, poinsettias, rose bushes or variegated ivy because of possible injury to these plants.

WHITE GRUBS IN LAWNS: (Larvae of Black turfgrass ataenius, European chafer, Southern masked chafer and Japanese beetle) - Mix 61/2 fl.oz. in 15 gallons of water to treat 500 sq.ft. For best results, use a properly calibrated hoseend sprayer. Do not attempt to control lawn pests by Treat entire lawn. spot spraying. Water lawn thoroughly following application to wash insecticide into the soil. Treat lawn when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service Specialist for proper time to treat in your area. NOTE: Mosquitoes coming to rest on areas treated for the control of lawn and home invading pests will be killed for varying periods of time after treatment, depending on weather condition state Do not use on azaleas, camellias, poinsettias, rose bushes or variegated ivy because of possible jury to these plants.

STORAGE & DISPOSAL

Storage: Keep in original container. Store in a codi, dry place and preferably in a locked storage area away from children and pets. Do not store diluted spray. Store above freezing. Pesticide Disposal. Securely wrap original container in several layers of newspaper and discard in trash.

••••

. . . .

7 9 10

[PAMPHLET LABEL - PAGE 6]

Container Disposal: Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

0

[THE FOLLOWING DIRECTIONS FOR USE WILL BE USED ON LABELING OF PRODUCT SOLD "WITH" A HOSE-END SPRAYER ATTACHMENT. FURTHER, THE ADDITIONAL BRAND NAME USED ON PRODUCT LABELING BEARING THE DIRECTIONS BELOW WILL NOT INCLUDE USES RELATED TO LAWN PESTS]

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is for use around home areas only as directed below. Do not apply this product to sites or areas not listed or that have been prohibited on this label. READ THE ENTIRE LABEL PRIOR TO USE OF THIS PRODUCT.

DO NOT APPLY THIS PRODUCT TO VEGETABLE GARDENS OR OTHER PLANTS INTENDED FOR FOOD OR FEED PURPOSES. DO NOT APPLY THIS PRODUCT INSIDE THE HOME.


GENERAL: Dexol Termite & Lawn Insect Killer is especially designed for the prevention and control of Termites and other wood destroying insects.

ALWAYS SHAKE WELL BEFORE USING

NOTE: Do not permit people or pets to contact treated surfaces until spray has dried completely. Treated areas (especially those which are confined) should be ventilated during and immediately following application before the areas are reoccupied.

HOW TO APPLY


HOSE-END SPRAYER ATTACHMENT INSTRUCTIONS: 1) Remove cap and foil liner from bottle. 2) Place siphonage tube into bottle. 3) Turn sprayer off by turning on/off valve 1/4 turn. Securely tighten sprayer attachment to bottle. 4) Securely screw hose into hose-end sprayer attachment.



9 7 10

[PAMPHLET LABEL - PAGE 7]

SPRAYER INSTRUCTIONS: The hose-end sprayer attachment has been precalibrated to deliver 5% fl.oz. per 1 gallon of water. 1) Hold container by placing sprayer attachment and hose in palm of hand and securely grasping container handle with fingers. 2) Turn water on. TO START FLOW OF PRODUCT, turn sprayer on. Product will automatically be diluted at proper ratio. Spray area to be treated moving at a steady pace to ensure consistent coverage. 3) TO STOP FLOW OF PRODUCT, turn sprayer attachment off. NOTE: Unless otherwise directed, use moderate to high water pressure when applying.



TREATMENT FOR WOOD DESTROYING PESTS (Outdoors): Powder post beetles, Furniture beetles, Deathwatch beetles, Round-headed house borers, Carpenter ants, Carpenter bees, Termites - For treatment of small areas, spray evenly on infested wood surfaces. For large or overhead areas, use low-pressure and spray being careful to avoid dripping or run-off. Suitable protective clothing should also be worn in confined or overhead areas to help avoid exposure to eyes and skin. As a minimum, eye protection, protective head covering, chemically resistant gloves and footwear, a long-sleeved shirt and long-legged pants or coveralls are recommended.

For Wood Infesting Ants: Spray around doors and windows and other places where these ants enter the premises and where they crawl and hide. Also spray cracks and crevices or through openings or other areas where these ants or their nests are present. Do not spray into electrical outlets or utilities.

For Carpenter Bees: Spray into holes and tunnels already made by carpenter bees, or spray onto localized areas where carpenter bees are beginning to build tunnels in wood.

For Wood Piles and Stored Lumber: Spray to thoroughly cover wood piles or stored lumber.

STORAGE & DISPOSAL

Storage: Keep in original container. Store in a cool, dry place and preferably in a locked storage area away from children and pets. Store above freezing. Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash. Container Disposal: Do.not reuse empty bottle. Rinse thoroughly before discarding in trash.

.....

10 4 10

[PAMPHLET LABEL - PAGE 8]

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN STRICT ACCORDANCE WITH LABEL DIRECTIONS AND PRECAUTIONS.

DEXOL INDUSTRIES 1450 W. 228th St. Torrance, CA 90501 **EPA Reg. No. 192-173 EPA Est. No. 192-CA-1**

QUESTIONS, CALL 800-421-2934

