

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	EPA REGISTRATION 192-174	DATE OF ISSUANCE 11/20/85
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Dexol Sevin Liquid Insect Killer	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Dexol Industries
 1450 West 228th Street
 Torrance, CA 90501

NOTE: Changes in labeling formula during in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(5)(A) provided that you:

1. Submit and file with all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 192-174" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger
 Product Manager (12)
 Insecticide-Rodenticide Branch
 Registration Division (TS-767)

156400
 20/06
 160

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL **DATE**
Jay S. Ellenberger 11/20/85

our copy

(Front Panel)

Dexol

SEVIN* LIQUID
INSECT KILLER

- For Use on Flowers, Shrubs, Lawns, Vegetables, Fruit & Shade Trees.
- Kills Gypsy Moths, Japanese Beetles, Armyworms, Aphids, Bagworms, Tent Caterpillars, Sod Webworms, Grasshoppers, Fleas, Ants, & Certain Other Insects.

Active Ingredient:	Keep Out of Reach of Children
Carbaryl(1-naphthyl N-methylcarbamate).....22.5%	CAUTION
Inert Ingredients:.....77.5%	See back panel for additional precautionary statements


* SEVIN-Registered Trademark of Union Carbide Corp. for Carbaryl Insecticide.

Net Contents _____

ACCEPTED
with COMMENTS
in EPA Label Format

NOV 20 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this product is registered under the number 192-174



DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dexol Sevin® Liquid Insect Killer is effective in controlling many different destructive insects on Flowers, Lawns, Vegetables, Fruit and Shade Trees. This fine dispersion of Sevin® mixes readily in water and can be used in all types of sprayers.

HOW TO APPLY: Shake container well before using. Unless otherwise specified, use at the rate of 4 Teaspoonfuls per gallon of water (3½ fl.ozs. per 5 Gallons water). For best results, apply to cover all exposed parts of plant, especially upper and lower leaf surfaces. To avoid possible injury to tender foliage, do not apply to wet foliage or when rain or high humidity is expected. Do not store diluted spray. Subsequent planting of food and feed crops in treated soil must be made with crops on this or other carbaryl label(s).

ROSES, ORNAMENTALS, FLOWERS, SHRUBS, SHADE TREES: Japanese Beetles, Gypsy Moth, Aphids, Bagworm, Elm Leaf Beetle, Birch Leafminer, Armyworms, Rose Slug, Periodical Cicada (17-year locust), Scale Insects, Tent Caterpillars, Blister Beetles, Leafrollers, Exposed Thrip, Cankerworms, Cutworms, Webworms - Start spraying when insects or their damage appear. Repeat at 7-14 day intervals or as necessary. Do not use Boston Ivy or Virginia Creeper.

LAWN INSECTS: Sod Webworms, Fall Armyworms, Earwigs, Grasshoppers, Fleas, Ticks, Chiggers, Ants, Armyworms, Cutworms, Sowbugs - Use 8 fl.oz. in 15-20 gallons of water to each 500 square feet of established lawn. Use a hose-end or pressure sprayer with ample pressure to insure turf penetration. Mow lawn first and apply after rain or watering. Do not water for at least two days after application. Repeat in 2-3 weeks or as necessary.

FRUIT TREES (APPLES, PEARS, PEACHES): Apple Maggot, Apple Aphid, Codling Moth, Appleworm, Pear Rust Mite, Scale (Lecanium Oystershell, & San Jose) - Make one application between bud break and bloom, a second application at petal fall, and then at 3 to 4 week intervals for 3 to 4 months as necessary. Apple Maggot - For best control, apply at 10 day intervals. NOTE: To avoid foliage injury on McIntosh apples and possible fruit thinning on all varieties of apples, delay use until at least 30 days after bloom. Do not apply within 1 day of harvest.

CITRUS: Avocado Leafroller, California Orangedog, Citrus Cutworm, Citrus Root Weevil, Fruittree Leafroller, Orange Tortix, Western Tussock Moth - Do not apply within 5 days of harvest. Do not apply more than 13 fl.oz. per 430 sq.ft. per application. Do not apply less than 10 gal. of dilute spray per mature tree.

VEGETABLES: TOMATOES, EGGPLANT, PEPPERS - Flea Beetles, Leafhoppers, Stink Bugs, Tomato Fruitworm, Hornworm & Pinworm. **CUCUMBERS, MELONS, SQUASH** - Cucumber and Flea Beetles, Leafhoppers, Squash Bugs. **BEANS** - Cucumber, Flea and Japanese Beetles, Leafhoppers, Thrips, Western Bean Cutworm - Apply when insects first appear. Repeat at 7 to 10 day intervals. **FOR TOMATOES, EGGPLANTS & PEPPERS,** apply 4-8 tsp. per gal. Use lower rate on young plants and early instars and higher rate on mature plants, advanced instars and adults. May be applied up to day of harvest.

STORAGE & DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Keep in original container. Store in a cool, dry place and preferably in a locked storage area. **PESTICIDE DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER DISPOSAL:** Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Keep children and pets off treated areas until this material has dried. Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with pesticides.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person. If inhaled, remove victim to fresh air. Apply artificial respiration if indicated. If on skin, remove contaminated clothing. Wash affected areas with soap and water. If in eyes, flush eyes with plenty of water. **NOTE TO PHYSICIAN:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. **NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

Dexol Industries
Torrance, CA 90501

EPA Reg. No. 192-
EPA Est. No. 192-CA-1