	Parc 195
US ENVIRONMENTAL PROTECTION AGENCY	EPA REGISTRATION NO
OFFICE OF PESTICIDES PROGRAMS	192-175 December 3, 1987
WASHINGTON, DC 20460	Until Reregistration
NOTICE OF PESTICIDE:	Dexol Borer Killer
(Under the Foderal Insecticide, Fungicide, and Rodenticide Act, as amended)	
AND ADDRESS OF REGISTRANT (Include ZIP code)	
r,	Г
De.ol Industries	
InstantInstantImage: Strain StreetImage: StreetImage: Street StreetImage: Street StreetImage: Street	
	om that accepted in connection with this registration must be to use of the label in commerce. In any correspondence on this per.
the basis of information furnished by the registrant, the a e Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is hereby Registered/Reregistered under
copy of the labeling accepted in connection with this Regi	istration, Reregistration is returned herewith.
alth and the environment, the Administrator, on his motion, de in accordance with the Act. The acceptance of any nam	or approval of this product by this Agency. In order 'o protect , may at any time suspend or cancel the registration of a pest- me in connection with the registration of a product under this exclusive use of the name or to its use if it has been covered
This product is conditionally reg section $3(c)(7)(h)$ provided that you:	istered in accordance with FIFKA
<ol> <li>Submit/cite all data required of your product under FIFRA section 3( registrants of similar products to sub</li> </ol>	
<ol> <li>Kake the labeling changes lis for shipment:</li> </ol>	sted below before you release the product
a. Add the phrase "EPA Regis	tration No. 192-175."
b. Add the phrase "This prod below the ingredient stat	luct contains petroleum distilates" mement on the front panel.
3. Submit a 1-year storage stabi the date of registration.	lity study within 15 months from
· · ·	ir final printed labeling before you for to the $h$ -79 enclosure for a further
ATTACHMENT IS APPLICABLE	BEST AVAILARIE COPY
HATURE OF APPROVING OFFICIAL Detenis H.	Electore DATE 12/2

+

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

-2-

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767C) 25

ð

Enclosures

# BEST AVAILABLE COPY

395

...

...

ee eeeee

••••• • •

c

(Front Panel)

## DEXOL

## BORER KILLER


Kills Peach Tree Borer, Ash Borer, Lilac Borer, Dogwood Borer, Rhododendron Borer, & Elm Bark Beetle on Infested Traes & Shrubs.

Active Ingredient:		Keep Out of Reach of Children
Chlorpyrifos [0,0-disthyl 0-		WARNING
(3,5,6-trichloro-2-pyridyl)		See back panel for additional
phosphorothioate	12.6%	preceutionary statements
Inert Ingredients	87.4%	

Net Contents

.....

ato 😽



7861 8030

ipelic array wig by BLNSAR of WMA DA465009

1

# (Back Panel)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Dexol Borer Killer** provides an effective way to kill wood boring insects and prevent newly hatched larvae from entering and destroying your valuable trees and shrubs.

**TO APPLY,** mix the recommended amount of **Dexol Borer Killer** with water and apply as directed below. Do not apply to fruit bearing trees and shrubs not specified on this label. Consult your State Agricultural Extension Service Specialist for proper time to treat in your area.

Peach Tree Borer: Apply at the rate of 3.8 fl.oz. Dexol Borer Killer per gallon water. Apply to flowering trees and shrubs of the Genus Prunus as a trunk spray before newly hatched larvae enter the tree. Apply as a coarse, low pressure spray. Thoroughly wet all bark areas from ground level to scaffold limbs. Do not allow spray contact with any fruit.

Dogwood Borer, Lilac Borer, Ash Borer and Rhododendron Borer on Shrubs and Trees such as Dogwood, Elm, Lilac, Juniper, Ash, Sycamore, Cottonwood, Poplar, Ornamental Flowering Fruit Trees, Hemlock, Taxus, Locust, Willow, Hickory, Maple, Oak, & Rhododendron: Apply at the rate of 1-1/3 fl.oz. per 1 gallon water. Apply as a coarse, low pressure spray. Thoroughly wet all bark areas from ground level to scaffold limbs.

Elm Bark Beetle: To prevent the adult beetle from overwintering in uninfested trees and to reduce beetle populations in disease-free areas, apply at the rate of 5-1/3 fl.oz. Dexol Borer Killer per gallon of water to the bottom 9 feet of trunk. wet the trunk thoroughly but do not spray to runoff. Care should be taken to apply the spray right to the base of the root flare. Applications can be made from spring to the early fall.

Prevention of Branch and iwig Feeding on High Value Elm Trees: To reduce twig and branch feeding on uninfested trees deemed to be high in value, apply a 0.5% chlorpyrifos water spray (5-1/3 fl.oz. Dexol Borer Killer per gallon of water) to the tree crown. Applications should be made in the spring or early summer using a sprayer that will give thorough coverage to the tree crown.

## STORAGE & DISPOSAL

STCRAGE: Store in a cool, dry place. Keep in original container and preferably in a locked storage area inaccessible to children and pets. DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: Causes eye irritation. Harmful if swallowed, inhaled or.' absorbed through skin. Avoid contact with skin, eyes or clothing...

BEST AVAILABLE COPY

2

Avoid breathing vapors or spray mist. Wash thoroughly after handling and before eating or smoking. Avoid spraying food crops. Wash contaminated clothing before reuse. Keep children and pets off treated areas until this material has dried completely. Food utensils such as terspoons and measuring cups should not be used for food purposes after use with pesticides.

### STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting because of possible aspiration hazards. Call a physician immediately. If Inhaled: Remove victim to fresh air. Apply artificial repiration if indicated. If On Skin: Kemove contaminated clothing. Wash affected areas with plenty of soap and water. If In Eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

**NOTICE:** Buyer assumes all responsibility of safety not in accordance with directions.

Dexol Industries Torranc, CA 90501 EPA Reg. No. 192-EPA Est. No. 192-CA-1

