


[FRONT PANEL]

DEXOL

BORER

KILLER



- Kills Peach Tree Borer, Ash Borer  
Lilac Borer, Dogwood Borer, Rhodo-  
dendron Borer & Elm Bark Beetle.
- Use on Ash, Cottonwood, Elm, Hemlock,  
Hickory, Juniper, Lilac, Locust, Maple,  
Oak, Poplar, Rhododendron, Sycamore,  
Taxus, Willow & Ornamental Flowering  
Fruit Trees.
- Makes Up To 12 Gallons Spray

**Active Ingredient:**

*Chlorpyrifos [0,0-diethyl O-(3,5,6-trichloro- 2-pyridyl) phosphorothioate .....	12.6%
---	-------

<b>Inert Ingredients:</b> .....	87.4%
---------------------------------	-------

<b>Total:</b> .....	100.0%
---------------------	--------


Contains Aromatic Petroleum Distillates

**Keep Out of Reach of Children**

**W A R N I N G**

**See back panel for additional precautionary statements**

**NET 1 PINT (473 ml)**



[BACK PANEL]

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product to sites or areas not listed or that have are prohibited on this label. READ THE ENTIRE LABEL PRIOR TO USE OF THIS PRODUCT.

**Dexol Borer Killer** provides an effective way to kill wood boring insects and prevent newly hatched larvae from entering and destroying valuable trees and shrubs grown around the home.

**TO APPLY,** mix the recommended amount of **Dexol Borer Killer** with water and apply as directed below. DO NOT apply to fruit bearing trees and shrubs not specified on this label. Consult your Agricultural Extension Service Specialist for proper time to treat in your area.

**Peach Tree Borer:** Apply at the rate of 3¼ fl.oz. **Dexol Borer Killer** per 1 gallon of water. Apply to flowering trees and shrubs of the Genus *Prunus* as a trunk spray before newly hatched larvae enter the tree. Apply as a coarse, low pressure spray. Thoroughly wet all bark areas from ground level to scaffold limbs. Do not allow spray contact with and fruit.

**Dogwood Borer, Lilac Borer, Ash Borer and Rhododendron Borer on Shrubs and Trees such as Dogwood, Elm, Lilac, Juniper, Ash, Sycamore, Cottonwood, Poplar, Ornamental Flowering Fruit Trees, Hemlock, Taxus, Locust, Willow, Hickory, Maple, Oak & Rhododendron:** Apply at the rate of 1½ fl.oz. per 1 gallon of water. Apply as a coarse, low pressure spray. Thoroughly wet all bark areas from ground level to scaffold limb.

**Elm Bark Beetle:** To prevent the adult beetle from overwintering in uninfested trees and to reduce beetle populations in disease-free areas, apply at the rate of 5½ fl.oz. **Dexol Borer Killer** per 1 gallon of water. Apply to the bottom 9 feet of trunk. Wet the trunk thoroughly but do not spray to runoff. Care should be taken to apply the spray right to the base of the root flare. Applications can be made from Spring to the early Fall.

**Prevention of Branch and Twig Feeding on High Value Elm Trees:** To reduce twig and branch feeding on uninfested trees deemed to be high in value, apply a 0.5% chlorpyrifos water spray (5½ fl.oz. **Dexol Borer Killer** per 1 gallon of water) to the tree crown. Applications should be made in the Spring or early Summer using a sprayer that will provide thorough coverage to the tree

**BEST AVAILABLE COPY**

crown.

### STORAGE & DISPOSAL

**Storage:** Store in a cool, dry place away from heat or open flame. Keep in original container and preferably in a locked storage area inaccessible to children and pets. **Pesticide**

**Disposal:** Wrap original container in several layers of newspaper and discard in trash. **Container Disposal:** Do not reuse empty container. Wrap in newspaper and discard in trash.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**WARNING:** Causes eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Avoid breathing vapors and spray mist. Handle concentrate in a well ventilated area. Wash thoroughly after handling and before eating or using tobacco. Do not wear contaminated clothing. Remove contaminated clothing and launder before reuse. Avoid contamination of food, feedstuffs and domestic water supplies. Do not allow children and pets onto treated areas until dried completely. Food utensils such as teaspoons and measuring cups must not be used for food purposes after use in measuring pesticides.

#### STATEMENT OF PRACTICAL TREATMENT

**If Swallowed:** Call a physician or seek medical attention immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. **If in Eyes:** Flush eyes with plenty of water. Call a physician immediately and get prompt medical attention. **If on Skin:** Remove contaminated clothing. Wash affected areas with plenty of soap and water. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **Note to Physician:** Chlorpyrifos is a cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine by injection is antidotal. 2-PAM may also be given in conjunction with atropine, but should never be used alone. This product contains aromatic petroleum distillates which may present an aspiration hazard. Gastric lavage may be indicated if product was taken internally.

#### ENVIRONMENTAL HAZARDS

This product is toxic to birds, fish and aquatic invertebrates. Birds feeding on treated areas may be killed. Clean spilled product to reduce exposure to wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

BEST AVAILABLE COPY

[BACK PANEL - PAGE 3]

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

**NOTICE:** BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN STRICT ACCORDANCE WITH LABEL DIRECTIONS AND PRECAUTIONS.

**DEXOL INDUSTRIES**  
1450 W. 228TH ST.  
TORRANCE, CA 90501

**EPA Reg. No. 192-175**  
**EPA Est. No. 192-CA-1**

