PH 25	192-187	· 1076
US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	TERM OF ISSUANCE	MAR 29 384
NOTICE OF PESTICIDE: REGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT Dexol Mo-Show Dec Crass Proventer	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
F	Г	
Dexol Industries 1450 W. 228th St. Torrance, CA 90501		
L		
NOTE: Changes in labeling formula differing in substance fr submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration number	to use of the label in commerce	
On the basis of information furnished by the registrant, the a the Federal Insecticide, Fungicide, and Rodenticide Act.	bove named pesticide is hereby	Registered/Reregistered under
A copy of the labeling accepted in connection with this Reg	istration/Reregistration is retur	ned here with.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motion icide in accordance with the Act. The acceptance of any nar Act is not to be construed as giving the registrant a right to	, may at any time suspend or ca ne in connection with the regist	ncel the registration of a pest- ration of a product under this
by others. This product is conditionall with FIFRA section 3(c)(7)(A) pro-		cordance
 Subtin/dite all dute representation of your product ended. A dealth Present requires - croducts to submit cool date. 	HER FIFPA Section	$\mathcal{P}\left(\varphi \right) \left(\gamma \right) = \mathcal{P}\left(\varphi \right)$
2. Make the labeling change you release the product for ship		or⊷ gou
a. Add the phrase "EPA	Registration No. 1	0?-157".
3. Submit five (5) copies of before you release the product for 79 enclosure for a further descr	or shipment. Refer	to the A-
If these conditions are not tick will be subject to cancella see. 6(c). Your release for ship acceptance of these conditions.	tion in accordance.	vitl FIFRA
t starred const of the libel	South Stor Poter 10	17 - FA 1997 313 .
ATTACHMENT IS APPLICATING (BEST AVAILAB	
SIGNATURE OF APPROVING OFFICIAL		DATE
EPA Form 85706 (Rev. 5-76) PREVIOUS EDITION		<u> </u>

[FRONT PANEL]

)

ACC	EI	TE	D
MAR	29	24	
Under the For Fungicide, a as amended registered " EPA Reg. N	nd Roc , for th	lenticide	Act.

.

DEXOL

NO-SHOW

WEED & GRASS PREVENTER

- Weed & Grass Free Ornamental Beds.

- Covers Up To 1,600 Sq.Ft. (5 lb. container size)
- Contains EPTAM®
- Controls Weed & Grass Growth Around Ornamentals, Evergreens, Trees & Shrubs.
- Controls Weed & Grass Growth Before it Appears!
- Controls Bluegrass, Chickweed, Crabgrass, Foxtail, Johnsongrass, Purslane, Foxtail and Others Listed.
- Controls Over 20 Species of Weeds
- Keeps Treated Areas Virtually Weed-Free For a Growing Season.

Active Ingredient:	
S-ethyl dipropylthiocarbamate	2.3%
Inert Ingredients:	<u>97.78</u>
Total:	100 08

Keep Out of Reach of Children

CAUTION

See back panel for additional precautionary statements

EPTAM[•] is a registered trademark of Zeneca, Inc.

Net 5 lbs. (2.26 Kg)

[BACK PANEL]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid inhalation of dust. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling and before using tobacco. Avoid contamination of food and feedstuffs.

STATEMENT OF PRACTICAL TREATMENT

If a known exposure occurs or is suspected, immediately initiate the recommended procedures below and contact a Poison Control Center, physician or hospital.

If swallowed: Immediately give several glasses of water and induce vomiting by touching back of throat or tongue with finger. Repeat until vomitus fluid is clear. Never induce vomiting or give anything by mouth to an unconscious or convulsing person. If on skin: Immediately remove contaminated clothing or shoes. Wash affected areas with plenty of soap and water. Get medical lttention if irritation persists. Launder contaminated clothing or shoes before reuse. If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists. If inhaled: Remove victim to fresh air. Seek medical attention if respiratory irritation occurs or if breathing becomes difficult.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is for use around home areas only as directed below. Do not apply this product to sites or areas not listed or that have been prohibited on this label. READ THE ENTIRE LABEL PRIOR TO USE OF THIS PRODUCT.

GENERAL: Dexol NO-SHOW Weed & Grass Preventer controls over 20 species of yeeds and will keep a treated area virtually weed-free for an average growing season. In semi-tropical areas, more than one application may be needed.

DO NOT APPLY THIS PRODUCT TO FOOD CROPS NOT LISTED ON THIS LABEL. DO NOT APPLY THIS PRODUCT TO AREAS THAT WILL BE RE-SODDED OR RE-SERDED FOR NEW TURF OR LAWN RENOVATION.

USE PRECAUTIONS: Dexol NO-SHOW Weed & Grass Preventer should only be used for recommended purposes and at recommended rates. DO NOT OVER APPLY, Dexol NO-SHOW Weed & Grass Preventer is recommended for use on mineral soils only. For all uses, Dexol NO-SHOW Weed & Grass Preventer must be thoroughly mixed into the soil. Dexol NO-SHOW Weed & Grass Preventer may cause injury to ornamentals under certain soil and climatic conditions or if directions are not followed. Dexol NO-SHOW Weed & Grass Preventer will not, control established weed or grass growth.

> DEXOL NO-SHOW WEED & GRASS PREVENTER CAN BE USED ON THESE ESTABLISHED ORNAMENTALS

Herbaceous Plants: Alyssum

Begonia

Marigold

BEST AVAILABLE COPY

[BACK PANEL CONT'D - PAGE 2]

Ageratum Amaranthus Asters Balsam	Chrysanthemum Dahlia Daylilies Dianthus	Nasturtium Pansy Petunia Zinnia
<u>Ground Covers:</u> Ajuga Gazania Hypericum	Ice Plant Ivy Pachysandra	Periwinkle (vinca minor) Sedum Strawberry (orna- mental)
<u>Evergreens and Deciduous</u> Berberis Borwood	<u>s Trees and Shrubs:</u> Hemlock Holly (American &	Oak Pieris

Boxwood Camellia Chamaecyparis Citrus (non-bearing) Dogwood Euonymus Fir Hemlock Holly (American & Japanese) Juniper Leucothoe Lilac Linden Magnolia Maple Oak Pieris Pine Podocarpus Rhododendron Rose Spruce Viburnum Yew (Texas)

NOTE: All flowering bulbs, salvia, phlox, snapdragon and ornamental peppers are susceptible to injury from an application of Dexol NO-SHOW Weed & Grass Preventer.

WEEDS & GRASSES CONTROLLED

Annual Grasses: Annual Bluegrass (Poa annua) Barnyardgrass (Watergrass, Junglerice) (Echinochloa spp.) Siant Foxtail (Setaria laberii) Green Foxtail (Setaria viridis) Lovegrass (Stinkgrass) (Eragrostis cilianesis) Volunteer Grains (Barley, Oats, Wheat) Wild Cane (Black Amber Cane, Chicken-Corn Scatter Cane, Shattercane)(Sorghum bicolor)

Annual Broadleaf Weeds:

Black Nightshade (Solanum nigrum) Common Chickweed (Stellaria media) Corn Spurry (Spergula arvensis) Deadnettle (Henbit) (Lamium amplexicaule) Florida Purslane (Richardia scabra) Hairy Nightshade (Solanum villosum) Lambsquarters, Common (Chenopodium album) Nettleleaf Goosefoot (Chenopodium murale) Purslane, Common (Portuluca oleracea) Prostrate Pigweed (Amaranthus graecizans) Annual Ryegrass (Italian Ryegrass)(Lolium multiflorum) Crabgrass (Digitaria spp.) Goosegrass (Eleusine indica) Johnsongrass Seedlings (Sorghum halepense) Sandbur, Field (Cenchrus pauciflorus) Wild Oats (Avena fatua) Yellow Foxtail (Setaria glauca)

,

BACK PANEL CONT'D - PAGE 3]

Ragweed, Common (Michigan only)(Ambrosia artenisifolia) Redroot Pigweed (Common Pigweed)(Amaranthus retroflexus) Tumble Pigweed (Amaranthus albus)

The annual weeds listed above will be controlled only if treatment is made when conditions are favorable for weed germination and growth.

<u>Perennial Weeds:</u>

Bermudagrass (Cynodon dactylon) Mugwort (Chrysanthemumweed)(Artemisia vulgaris) Purple Nutsedge (Nutgrass)(Cyperus rotundus) Quackgrass (Couchgrass, witchgrass)(Agropyron repens) Yellow Nutsedge (Nutgrass)(Cyperus esculentus)

SOIL PREPARATION: The soil to be treated should be loose and free of clods. All weed growth should be removed or thoroughly worked into the soil before application.

APPLICATION: The recommended rate of Dexol NO-SHOW Weed & Grass Preventer should be applied as uniformly as possible. Apply to well worked soil that is dry enough to permit thorough mixing and incorporation.

SOIL MIXING INCORPORATION: Immediately after application, thoroughly mix Dexol NO-SHOW Weed & Grass Preventer into the soil to a depth of 2 to 3 inches. Mix to a depth of 6 inches for nutgrass, quackgrass, Bermudagrass and chrysanthemumweed (mugwort) control. Thorough mixing is necessary for good weed control. Use the following equipment or other equipment which has proven satisfactory under local conditions:

Pre-plant application - Rototiller.

Post-plant application - For annual weed use hand rake or hoe or water in immediately after application to a depth of 2 to 3 inches. Where incorporation by hand raking is done, light watering after raking is recommended. For perennial weeds, incorporate to a depth of 6 inches with a rototiller.

WHEN TO USE DEXOL NO-SHOW WEED & GRASS PREVENTER

Herbaceous Plants and Ground Covers: Apply 2 weeks after transplanting or after growth starts in spring.

Trees and Shrubs: Apply 2 weeks before transplanting balled and canned stock (only) and anytime after transplanting. Around established plants, apply after growth starts in the spring.

RECOMMENDATIONS & USE RATES

For Annual Weed Control - Use Dexol NO-SHOW Weed & Grass Preventer at the rate of 5 pounds per 1,000 square feet (1 pound per 200 square feet).

For Quackgrass, Nutgrass and Bermudagrass Control Around Established Trees and Shrubs: Existing stands of these perennial grasses must be turned under

[BACK PANEL CONT'D - PAGE 4]

and chopped up thoroughly before treatment. Use Dexol NO-SHOW Weed & Grass Preventer at the rate of 5 pounds per 833 square feet (1 pound per 167 square feet). Mix thoroughly into the top 6 inches of the soil.

Mugwort (Chrysanthemumweed) Control in Areas to be Planted with the following plants: Juniper, Japanese Holly, Ivy, Pachysandra, Petunias - Use Dexol NO-SHOW Weed & Grass Preventer at the rate of 5 lbs. per 333 square feet (1 pound per 67 square feet). Mix thoroughly into the top 6 inches of soil. Apply 4 weeks before desired planting date.

Home Garden Use - Irish Potatoes & Green Beans: (Do not use Dexol NO-SHOW Weed & Grass Preventer on blackeye peas or beans, soybeans, lima beans or other flat podded beans except Romano). Apply and mix into the soil 1 pound of Dexol NO-SHOW Weed & Grass Preventer per 320 square feet (5 pounds per 1,600 square feet) just before planting. Thoroughly mix to a depth of 2 to) inches using a rototiller, hoe or rake. Plant at a normal seeding depth.

STORAGE & DISPOSAL

Storage: Keep container closed when not in use. Do not store near seeds or fertilizers. Keep in original container. Store in a cool, dry place and preferably in a locked area away from children and pets. Disposal: Wrap original container in several layers of newspaper and discard in trash. Do not reuse empty container.

DEXOL INDUSTRIES 1450 W. 228th Street Torrance, CA 90501

}

EPA Reg. No. 192-EPA Est. No. 192-CA-1

QUESTIONS, CALL 800-421-2934