

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Jul 6 1998

Mr. John Prues  
Dexol Industries  
1450 W. 228th Street  
Torrance, CA 90501-5089

Dear Mr. Prues:

Subject: Amendment- delete use on dogs/add residual claims  
Dexol Multipurpose Insect Spray  
EPA Registration No. 192-198  
Your Submission dated August 21, 1997

This amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable, provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. Under Enviromental Hazards change "...on this label. cover..." to read "... on this label. Cover ...".

b. We assume that a spray head trigger is marketed with this product since you did not add "Affix trigger, pump or other type of sprayer to container for application. Do not transfer to another container." as suggested in our registration notice dated November 17, 1995.

c. On the front panel indicate this product is for use in/around residential sites only by modifying the bullet to read "For Indoor and Outdoor Residential Use Only".

d. Following the paragraph under Garden Insects add "Not for use on ornamentals grown for sale or for commercial seed production or for research purposes."

CONCURRENCES

SYMBOL	e. Under Directions for Use add "Not for Use on Pets."						
SURNAME							
DATE							

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca  
Product Manager (13)  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

Enclosure

[Front Panel]

**DEXOL**  
**MULTIPURPOSE**  
**INSECT SPRAY**

- Controls Cockroaches, Ants, Fleas, Ticks, Spiders, Silverfish and other Listed Pests
  - Water-Based Formula
  - For Indoor & Outdoor Use
    - Ready-to-Use
- Provides 60 day (Two Months ) Control of Cockroaches
  - Provides 60 day (Two Months ) Control of Fleas
- Provides 60 day (Two Months ) Control of Stored Product Pests

**ACTIVE INGREDIENT:**

Permethrin [(3-phenoxyphenyl) methyl (+) cis-trans-3-(2,2-dichlorothenyl)-2,2dimethylcyclopropanecarboxylate] ..... 0.25%

**INERT INGREDIENTS:**..... 99.75%

**TOTAL**..... 100.00%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back panel for additional Precautionary Statements

NET \_\_\_\_\_ FLOZ ( \_\_\_\_\_ ML)

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

JUL - 6 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

192-198

[BACK PANEL]

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. **Do not allow children or pets to contact treated areas until surfaces are dry.**

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. cover aquariums and terrariums before spraying.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Household use only: for use in homes, apartments, attics, basements, campers, boats, household storage areas, garages, pet sleeping areas, cabins.

**Indoor Use:** For spot application only. Do not use as a space spray indoors. *Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Mealworms, Grain Mites and Cadelles.* Controls insects for up to 60-day (two months).

**Cockroaches (Waterbugs), Ants, Silverfish:** Make spot applications of Dexol Multipurpose Insect Spray to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, and similar areas where these insects hide.

**Ants:** To kill ants, spray trails, nests and points of entry within buildings and homes. Spray directly on insects where possible. Repeat application as necessary to maintain control.

**Carpet beetles:** Spray in spot applications along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

**Spiders and Scorpions:** Spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pest may crawl.

**Bedbugs:** Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

**Fleas ( Adult and larvae) , Brown Dog Ticks:** Apply to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following

treatment. NOTE: Always spot test for color fastness of surfaces prior to making a full treatment. Repeat as necessary. Allow to dry thoroughly before allowing children or pets on treated areas.

**Pantry Pests-Exposed Stages(Saw-toothed Grain Beetle, Flour Beetle, Rice Weevil, cigarette Beetle, Drugstore Beetle, Indian Meal Moth):** Spray Dexol Multipurpose Insect Spray on shelves and in cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insect breeding within food packages. Infested food packages should be destroyed.

**Clothes Moths:** Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storage directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

**Lice and Louse Eggs:** Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8-10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. All treated articles to dry thoroughly before use.

**OUTDOOR USE:** Use this product to control *Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, firebrats, Spiders, Crickets, Clover Mites, and Cadelles.* To help prevent infestation of building, treat the building foundation to a height of 2-3 feet, where pests are active and may find entrance. Also apply as a residual spray to outside surfaces of building, including porches, screens, window frames, eaves, patios, garages, refuse dumps, and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness.

**Ticks:** To help control ticks in outdoor activity areas, treat a band of vegetation 6-8 feet wide and adjacent to activity areas, especially where dense vegetation occurs.

**GARDEN INSECTS:** Use this product to control *Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites, Armyworms and Leafminers on:* African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Delphiniums, Dogwoods, English Ivy, Euonymus, Fuchsia, Geraniums, Crassula, Grape Vines, Kentia Palms, Laurels, marigolds, Rhododendrons, Roses, Rubber Plants, Snapdragons, Stocks, Wandering Jews, and Zinnias. Spray at first sight of insects, before infestation is heavy. Repeat as necessary. When spraying plants, do not operate closer than 18 inches. use sweeping motion. Be cautious about wetting tender foliage, young plants, and new growth. do not spray plants when temperatures exceed 90° F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

» » » » »  
» » » » »  
» » » » »  
» » » » »  
» » » » »  
» » » » »  
» » » » »  
» » » » »  
» » » » »  
» » » » »

