UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

FEB 1 2 2004

Carrie Crawford Regulatory Affairs Manager Value Garden Supply, LLC P.O. Box 585 St. Joseph, MO 64502

Subject: Amendment - Updating per EPA letter dated August 16, 2003 . Dexol Multipurpose Insect Spray EPA Reg. No. 192-198 Your Letter Dated August 25, 2003

Dear Ms. Crawford:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

1. Since the product is used outdoors as a foliar application and is toxic to pollinating insects, a bee hazard warning must be included in the Environmental Hazards. Therefore please add "This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area." to the Environmental Hazards section.

If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460.

Sincerely, Vanda aluander for George T. LaRocca

Product Manager (13) Insecticide Branch Registration Division (7505C)

READY TO USE

Dexol Multipurpose Insect Spray

For Indoor and Outdoor Residential Use Only

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for Additional Precautions.

ACTIVE INGREDIENT:	
Permethrin*	0.25%
OTHER INGREDIENTS:	99.75%
TOTAL	. 100.00%
*(phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2	
dichlorothenyl) 2, 2-dimethylcyclopropanecarbo	orate

NET CONTENTS 1 GAL. (3.78 L)

EPA Reg. No. 192-198 EPA Est. No. 44616-MO-1

. •

. .

Distributed By: Value Garden Supply, LLC. P. O. Box 585 St. Joseph, MO 64502 (952) 884-6477 RM# 15702 www.valuegardens.com

ACCEPTED with COMMENTS In EPA Letter Dated FEB 1 2 2004 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 192 - 198

.

FIRST AID

if swallowed:	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. 	
	Do not give anything by mouth to an unconscious person.	e
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.	•
	•Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	 Call a poison control center or doctor for treatment advice. 	
lf on skin	Take off contaminated clothing.	•
or clothing:	Rinse skin immediately with plenty of water for 15 – 20 minutes.	
•	Call a poison control center or doctor for treatment advice.	
If inhaled:	Move person to fresh air.	
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 	~

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry area away from heat or open flame. Keep in original container and preferably in a locked storage area inaccessible to children and pets. DISPOSAL: If Empty: Do not reuse empty container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label. Cover aquariums and terrariums before spraying.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Affix trigger sprayer to container for application. Do not transfer to another container. Not for use on pets.

Doxol Multipurpose Insect Spray controls Cockroaches, Ants, Fleas, Ticks, Spiders, Silverfish and other listed pests for up to months.

FOR HOUSEHOLD USE ONLY: For use in homes, apartments, attics, basements, campers, boats, houshold storage areas, garages, pet sleeping areas, cabins.

INDOOR USE: For spot application only. Do not use as a space spray indoors.

Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Mealworms, Grain Mites and Cadelles.

COCKROACHES (WATERBUGS), ANTS, SILVERFISH: Make spot applications of this product to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, and similar areas where theses insects hide.

Ants: To kill ants, spray trails, nests and points of entry within buildings and homes. Spray directly on insects where possible. Repeat application as infestations occur.

CARPET BEETLES: Spray in spot applications along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

SPIDERS AND SCORPIONS: Spray around windows, doors, and along baseboards. Make spot applications to other areas over the these pests may crawl.

L_JBUGS: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as infestations occur.

FLEAS (Adult and larvae), Brown Dog Ticks: Apply to infested areas, around baseboards, windows and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. **NOTE:** Always spot test for color fastness of surfaces prior to making a full treatment. Repeat as infestations occur. Allow to dry thoroughly before allowing children or pets on treated areas.

PANTRY-PESTS EXPOSED STAGES (Saw-toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Bootle, Drugstore Beetle, Indian Meal Moth): Spray this product on shelves and in cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insect breeding within food packages. Infested food packages should be destroyed.

TICKS: To help control ticks in outdoor activity areas, treat a band of vegetation 6-8 feet wide and adjacent to activity areas, especially where dense vegetation occurs. Not for use on ornamentals grown for sale or for commercial seed production or for research purposes.

GARDEN INSECTS: Use this product to control Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites, Armyworms and Leafminers on: African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Delphiniums, Dogwoods, English Ivy, Euonymus, Fuchsia, Geraniums, Crassula, Grape Vines, Kentia Palms, Laurels, Marigolds, Rhododendrons, Roses, Rubber Plants, Snapdragons, Stocks, Wandering Jews, and Zinnias. Spray at first sight of insects, before infestation is heavy. Repeat as infestation occur. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants, and new growth. Do not spray plants, and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible.

LIMITED WARRANTY AND DISCLAIMER

Buyer assumes all responsibility for safety and use not in accordance with directions. If for any reason you are not completely satisfied by your purchase, simply return the product with proof of purchase for a replacement or refund. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378.