

PM 23 192-206 10/5

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE
NOV 12 1986

192-206

TERM OF ISSUANCE

Conditional

NAME OF PESTICIDE PRODUCT

Lexol Proemergent Weed & Grass Preventer

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Lexol Industries
1450 W. 228th Street
Torrance, CA 90501-5089

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA Section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of this product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of this product under FIFRA sec. 4.
2. Add the phrase "EPA Registration No. 192-206" to the label before you release the product for shipment.
3. Resubmit the Confidential Statement of Formula to show the current name and address of the source of DCPA use in manufacture of this product.
4. Submit one (1) copy of the final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

BEST AVAILABLE COPY

Joanne I. Miller
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (7505C)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Joanne I. Miller

DATE

NOV 12 1986

3045

[BACK PANEL]

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **For use on home vegetable and flower gardens, home lawns and around home trees and shrubs only.**

DO NOT APPLY IN SUFFOLK COUNTY, LONG ISLAND, NEW YORK

DEXOL Pre-Emergent Weed & Grass Preventer₂ is a 5% granular DACTHAL herbicide formulation for use as a preemergence application to control:

barnyardgrass, copperleaf, rhombic	bluegrass (annual) copperleaf (Virginia - three seeded mercury),	carpetweed, crabgrass (large),	chickweed (common), crabgrass (smooth),
deadnettle (purple), foxtail (yellow),	deadnettle (spotted), goosegrass,	dodder, groundcherry,	foxtail (green), johnsongrass (from seed),
knotweed (prostrate),	lambsquarters (common),	lovegrass,	nettle (burning),
nightshade (black), purslane, spurge (prostrate),	panicum (brown top), pusley (Florida), spurge (spotted),	pansy (field), sandbur, witchgrass	pigweed (redroot), spurge (nodding),

Dexol Preemergent Weed & Grass Preventer₂ will not control:

galinsoga	jimsonweed	johnsongrass (from rhizomes)	mustards
nutsedge	ragweed (common)	smartweed or velvetleaf.	

For best results, Dexol Pre-Emergent Weed & Grass Preventer₂ should be applied to a well-prepared soil which is free of weeds and **PRIOR** to weed seed germination. For garden soils, apply to a uniform weed-free soil surface within 2 to 3 days following cultivation to prevent subsurface germinating weeds from becoming established. Disturbing the soil surface after application will reduce effectiveness. Measure the area to be treated and divide into small plots. Using the handy shaker canister, sprinkle the granules evenly over the surface and water in thoroughly. Weed control up to four months may be expected. Do not feed treated foliage to livestock or graze treated areas. Do not apply through any type of irrigation equipment.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING: Wear long-sleeved shirt and long-legged pants and chemical resistant gloves. Important: If the pesticide comes in contact with skin wash off with soap and water. Always wash hand, face, and arms with soap and water before smoking, eating, drinking, or toileting; **AFTER USE:** Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. do not reuse contaminated clothing. Clothing worn during use must be laundered separately from household articles.

VEGETABLE GARDENS - Apply one pound DEXOL Pre-Emergent Weed & Grass Preventer₂ per 250 sq. ft. (10' x 25') uniformly to the soil surface. Till the soil before application if weeds have emerged. Water in thoroughly rinsing all granules off plant foliage.

Broccoli, Brussels Sprouts, Cauliflower, Cabbage, Onions, Garlic - Apply at seeding or transplanting. The granules can be applied directly over plants without injury.

Beans (Dry or Snap) and Southern Peas (Blackeyed), Collards, Kale, Mustard Greens, Turnips (Green and Roots). Apply only to plants which are well established with 4 to 5 true leaves and growing conditions are favorable.

Tomatoes, Eggplant, Peppers - Apply only to well established plants (4 to 6 weeks after transplanting) when growing conditions are favorable. May be applied directly over plants without injuring them.

LAWNS - ESTABLISHED - Apply uniformly to established lawn grasses at the rate of one pound per 250 sq. ft in early spring before crabgrass and other annual grasses and broadleaf weed seeds germinate. Crabgrass seed germinations usually coincide with the time Forsythia blossoms start to fall. One application before weed seed germination usually provides season long control. Where spring seeding is necessary, do not seed for at least 60 days following application.

ORNAMENTALS, SHRUBS AND TREES (as listed below) - Apply one pound DEXOL Pre-Emergent Weed & Grass Preventer₂ per 250 sq. ft (10' x 25') uniformly to soil around the base of plants in late fall or early spring. May be applied immediately following transplanting into well prepared soil. **For established plantings:** Remove existing weeds prior to application. One application should provide weed control up to 3 months or more.

- | | | | | | |
|----------------|---------------|------------------|-----------------|-----------------|------------------|
| Abelia | Candytufts | Deutzia | Gum | Mockorange | Russian olive |
| Ageratum | Chestnut | Dogwood | Hawthorn | Morningglory | Sage,scarlet |
| Alyssum | Chrysanthemum | Elaeagnus | Heath,pink | Moss rose | Snapdragon |
| Andromeda,Jap | Cinquefoil | Elm | Holy | Mother-of-Tyme | Spiderwort,Va. |
| Arborvitae | Coleus | Euonymus | Hydrangea | Mountain Laurel | Spirea |
| Ash | Columbine | Evening-primrose | Honeysuckle | Mourning Bride | Spruce |
| Aster | Coneflower, | Feverfew | Iris | Nasturtium | Stoncrop |
| Azalea | purple | Fir | Ivy,Baltic | Oak | Strawflower |
| Babysbreath | Coreopsis | Forget-me-not | Ivy,Boston | Orpine | Sundrops |
| Barberry | Coralbells | Forsythia | Ivy,English | Pachistima | Sunflower |
| Bellflower | Cosmos | Four-O'Clock | Ivy,Wilson | Pachysandra | Sweet Pea |
| Birch | Cotoneaster | Foxglove | Juniper | Peony | Sycamore |
| Bleeding-heart | Cottonwood | Gaillardia | Lantana | Petunia | Tree peony |
| Bloodleaf | Crabapple | Geranium | Larkspur,candle | Pine | Tulip Tree |
| Boxwood | Cuphea | Gladiolus | Lavendercotton | Pittosporum | Viburnum |
| Bugloss | Cypress | Golddust | Lilac | Podocarpus | Violet,African |
| Camellia | Dahlia | Goldentuft | Lily | Poker plant | Walnut |
| | Delphinium | | Locus | Poplar | Weigela |
| | | | Lupine | Privet | Willow |
| | | | Magnolia | Privet, | Wormwood |
| | | | Maple | variegated | Yarrow, fernleaf |
| | | | Marguerite, | Redbud | Yew |
| | | | golden | Rhododendron | Zinnia |
| | | | Marigold | Rose | |

5015

**DO NOT USE ON
THE FOLLOWING
PLANTS:**

Bugleweed
Button pink

Carnation
Geum

Germander
Mesembry-
anthemum

Pansy
Phlox

Sweet William
Telanthera

STORAGE & DISPOSAL

STORAGE: Keep pesticide in original container. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. **DISPOSAL: PRODUCT** - Partially filled canister may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash. **CONTAINER** - Do not reuse canister. Discard canister in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: DO NOT induce vomiting. If vomiting occurs spontaneously, keep airway clear. Never give anything by mouth to an unconscious person. Get medical attention. **If on Skin:** Wash thoroughly with soap and water. Get medical attention if irritation persists. **If in Eyes:** Flush with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

Collect and incorporate granules spilled on the soil surface. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

GROUNDWATER ADVISORY: Tetrachloroterephthalic acid, a breakdown product of DCPA, is known to leach through soil as a result of agricultural and turf uses and has been found in groundwater which may be used for drinking water. Users are advised not to apply DCPA to sand and loamy sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e. well drained. Consult with the state pesticide lead agency for information regarding soil permeability and aquifer vulnerability in your area.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and / or handling of this material when such use and / or handling is contrary to label instructions.

Dexol Industries
1450 W. 228th St.
Torrance, CA 90501-5089
Draft 8/9/96
Revised Draft 9/10/96
Revised Draft 10/28/96

EPA Reg. No. 192-ENA
EPA Est. No. 192-CA-1
Questions call: (310) 326-8373