

192-215

3/1/2011

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
CHEMICAL SAFETY AND  
POLLUTION PREVENTION

Diana Williams  
Value Garden Supply, LLC  
P.O. Box 585  
St. Joseph, MO 64502

MAR 01 2011

Dear Ms. Williams:

Subject: Labeling Amendment; Addition of Environmental Hazards statement and revised container disposal statement per PR Notice 2007-4  
Temexx Micro-G Larvicide  
EPA Registration No. 192-215  
Submission Date: December 13, 2010

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself. Please submit one (1) final printed copy for the above mentioned label before releasing the product for shipment. If you have any questions regarding this label, please contact Jennifer Urbanski at (703) 347-0156 or [urbanski.jennifer@epa.gov](mailto:urbanski.jennifer@epa.gov).

Sincerely yours,

A handwritten signature in black ink, appearing to read "John Hebert", written over a large, stylized circular flourish.

John Hebert  
Product Manager (07)  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

Enclosure- Stamped Label

# Temexx Micro-G Larvicide

For Control of Mosquito and Midge Larvae

<b>Active Ingredient:</b>	
Temephos (CAS No. 3383-96-8) .....	0.24%
<b>Other Ingredients:</b>	99.76%
<hr/>	
<b>Total:</b>	100.0%

Temexx Micro-G Larvicide contains 0.24% 0,0,0',0' -tetramethyl 0,0-thiodi-p-phenylene phosphorothioate

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

ACCEPTED  
MAR 01 2011

Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended, for the  
pesticide registered under:



EPA. Reg. No: 192-215

EPA Reg. No 192-215  
EPA Est. No. 44616-MO-1

Manufactured By:  
Value Garden Supply, LLC  
St. Joseph, MO 64502

Net Contents: \_\_\_ lbs.

<b>First Aid (Organophosphate)</b>	
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER (Organophosphate)</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical Emergencies call: 1-800 858-7378	
<b>NOTE TO PHYSICIAN</b>	
Temephos is a cholinesterase inhibitor. Treat symptomatically.	

**PRECAUTIONARY STATEMENTS  
Hazards to Humans and Domestic Animals**

**CAUTION.** Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash hands before eating, drinking, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuses.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Some materials that are chemical-resistant to this product are butyl rubber. If you want more options, follow the instructions for category F, H, K, L on an EPA chemical-resistance category selection chart.

**Loaders, ground applicators, and other handlers must wear:**

- Long-sleeved shirt and long pants,
- Shoes and socks,
- Chemical resistant gloves

**Aerial applicators and flaggers must wear:**

- Long-sleeved shirt and long pants,
- Shoes and socks,
- Protective eyewear (flaggers only)

**In addition loaders supporting aerial must wear:**

- A NIOSH-approved dust mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved respirator with any N, R, P, or HE filter.

**USER SAFETY REQUIREMENTS**  
Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

**USER SAFETY RECOMMENDATIONS**

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENGINEERING CONTROLS**

Pilots must use an enclosed cockpit and must wear chemical resistant gloves when entering or leaving an aircraft contaminated by pesticide residues. Used gloves must be stored in a closed chemical resistant container, such as a plastic bag, to prevent contamination of the inside of the cockpit.

**Environmental Hazards**

This product is toxic to aquatic organisms such as stoneflies, water fleas, and shrimp. Non-target aquatic organisms in waters treated with this product may be killed. Some populations reestablish rapidly, but diversity may be affected. Avoid use of maximum application rate in ecologically sensitive areas. Do not contaminate water by cleaning of equipment or disposing of wastes. For information on endangered species consult EPA's web site: [www.epa.gov/espp/](http://www.epa.gov/espp/). Consult with the State agency with primary responsibility for regulating pesticides before applying to public waters to determine if a permit is needed.

**DIRECTION FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product may only be applied by public health officials, personnel of mosquito abatement districts and other similar government agencies or personnel under contract to these entities.

Do not use this product for any uses other than those specified on the label.

Do not apply to crops used for food, forage, or pasture.

**RESTRICTIONS**

Do not allow this product to drift.

Application of this product by Belly-Grinder is prohibited.

Do not mix or dilute with water.

**AERIAL SPRAY DRIFT MANAGEMENT**

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment-and-weather-related factors determines the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.

The following drift management requirements must be followed to avoid off-target drift movement from aerial applications. These requirements do not apply to applications using dry formulations.

1. The distance of the outer most nozzles on the boom must not exceed 3/4 the length of the wingspan or rotor.
2. Nozzles must always point backward parallel with the air stream and never be pointed downwards more than 45 degrees.

Where states have more stringent regulations, they must be observed.

The applicator must be familiar with and take into account the information covered in the Aerial Drift Reduction Advisory Information.

**AERIAL DRIFT REDUCTION ADVISORY INFORMATION**

Aerial Drift Reduction Advisory: This section is advisory in nature and does not supercede the mandatory label requirements.

**Swath Adjustment**

When applications are made with a crosswind, the swath will be displaced downwind. Therefore, on the up and downwind edges of the field, the applicator must compensate for this displacement by adjusting the path of the aircraft upwind. Swath adjustment distance should increase, with increasing drift potential (higher wind, smaller drops, etc.).

**Wind**

Drift potential is lowest between wind speeds of 2-10 mph. However, many factors, including droplet size and equipment type determine drift potential at any given speed. Application should be avoided below 2 mph due to variable wind direction and high inversion potential. NOTE: Local terrain can influence wind patterns. Every applicator should be familiar with local wind patterns and how they affect spray drift.

**Sensitive Areas**

The pesticide should only be applied when the potential for drift to adjacent sensitive areas (e.g. residential areas, non-target bodies of water, known habitat for threatened or endangered species, non-target crops) is minimal (e.g. when wind is blowing away from the sensitive areas).

**BROADCAST GROUND OR AERIAL APPLICATIONS**

This product may be applied for control of mosquito and midge larvae, to areas such as but not limited to: standing water, moist areas, woodland pools, shallow ponds, edges of lakes, swamps, marshes, tidal waters, intertidal zones of sandy beaches, water high in organic content, catch basins, drainage pipes in urban areas, and tire piles. Do not apply to lakes, reservoirs or bodies of water used as a source of potable water.

Use minimum or lower rates (see chart below) in areas with open water containing low organic matter and little or no emergent vegetation. Use maximum rate in areas with high organic matter and dense vegetative cover, such as: swamps, marshes, or tidal waters.

This product may not be reapplied within 7 days of the date of the initial application unless monitoring indicates that larval populations have reestablished, or weather conditions have rendered initial treatments ineffective.

**SPOT APPLICATIONS**

This product may be applied as a spot treatment pre-hatch to catch basins and similar areas which breed mosquitoes. Follow Use Directions for Broadcast Applications.

**CONTAINER BREEDING SITES (Applications to tire piles and other container breeding sites to control Aedes albopictus or other container breeding mosquito species.)**

**Broadcast Application:** Apply to sides and tops of tire piles using hand held granular application equipment, vehicle-mounted blower applicators or other suitable equipment for application of granular

larvicides. Apply at a rate of twenty (20) pounds of product per 100 sq. ft. of tire pile surface area. Repeat applications every thirty (30) days or when monitoring indicates that larval populations have reestablished or weather conditions have rendered the initial treatments ineffective.

**Spot Applications to Container Sites:** For individual tires and other small container mosquito breeding sites, apply two full tablespoons of product per container.

**APPLICATION RATES**

Pests Controlled	Area to be treated	Lb./acre	Lb. a.i./acre	Application Instructions
Mosquito and Midge larvae	Standing water, moist areas, woodland pools, shallow ponds, around perimeter of lakes, swamps, marshes, tidal waters, and catch basins.	6.6 – 83.0	0.016 - 0.20	<p>Apply uniformly by ground or air equipment.</p> <p>The rate specified for standing water may be applied as a spot treatment to catch basins and similar breeding areas for mosquitoes and midge.</p> <p>Use lower rates of application in open water with low organic matter, and little or no emergent vegetation.</p> <p>Use higher rates of application in areas with high organic matter and dense vegetative cover.</p>

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**Pesticide Storage:** Store in original container in a secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

**Pesticide Disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling, if available, or dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**NOTICE:** To the extent consistent with applicable law seller's guaranty shall be limited to the terms of the label and subject thereto. To the extent consistent with applicable law the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

2 14 11. Per EPA e-mail 10 26 10 plus PR 2007-4 plus EPA e-mail 2 14 11.