### 12/21/2004



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W Washington, D.C. 20460

EPA Reg. Number: 192-219

Date of Issuance 2004

Term of Issuance: Conditional

Name of Pesticide Product:

Dexol Lawn Insect Bifen 0.1%

NOTICE OF PESTICIDE:

x Registration \_ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Value Garden Supply, LLC.

P.O. Box 585

St. Joseph, Missouri 64502

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is <u>conditionally</u> registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

- Submit and/or cite all data required for registration/reregistration of your product 1. under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of you product under FIFRA section 4.
- 2. Make the following labeling changes:
  - Revise the EPA Registration Number to read "EPA Reg. No. 192-219" a)
  - b) Replace "Wash thoroughly with soap and water after handling" with "Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco." to the *Precautionary Statement* section.
- 3. Please submit two (2) copies of your final printed label for before your release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Signature of Approving Official: George T. LaRocca, Product Manager (13), IB/RD (7505C)

December 21,2004

If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460.

### Dexol Lawn Insect Bifen 0.1%

ACCEPTED
with COMMENTS
In EPA Letter Dated
DEC 2 1 2004

Under the Federal Insecticide. Fungicide, and Rodenticide Act. as amended, for the pesticide registered under EPA Reg. No.

For Residential Lawn Use Only

[optional marketing statements in brackets]

[Dexol Lawn Insect Bifen 0.1% is the smart solution for fast control of unwan	ted pest problems.]
[Controls a wide variety of listed insects above and below the lawn's surface:	

Controls a wide variety of instead insects above and below the lawn's surface.			_
<ul> <li>Ants</li> </ul>			• •
<ul> <li>Fleas</li> </ul>	•	• •	• •
• Ticks	,		
Mole crickets		. • •	
<ul> <li>Chinch bugs</li> </ul>		•	•
<ul> <li>Other lawn-damaging insects]</li> </ul>		• •	• • 1
[Won't harm your lawn.]		•	
[Ready to use.]		• •	• • •
Active Ingredient			
Bifenthrin*	0.1%		
Other Ingredients	<u>99.9%</u>		
Total	100.0%		
*Cis isomers 97% minimum, trans isomers 3% maximum.			

Net Contents \_\_\_\_

# KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements on back of bag.

FIRST AID			
IF SWALLOWED:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>		
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>		
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the Poison Control Center 800-222-1222.			
<b>NOTE TO PHYSICIAN:</b> This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.			

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

In New York, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of Dexol Lawn Insect Bifen 0.1% if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Apply when insect activity or damage is first observed in the lawn (lawn thins and turns brown or moths fly from the grass when you mow). Don't treat just the browned area of lawn. To prevent further damage, treat entire lawn.

Surface Feeding Lawn Insects				
Use Dexol Lawn Insect Bifen 0.1% for the control of ants, including Carpenter, Red Harvester, Odorous				
Pyramid, Pharaoh (Sugar) Ants, Armyworms (including Fall Armyworms), Billbug (Including Bluegrass				
Billbug), Chiggers, Chinch Bugs, Crickets, Cutworms (including Black Cutworms), Earwigs,				
Grasshoppers, Mealybugs, Sod Webworms (Lawn Moth), and Weevils (including Hyperodes and				
Bluegrass). Uniformly apply 1.2 to 2.4 pounds over a 1,000 sq. ft. area of lawn using any hand or power				
operated gravity or rotary type spreader designed for the application of granular materials. A [X] pound				
bag will treat a [X] to [X] sq. ft. area of lawn. Water thoroughly immediately after application. Treat when				
insects first appear and re-treat as necessary. Repeat application is necessary only if there are signs of				
renewed insect activity. Repeat application should be limited to no more than once per seven days.				
Argentine Ants, Black Turf Ants, Black	Uniformly apply 2.4 pounds over a 1,000 sq. ft. area of lawn.			
Turfgrass Ataenius, Fleas (including Cat	Water thoroughly immediately after application.			
Fleas), Leafhoppers, Spiders (including				
Brown Recluse Spiders) and Ticks				
(including Brown Dog Ticks)				
Centipedes, Millipedes, Pavement Ants,	Uniformly apply 4.8 pounds over a 1,000 sq. ft. area of lawn.			
MoleCrickets (including Tawny Mole	For mole crickets, treat in late spring. Water thoroughly			
Crickets)	immediately after application.			

Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

SPREADER TIPS					
Spreader	Spreader Settings: Pounds of Product per 1000 sq. ft.			Directions	
	1.2	2.4	4.8		
Scotts: According een® drop Spreamer	x	X	X	Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.	
Specify Green®	x	Х	Х	Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one, so some overlapping occurs. Avoid applying this product on flower, vegetable, and shrub plantings.	

### Storage and Disposal

STOR: AGE: Store in original bags/containers only. Store in a cool, dry place and avoid excess heat. Carefully open bags/containers. After partial use close tightly. Do not contaminate water, food or feed by storzem and disposal.

**DISPCOSAL:** If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEAN-UP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

Value Ganden Supply

9100 W Bloomington Freeway Suite :::

ļ

Bloomington, MN 55431

EPA R≃... No. 192-

EPA Est No. 44616-MO-1

44616-GA-1