

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C., 20460

OFFICE OF PREVENTION PENELODES AND TOXIC SUBSTANCES

December 21, 2006

Steven E. Rogosheske Regulatory Affairs Manager Value Garden Supply, LLC P. O. Box 585 St. Joseph, MO 64502

SUBJECT: Applications for Pesticide Notification (PRN 98-10)

UltraStop Home Insect Killer II

EPA Reg. No. 192-221

Application Dated December 7, 2006

Dear Mr. Rogosheske:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

EDA Enem RETA 1 IDay 3.941 Province aditions are obsolete

Steven E. Rogosheske

White - FPA File Conv. (original)

Yellow - Applicant Co

NOTIFICATION

DEC 21 2006

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulation at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Signed 825 Elogorhester

Regulatory Affairs Manager Value Gardens Supply, LLC



December 7, 2006

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

NOTIFICATION

DEC 21 2006

Subject: NOTIFICATION

UltraStop Home Insect Killer II

EPA Reg. No. 192-221

Notification Team:

Value Garden Supply, LLC is submitting the subject product for notification to add dispensing directions for the subject registration when packaging provides for different spray applicators. Specifically, if the container comes with an extended spray nozzle feature or a battery powered sprayer nozzle. This notification is being filed in accordance with PR-Notice 98-10.

Along with the application form, we are enclosing two copies of the label with the alternate sprayer instructions under "How to Use" highlighted on one label. If there are any questions regarding this submission please contact this office.

Sincerely,

Steven E. Rogosheske

Regulatory Affairs Manager Phone and Fax: (952) 884-6477

E-mail: rogo@valuegardens.com

Enclosures

NOTIFICATION

DEC 21 200%

UltraStop Home Insect Killer II

Editor's Note: Text in [Brackets] indicate optional statements, any or all of which may be used on the final label.

- [For Indoor and Outdoor Use]
- [Fast Acting - Long Lasting]
- [Just one application quickly kills insects Continues killing up to 7 months indoors]

[Kills ants and roaches in seconds]

[Non-Staining]

[Ready-To-Use]

[Ready-To-Spray]

[Easy To Use]

[Indoor protection for up to 7 months]

[For Indoor and Outdoor use]

[Kills on contact - Also kills with residual action]

[With Battery Operated Sprayer]

[Indoor protection for up to 7 months]

ACTIVE INGREDIENT:

Cyfluthrin	0.1 %
OTHER INGREDIENTS:	<u>99.9 %</u>
TOTAL	100%

Net Contents: 32 fl oz (709 mL) or 1 gallon (3.78 L)

FOR INDOOR/OUTDOOR RESIDENTIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel/booklet for directions and additional precautionary statements

EPA Reg. No. 192-221

EPA Est. No. 44616-MO-1

Distributed by: Value Garden Supply, LLC PO Box 585, St. Joseph, MO 64502-0585

(952) 884-6477 [visit us at: www.valuegardens.com]

FIRST AID				
If Swallowed	Call a poison control center or doctor immediately for treatment advice.			
	Have person sip a glass of water if able to swallow.			
	Do not induce vomiting unless told to do so by a poison control center or doctor.			
	Do not give anything by mouth to an unconscious person.			
If in eyes	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.			
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.			
	Call a poison control center or doctor for treatment advice.			
If Inhaled	Move person to fresh air.			
	 If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mout if possible. 			
	Contact doctor or poison control center for further treatment advice.			

NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-858-7378 for medical emergency information. Active Ingredient: Cyfluthrin 0.1% [CAS # 68359-37-5].

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION Harmful if swallowed or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Avoid breathing vapors or spray mist. Remove contaminated clothing and wash clothing before reuse.

Environmental Hazards

This pesticide is highly toxic to aquatic invertebrates and fish. Do not apply directly to water. Apply this product only as specified on this label.

QUICK FACTS

- Kills Ants and Roaches in Seconds
- Continues Killing Up To 7 Months Indoors
- Non-staining

KILLS

Ants, Cockroaches, Fleas, Spiders and other listed pests.

WHERE TO USE

Indoor as spot or crack and crevice spray. Outdoor as perimeter treatment.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and foliow all label directions.

BEFORE YOU USE

Read and follow directions when using.

- This product is not intended for application to plants or lawns.
- · Do not spray into fish pools, ponds, streams, or lakes.
- Indoors, do not use as a space spray (do not spray into the air)
- · Remove animal feeding dishes before spraying.
- Keep children and pets away from treated areas until spray has dried.
- Do not use on surfaces where food is prepared or where food is exposed.
- Before spraying indoors, remove birds from area and tightly cover or remove fish bowls and aquaritims.

HOW TO USE

Shake Well Before Use

► Editor's Note: For use with extended sprayer attachment:

[Sprayer Instructions: how to prime and care for your sprayer: 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely. 2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10-15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed. 3. To store, turn nozzle to "off" position and store with sprayer above level of liquid in container to prevent leakage.

► Editor's Note: For use with battery operated sprayer attachment:

(This product is applied directly from the container using the battery operated trigger sprayer. The sprayer is packaged with the batteries installed. To use, remove the cap from the container, insert the pick up tube and thread cap attached to pick up tube to the container. Move the safety lock located below the trigger to the "ON" position. Pull trigger, waiting several seconds for fluid to prime. Adjust the sprayer tip to deliver the desired spray to the application site. To store move the safety lock located below the trigger to the "LOCK" position.]

Indoor Use

- Hold container upright while spraying. Direct nozzle about 12 inches from surface to be treated.
- Spray around baseboards, into cracks and crevices and other places where insects live and hide (under sinks, cabinets, refrigerators, damp areas, etc.) until surfaces are wet. Avoid excessive wetting of linoleum, asphalt tiles or plastic.
- For long lasting residual action leave spray undisturbed. The product will keep on killing for up to 7
 months.

Outdoor Use

- Apply to exterior surfaces of the home.
- Spray a band 3 to 4 feet wide around and alongside the foundation and porches of the house.
- Treat soil, turf or walkways adjacent to foundation and porches. Also treat 1 to 2 feet up along the side of the dwelling.
- · For more serious problems, a wider band of treatment, up to 10 feet, may be necessary.
- · Spray with the wind to avoid drifting of the spray onto skin or clothing.
- Treat where dissimilar building materials meet, such as where brick meets wood trim or where siding
 meets window edges or where cracks are visible or around and into any openings where utilities
 enter the home. Spray around doors and window frames.
- Treat outside surfaces of garages, carports, patios, driveways and sidewalks if insects are present.
- Treat other problem areas such as around wood piles, storage sheds and other areas of insect infestation as needed. Spray on ant trails and ant hills.
- For wasps, hornets, yellow jackets: Application to nests should be made late in evening when insects
 are at rest.
- To aid in control of fire ants in lawns and other outdoor home recreation areas, thoroughly drench the entire mound area. Spray provides contact activity and residual in the active mound. Use a coarse spray and apply gently to avoid disturbing ants. Note: For best results apply in cool weather 65 to 80^d F, or in early morning or late evening hours. Treat new mounds as they appear.

Wood Infesting Pests

- For control of termites and wood-infesting beetles found above ground, apply to voids and holes in damaged wood, and in spaces between wooden structures and between the sill plate and foundation where wood is exposed.
- Apply spray to exposed worker and winged reproductive forms of termites. This type of application is
 intended to be a supplemental treatment for control of drywood and above-ground subterranean
 termites and other wood-infesting insects. It is not intended as a substitute for soil treatments for
 termite control. For active termite infestations obtain the services of a licensed pest control operator.
- For control of swarming or reproductive stages of termites, apply a coarse spray to the swarm or area on which they collect.
- For control of carpenter ants around houses and other structures, apply around doors and windows
 and other places where carpenter ants may enter the premises. Spray into cracks and crevices or
 voids where these ants or their nests are present. Use a sufficient amount of coarse spray to cover
 the area.
- For control of carpenter bees in structures, spray the liquid directly into bee entrance holes. Leave
 the entrance holes open for 24 hours to be certain that returning adult bees are killed. When there is
 no activity, the hole may be sealed with a suitable sealant.

KILLS	INDOOR PESTS CONTROLED 1. CRAWLING PESTS					
	Bedbugs	Cockroaches	Millipedes	Sowbugs		
		Carpet Beetles	Crickets	Pillbugs	Spiders	
		Earwigs				
İ	2. FLYING PESTS					
	Clothes moths	Gnats	Mosquitoes	Wasps		
	Flies	Midges	Moths	Yellow Jackets		
	3. PANTRY & STORED PRODUCT PESTS					
	BEETLES: (exposed adults & immature stages) Cadelle	Dermestid Drug-store Granary Weevil	Leather Lesser Grain Borer	Mealworm Red Flour Rice Weevil		
	Cigarette Confused Flour	Hide Larder	Lesser Mealworm Merchant Grain	Sawtoothed Grain Warehouse		
	MOTHS: Indian Meal	Mediterranean Flour				

KILLS	OUTDOOR/PERIMETER PE	STS				
	Ants	Crickets	Gnats	Moths		
	Bees	Earwigs	Ground Beetles	Scorpions		
	Boxelder Bugs	Elm leaf Beetle	Hornets	Silverfish		
	Carpenter Ants	Fire Ants	Imported Red Fire	Spiders		
	Cecidflies	Firebrats	Ants	Ticks (including		
	Centipedes	Flies	Midges	Deer Ticks)		
	Clusterflies	Fleas	Millipedes	Wasps		
	Cockroaches		Mosquitoes	Yellow Jackets		
	WOOD INFESTING PESTS					
	BEETLES:	False Powderpost	Powderpost	Carpenter Bees		
	Ambrosia	Old House Borer	Carpenter Ants			
	Deathwatch					
	TERMITES:					
	Subterranean	Formosan	Drywood			

Storage and Disposal

Product Storage: Store this product in original container. Store in a dry area away from children and domestic animals.

Disposal: If empty: Do not reuse container. Place in trash or offer for recycling if available. If partly filled: Cali your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never pour unused product down any indoor or outdoor drain.

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Per Notification - 12/7/2006