UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

192 - 22

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

NOTIFICATION

JUL 2 Comm

20.207

JUL 2 0 2007

Steven E. Rogosheske Regulatory Affairs Manager Value Garden Supply, LLC P. O. Box 585 St. Joseph, MO 64502

SUBJECT: Application for Pesticide Notification – Add Certain Marketing Claims UltraStop Home Insect Killer II EPA Reg. No. 192-221 Application Dated June 12, 2007

Dear Mr. Rogosheske:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Places read instructions						Print Form
I IGAGO I GAU INSUIUCUONS ON	reverse before completing	form.	Form A	pproved, OMB I	No. 2070-00	60. Approval expires 2-28
€PA	Environmental P	nd States rotection Age on, DC 20460	ency		stration ndment	OPP Identifier Number
		plication for	Postisido So			
1.0		plication for	Pesticide - Sec			
1. Company/Product Numbe 192-221			2. EPA Product Ma George LaRocca	inager		Proposed Classification
4. Company/Product (Name) UltraStop Home Insect K) iller II		PM# 13		. -	I
5. Name and Address of Ap Value Garden Supply PO Box 585 St. Joseph, MO 64502	plicant <i>(Include ZIP Code)</i>			t is similar or ic	lentical in c	h FIFRA Section 3(c)(3) omposition and labeling
Check if this	s is a new address		Product Name			
		Sec	tion - II			
Resubmission in resp Notification - Explain Explanation: Use addition Addition of marketing cl 1. Material This Product Will Child-Resistant Packaging Yes No * Certification must be submitted	nal page(s) if necessary. (laims on front panel per I I Be Packaged In: Unit Packaging Yes No If "Yes" N	For section I and St PR Notice 98-10. Sec Water	•Me Too" Other - Ex	2. Type	ed. JU of Containe Metal Plastic Glass Paper	
3. Location of Net Contents	Information 4. 1	Size(s) Retail Conta	iner	5. Location of	bel	ions paning product
6. Manner in Which Label is		Lithograph Paper glued Stenciled	Oth			
· · · · ·	·,· · · · · · · · · · · · · · · · · · ·	Sec	tion - IV			· · · · · · · · · · · · · · · · · · ·
1. Contact Point (Complete	items directly below for id	lentification of indiv	vidual to be contacted	l, if necessary, t	o process thi	is application.)
Name Steve Rogosheske	· · · · · · · · ·	Title Regulat	ory Affairs Manager	r	୍ ୁ ମୁଖ୍ ଚpho ୨୨୨ - 88	ne Nó. (Ińclude Area Code) 4-6477
	ments I have made on this by knowlinglly false or misl			le, accurate and		S. Dete Application Roccived (Stamped)
					<u></u>	
2. Signature	osheok	3. Title Regulat	ory Affairs Manage	r		
2. Signature	oheok		ory Affairs Manage	r		

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulation at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Ehnshisk Signed St

Regulatory Affairs Manager Value Gardens Supply, LLC



VALUE GARDEN SUPPLY

June 12, 2007

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U. S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Subject: NOTIFICATION UltraStop Home Insect Killer II EPA Reg. No. 192-221

NOTIFICATION

JUL 2 0 2007

Notification Team:

Value Garden Supply, LLC is submitting the subject product for notification to add certain marketing claims to the front of the label. The claims are based on use directions already in the body of the label. The claim for hidden bugs is also on the label this one was based on by Bayer – 72155-52, and who provided support. This notification is therefore being filed in accordance with PR-Notice 98-10.

Along with the application form, we are enclosing two copies of the label with the claims highlighted on one label. If there are any questions regarding this submission please contact this office.

Sincerely,

oprices les

Steven E. Rogosheske Regulatory Affairs Manager

Enclosures

4/8

UltraStop Home Insect Killer II

Editor's Note: Text in [Brackets] indicate optional statements, any or all of which may be used on the final label.

[Just one application quickly kills insects – Continues killing up to 7 months indoors]	NOTHFICATION JUL 20 2007
[Kills ants and roaches in seconds]	
[Non-Staining]	JUL 20 2007
[Ready-To-Use]	
[Ready-To-Spray]	
[Easy To Use]	
[Indoor protection for up to 7 months]	
[Kills on contact – Also kills with residual action]	
[With Battery Operated Sprayer]	
[Kills hidden bugs]	
[Use Indoors - Spray hiding places, cracks and crevices]	
[Use outdoors - Treat around windows, doors, porches, screens, patios and garages]	

Cyfluthrin		0.1 %
OTHER INGREDIENTS:		<u>99.9_%</u>
	TOTAL 1	00.0%

Net Contents: 32 fl oz (709 mL) or 1 gallon (3.78 L)

FOR INDOOR/OUTDOOR RESIDENTIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel/booklet for directions and additional precautionary statements

EPA Reg. No. 192-221

EPA Est. No. 44616-MO-1

5/0

Distributed by: Value Garden Supply, LLC

PO Box 585, St. Joseph, MO 64502-0585

(952) 884-6477 [visit us at: www.valuegardens.com]

1

FIRST AID				
If Swallowed	Call a poison control center or doctor immediately for treatment advice.			
	 Have person sip a glass of water if able to swallow. 			
	Do not induce vomiting unless told to do so by a poison control center or doctor.			
·	Do not give anything by mouth to an unconscious person.			
If in eyes	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.			
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.			
	Call a poison control center or doctor for treatment advice.			
If Inhaled	Move person to fresh air.			
	• If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.			
·	Contact doctor or poison control center for further treatment advice.			
	t container or label with you when calling a poison control center or doctor, or going for treatment. You may for medical emergency information. Active Ingredient: Cyfluthrin 0.1% [CAS # 68359-37-5].			

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION Harmful if swallowed or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Avoid breathing vapors or spray mist. Remove contaminated clothing and wash clothing before reuse.

Environmental Hazards

This pesticide is highly toxic to aquatic invertebrates and fish. Do not apply directly to water. Apply this product only as specified on this label.

 QUICK FACTS

 • Kills Ants and Roaches in Seconds

 • Continues Killing Up To 7 Months Indoors

 • Non-staining

 KILLS
 Ants, Cockroaches, Fleas, Spiders and other listed pests.

 WHERE TO USE
 Indoor as spot or crack and crevice spray. Outdoor as perimeter treatment.

	DIRECTIONS FOR USE		
It is a violation of Federal La directions.	aw to use this product in a manner inconsistent with its labeling. For be	st results, read	and follow all label
BEFORE YOU USE	This product is not intended for application to plants or lawns.	t 4. 4	v
Read and follow	Do not spray into fish pools, ponds, streams, or lakes.		ι <i>ι</i> ιιιι ε
directions when using.	Indoors, do not use as a space spray (do not spray into the air)	, ι ((() C () S (
	Remove animal feeding dishes before spraying.	LELE 1 1	
	Keep children and pets away from treated areas until spray has dri	ed. 🗤 🤆 🖒	. (
	Do not use on surfaces where food is prepared or where food is ex	posed.	ι (ι)
	 Before spraying indoors, remove birds from area and tightly cover aquariums. 	or remove fish I	oowis and

,	1/8
HOW TO USE	Indoor Use
Shake Well Before Use	Hold container upright while spraying. Direct nozzle about 12 inches from surface to be treated.
Editor's Note: For use with extended sprayer	• Spray around baseboards, into cracks and crevices and other places where insects live and hide (under sinks, cabinets, refrigerators, damp areas, etc.) until surfaces are wet. Avoid excessive wetting of linoleum, asphalt tiles or plastic.
attachment: [Sprayer Instructions: how	• For long lasting residual action leave spray undisturbed. The product will keep on killing for up to 7 months.
to prime and care for your	Outdoor Use
sprayer: 1. After shaking product well, remove cap	Apply to exterior surfaces of the home.
rom container and	• Spray a band 3 to 4 feet wide around and alongside the foundation and porches of the house.
eplace with sprayer hose and cap assembly.	• Treat soil, turf or walkways adjacent to foundation and porches. Also treat 1 to 2 feet up along the side of the dwelling.
Tighten securely. 2. Turn sprayer nozzle one half turn counter-clockwise.	• For more serious problems, a wider band of treatment, up to 10 feet, may be necessary.
	Spray with the wind to avoid drifting of the spray onto skin or clothing.
Hold sprayer below the level of container and prime by pumping trigger 10-15 times until product	 Treat where dissimilar building materials meet, such as where brick meets wood trim or where siding meets window edges or where cracks are visible or around and into any openings where utilities enter the home. Spray around doors and window frames.
is dispensed. Adjust	• Treat outside surfaces of garages, carports, patios, driveways and sidewalks if insects are present.
nozzle to fine spray or jet stream as needed. 3. To	Treat other problem areas such as around wood piles, storage sheds and other areas of insect infestation as needed. Spray on ant trails and ant hills.
store, turn nozzle to "off" position and store with sprayer above level of	 For wasps, hornets, yellow jackets: Application to nests should be made late in evening when insec are at rest.
iquid in container to brevent leakage. ► Editor's Note: For use with battery operated	 To aid in control of fire ants in lawns and other outdoor home recreation areas, thoroughly drench the entire mound area. Spray provides contact activity and residual in the active mound. Use a coarse spray and apply gently to avoid disturbing ants. Note: For best results apply in cool weather 65 to 80⁰ F, or in early morning or late evening hours. Treat new mounds as they appear.
sprayer attachment:	Wood Infesting Pests
This product is applied directly from the container using the battery operated	 For control of termites and wood-infesting beetles found above ground, apply to voids and holes i damaged wood, and in spaces between wooden structures and between the sill plate and foundatio where wood is exposed.
trigger sprayer. The sprayer is packaged with the batteries installed. To use, remove the cap from the container, insert the	 Apply spray to exposed worker and winged reproductive forms of termites. This type of application i intended to be a supplemental treatment for control of drywood and above-ground subterranean termites and other wood-infesting insects. It is not intended as a substitute for soil treatments for termite control. For active termite infestations obtain the services of a licensed pest control operatory
bick up tube and thread cap attached to pick up	 For control of swarming or reproductive stages of termites, apply a coarse spray to the swarm or area on which they collect.
tube to the container. Move the safety lock located below the trigger to the "ON" position. Pull trigger, waiting several	 For control of carpenter ants around houses and other structures, apply around doors and windows and other places where carpenter ants may enter the premises. Spray into cracks and crevices or voids where these ants or their nests are present. Use a sufficient amount of coarse spray to cover the area.
Adjust the sprayer tip to deliver the desired spray o the application site. To	 For control of carpenter bees in structures, spray the liquid directly into bee entrance holes. Leave the entrance holes open for 24 hours to be certain that returning adult bees are killed. When there no activity, the hole may be sealed with a suitable sealant.
store move the safety lock located below the trigger to the "LOCK" position.]	

KILLS	INDOOR PESTS CONTROLED)		()(){) { (
	1. CRAWLING PESTS			ι, ιι <u></u> , ι ιι	
	Ants (except Pharaoh)	Centipedes	Firebrats	Silverfish	
	Bedbugs	Cockroaches	Millipedes	Sowbuge	
	Carpet Beetles	Crickets	Pillbugs	Spiders	
		Earwigs		` (ر، ، : ر د (
	2. FLYING PESTS				

	т. . •.		18
Clothes moths Flies 3. PANTRY & STORED PRODUC	Gnats Midges T PESTS	Mosquitoes Moths	Wasps Yellow Jackets
BEETLES: (exposed adults & immature stages) Cadelle Cigarette Confused Flour MOTHS: Indian Meal	Dermestid Drug-store Granary Weevil Hide Larder Mediterranean Flour	Leather Lesser Grain Borer Lesser Mealworm Merchant Grain	Mealworm Red Flour Rice Weevil Sawtoothed Grain Warehouse

81.

. .

KILLS	OUTDOOR/PERIMETER PE	OUTDOOR/PERIMETER PESTS				
	Ants	Crickets	Gnats	Moths		
	Bees	Earwigs	Ground Beetles	Scorpions		
	Boxelder Bugs	Elm leaf Beetle	Hornets	Silverfish		
	Carpenter Ants	Fire Ants	Imported Red Fire	Spiders		
	Cecidflies	Firebrats	Ants	Ticks (including		
	Centipedes	Flies	Midges	Deer Ticks)		
	Clusterflies	Fleas	Millipedes	Wasps		
	Cockroaches		Mosquitoes	Yellow Jackets		
	WOOD INFESTING PESTS					
	BEETLES:	False Powderpost	Powderpost	Carpenter Bees		
· .	Ambrosia	Old House Borer	Carpenter Ants	,		
	Deathwatch					
	TERMITES:			· .		
	Subterranean	Formosan	Drywood			

Storage and Disposal

Product Storage: Store this product in original container. Store in a dry area away from children and domestic animals. Disposal: If empty: Do not reuse container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never pour unused product down any indoor or outdoor drain.

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of this product under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

ſ

Per Notification - 6/12/2007