

192-222

6/12/2007

10p9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

JUN 12 2007

Steven E. Rogosheske
Regulatory Affairs Manager
Value Gardens Supply, LLC
P. O. Box 585
St. Joseph, MO 64501

SUBJECT: Application for Pesticide Notification – Change of the Primary Brand Name and Warranty
AllPro® Permethrin ICG .5%
EPA Reg. No. 192-222
Application Dated February 13, 2007

Dear Mr. Rogosheske:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in cursive script that reads "Theresa A. Stowe for".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

816

2079

Print Form

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 192-222	2. EPA Product Manager George LaRocca	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) ERD 0.5% Insect Control Granule	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Value Gardens Supply, LLC PO Box 585 St. Joseph, MO 64501 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Change the Primary Brand Name to "AllPro Permethrin ICG .5%" per PR Notice 98-10. See Certification Statement attached.


Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 10 to 40 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input checked="" type="checkbox"/> Other or stick-on lab	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Steve Rogosheske	Title Regulatory Affairs Manager	Telephone No. (Include Area Code) 952-3884-6477
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Affairs Manager	
4. Typed Name Steven E. Rogosheske	5. Date Feb. 13, 2007	

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulation at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Signed 

Regulatory Affairs Manager
Value Gardens Supply, LLC

Handwritten marks consisting of several groups of small, scattered characters or symbols, possibly representing a signature or initials, located in the bottom right corner of the page.

4089



VALUE GARDEN SUPPLY

February 13, 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Subject: NOTIFICATION
ERD 0.5% Insect Control Granule
EPA Reg. No. 192-222

Notification Team:

Value Gardens Supply, LLC is submitting the subject product for notification to change the Primary Brand Name from that in the subject to "AllPro® Permethrin ICG .5%". This registration was recently transferred to Value Gardens Supply, LLC (Feb. 1, 2007). We are also changing the warranty statement from the one that was on the label at time of transfer, to the one commonly used by this company which conforms to the current EPA policy on warranty statements and has been approved recently on other labels. Therefore this notification is being filed in accordance with PR-Notice 98-10.

Along with the application form, we are enclosing two copies of the label with the Alternate Brand Name highlighted on one label. If there are any questions regarding this submission please contact this office.

Sincerely,

Steven E. Rogosheske
Regulatory Affairs Manager
Phone: (952) 884-6477
E-mail: rogo@valuegardens.com



Enclosures

5089

Notification 2/13/07

NOTIFICATION

JUN 12 2007

AllPro® Permethrin ICG .5%

- Kills insects in lawns
- Lawn & Garden Insect Control
- Treat up to 5, 000 10,000 15,000 sq. ft.
- Controls home invading pests
- 10 pounds treats 5, 000 sq. ft.
- Controls surface and foliage feeding pests
- For grass and dichondra lawns
- Contains synthetic pyrethroid
- For outdoor use on home lawns
- Contains permethrin
- Ready to use
- Provides contact residual control for up to 4 weeks

Kills – Ants, Armyworms (including Fall, Yellow striped, etc.), Bear Tick, Bermuda grass Mites, Billbugs, (adult), Black Legged Tick, Boxelder Bugs, Brown Dog Tick, Centipedes, Chiggers, Chinch Bugs, Clover Mites, Cockroaches, Crickets, Cutworms, Darkling Ground Beetles, Deer Ticks, Digger wasps, Essex Skipper, European Crane Fly Larvae, Field Crickets, Fiery Skipper, Fire Ants, Flea Beetles, (in Dichondra), Grasshopper, Hyperodes (Turfgrass Weevil), Japanese Beetle (adult), Lawn Moth, Leaf Hoppers, Lone Star Tick, Scorpions, Silverfish & Firebrats, Sod Webworms, Sowbugs, Spiders (Including Black Widow), Spittlebugs, Springtails, Vegetable weevils (in Dichondra), Western Black Legged Tick (*Ixodes pacificus*)

ACTIVE INGREDIENT:

Permethrin*.....	0.5%
INERT INGREDIENTS.....	99.5%
TOTAL.....	100.00%

*(3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2, 2-dichlororethenyl) 2, 2 dimethyl cyclopropanecarboxylate.
 cis/trans ratio: maximum 55% (+/-) cis and minimum 45% (+/-) trans.

KEEP OUT OF REACH OF CHILDREN
CAUTION

EPA Reg. No.192-222

EPA Est. No. 44616-MO-1

Value Garden Supply
 PO Box 585
 St. Joseph, MO 64501

Net Content: lbs.

FIRST AID (Pyrethroid)	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor for immediate treatment advise. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a position control center or doctor. • Do not give anything to an unconscious person.
HOT LINE NUMBER (Pyrethroid)	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center 1-800-858-7378.</p>	

**PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals**

CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when disposing of equipment wash waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its EPA labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

READ ENTIRE LABEL BEFORE USING, USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS

AllPro Permethrin ICG .5% is recommended for control of lawn insects, fleas, ticks outdoors in residential areas. Repeated applications are made by broadcast treatment with a spreader to lawns, under shrubbery, and other ornamental and turf grass areas, band treatments are recommended around the house foundation and spot applications are made to ant mounds and wasp nests.

General Use Directions

1. Determine the size of the area to be treated – measure and multiply length times width.
2. Determine appropriate spreader setting using chart.
3. treat as directed – Through coverage is important.
4. Water in with ¼ to ½ inches of sprinkler irrigated water to release the insecticide from the granule where indicated.
5. Keep children and pets off treated areas until this material is washed into turf and grass is dry

7049

6. Do not use food utensils such as teaspoons or measuring cups for food purposes after use with pesticides

Overall Lawn Treatment for Grass and Dichondra Lawns

To control: Ants, Armyworms (including Fall, Yellow striped, etc.), Bear Tick, Bermuda grass Mites, Billbugs, (adult), Boxelder Bugs, Brown Dog Tick, Centipedes, Chiggers, Chinch Bugs, Clover Mites, Cockroaches, Crickets, Cutworms, Darkling Ground Beetles, Deer Ticks, Digger wasps, Essex Skipper, European Crane Fly Larvae, Field Crickets, Fiery Skipper, Fire Ants, Flea Beetles, (in Dichondra), Grasshopper, Hyperodes (Turfgrass Weevil), Japanese Beetle (adult), Lawn Moth, Leaf Hoppers, Lone Star Tick, Scorpions, Silverfish & Firebrats, Sod Webworms, Sowbugs, Spiders (Including Black Widow), Spittlebugs, Springtails, Ticks, Vegetable weevils (in Dichondra).

Apply this product uniformly to home lawns, under shrubbery, and other ornamental recreational turf grass areas. Treat when insects first appear using granules at the rate of 2 pounds per 1,000 sq. ft. using a fertilizer spreader. See spreader setting chart below. To help obtain uniform distribution, apply one-half required amount of product in one direction, then apply the balance at a right angle. Immediately after application, water the lawn lightly. Retreat after 7 days if insects are present or damage reoccurs.

European Crane fly larvae (Leatherjackets) – the best time to apply is in May or June when the insects are young.

Chinch Bugs – Start treatments when temperature reaches 80°F or above. A second application may be necessary in 6 weeks if insect activity continues.

Fleas and Tick Control (Outdoors)

In summer months, fleas and ticks frequently become established in lawns and pet resting areas surrounding the home. For best control of fleas and ticks (including but not limited to Bear Tick, Black-legged Tick, Brown Dog Tick, Deer Tick (*Ixodes dammini*), Lone Star Tick, Western Black-legged Tick, Wood Tick); a regular treatment program should be followed. Treat once a month when pests first appear in late Spring (May – June) and continue until late Summer (September – October). Fall temperatures below 50°F decrease pest activity. Eliminating weeds around the home and mowing lawns frequently reduces the hiding places for these pests.

Note: Dogs, cats, their kennel or bedding area should also be treated with a registered product. In addition, if fleas and ticks are indoor on carpets or pet resting areas, use a registered product to treat these areas. It is very important that all three sites – outdoors, indoors and also the pet itself be treated with appropriate labeled products to achieve satisfactory control. If any of these areas are not treated it could serve as a source of reinfestation to the entire premise.

Sod Webworms (*Crambus spp.*)

Sod webworms are light brown caterpillars ¼ to ¾ inches long, that hid in the grass during the day and feed on the grass blades at night. Adult Webworms, usually referenced to a Lawn Moths (about 1 inch in length with long snout) emerge from the grass at dusk. They fly over the lawn laying eggs that later hatch into destructive caterpillars. Damage appears first as small brown spots which, if not treated, may rapidly develop into large brown areas of severely damaged or dead grass. If Lawn Moths (Sod Webworm adults) are noticed in large numbers at dusk, or at first sign of damage to lawn, treat entire lawn evenly.

Band (Perimeter) Treatment Around House Foundation

To help prevent infestation of building by Ants, Boxelder Bugs, Brown Dog ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Fleas, Scorpions, Sowbugs, Spiders (including Black Widow), Springtails (*Collembola*) and Ticks. Apply a 5-foot band of granules next to the house foundation. Distribute granules uniformly. Water lightly after application. Retreat after 7 days if insects are present.

8099

Spot Treatment

Ants Nesting Outdoors – This product maybe used outdoors for the control of ants, including Acrobat, Argentine, Big Headed, Cornfield, Field, Harvester, Leafcutter, Little Black, Pavement and Pyramid Ants. If possible, it is best to try to locate nest and treat this first. Nests will usually be found in the ground but may be concealed under stones, boards, slabs, or in stumps or logs. Product should be applied to thoroughly cover the nest (1 to 2 teaspoons) and sprinkled gently with water. In addition to treating ant nests or mounds, entry points of buildings (used by ants) and the soil surface along the perimeter of the building should be treated,

Digger Wasps: Apply 1 to 2 teaspoons of granules in and around each individual ground nest opening. Make application at dusk when the wasps are not active.

Imported Fire Ants: Apply one cup over, and 2 feet around each fire ant mound. Immediately after application, water the granules into the soil gently with a light sprinkling to avoid disturbing the colony. Use at least one gallon of water per mound, but no more than 2 gallons. Use of high pressure watering equipment may disturb the colony and cause migration of the ants, thus reducing the effectiveness of the treatment. Apply in cool weather (65 to 80 °F) or in early morning or late evening for best results. Treat new mounds as they appear.

SPREADER SETTINGS

Spreader Make and Model	2 lbs/1000 sq. ft.	3 lbs/1000 sq. ft.
Central Imperial No. 1662-G	6½	7¼
Central Suburbia Lawn Spreader No. 1622-0	6½	7¼
Cyclone Model B-1 Rotary	4½	5
Greenfield Model #105	6½	7¼
Ortho Drop Spreader Model 3000	4½	5½
Ortho Broadcast Spreader Model 4000	4½	7
JC Penney Model 6005	7¼	8
JC Penny Rotary Spreader	5	7
Scotts Model 35	4	5
Scotts Model PF 3	F	H
Sears Craftsmen Model 671.19198	6	7
V W & R Masterline R75FB	F	H

Note: Spreader settings are approximate and variation can occur between identical models. User should calibrate spreader by accurately weighing a few pounds into your spreader and applying to a measured area. Then adjust spreader setting if necessary to assure correct rate of application.

STORAGE AND DISPOSAL

STORAGE: Store product in its original container (keep closed), in a locked, cool and dry area out of reach of children and pets.

Disposal:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste authority or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

9089

Notification 2/13/07

DISCLAIMER: Value Garden Supply warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions For Use, subject to the inherent risks referred to above. To the extent consistent with applicable law, Value Garden Supply makes no other express or implied warranty of fitness or merchantability nor any other express or implied warranty. To the extent consistent with applicable law, Value Garden Supply shall not be liable for any consequential, special, or indirect damages resulting from the use, handling or application of this product.