

WONDER CHLOR

"FOR SWIMMING POOL CHLORINATION
AND SANITIZING"

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE.....12.5% by Wt.
INERT INGREDIENTS.....87.5% by Wt.
100.0%

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)*

IF CONTACT WITH EYES OCCURS, flush with water
for at least 15 minutes. Get prompt medical attention.


IF CONTACT WITH SKIN OCCURS, wash with plenty of
soap and water.

IF SWALLOWED, drink large amounts of water. DO NOT
induce vomiting. Call a physician or poison control center
immediately.

KEEP OUT OF REACH OF CHILDREN

DANGER!

See additional precautions on side panel.



NET
CONTENTS:
1 GALLON

PH 30 140-16

DISCLAIMER FOR USE

It is a violation of law to use this product in a manner inconsistent with the labeling.
NOTE: This product depends with age. Use a chlorine test kit and accurate dosage, as necessary, to obtain available chlorine.

STORAGE AND DISPOSAL

WARNING: Store this product in a cool, dry area, away from direct sunlight and heat to avoid deterioration.
CAUTION: Do not use in swimming pools, hot tubs and spas. Do not use in hot tubs or spas.
DISPOSAL: In case of spill, dilute with large quantities of water. Product or sludge that cannot be used should be disposed of in a sanitary manner. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

SWIMMING POOL WATER DISINFECTION

For a new pool or a spring start-up, superchlorinate with 32 to 104 oz. of product for each 10,000 gallons of available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH. Adjust and maintain the clarity of the pool to between 20 to 100 ppm.

To maintain the pool, add continually or by feeder device 11 oz. of this product for each 10,000 gallons of water to maintain between 0.8 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine residual and clarity of the water frequently with appropriate test kits. Frequency of water test temperature and number of customers.

Every 7 days, or as necessary, superchlorinate the pool with 32 to 104 oz. of product for each 10,000 gallons of available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the level is 1.0 to 2.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to pool water before discharge. Do not discharge the pool within 24 hours prior to discharge.

WARNING: PUBLIC: While water is still clear & clean, apply 3 oz. of product per 1000 gallons, while filter is running available chlorine residual, as determined by a suitable test kit. Cover pool, prepare the heater, filter and heater as following manufacturer's instructions.

DISINFECTION OF DRINKING WATER (EMERGENCY/PUBLIC/INDIVIDUAL SYSTEMS)

PUBLIC SYSTEMS: Mix a ratio of 1 oz. of this product to 100 gallons of water. Begin treating this solution with 1 free available chlorine residual of at least 0.2 ppm and no more than 0.5 ppm is allowed throughout the distribution system with a chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed Primary Drinking Water Regulations. Contact your local Health Department for further details.

EMERGENCY DISINFECTION: When boiling of water for 1 minute is not practical, water can be made potable by the addition of the sanitizer, remove all suspended material by filtration or by allowing it to settle in the bottom. Add 1 drop of this product to 20 gallons of water. Allow the treated water to stand 30 minutes. Properly treated water should have a slight chlorine odor. If not, repeat dosage, and allow the water to stand 30 minutes. The treated water can then be made potable by pouring it between clean containers for several times.

BEST AVAILABLE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMAL**

DANGER: CORROSIVE, MAY CAUSE SEVERE SKIN AND EYE IRRITATION OR CHEMICAL BURNS TO DAMAGE. WEAR SAFETY GLASSES OR GOGGLES AND RUBBER GLOVES WHEN HANDLING THE MATERIAL. AVOID BREATHING VAPORS. VACATE POORLY VENTILATED AREAS AS SOON AS P. UNV. STEAMING ODORS ARE DISSIPATED.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into streams, canals, or public waters unless this product is specifically identified and addressed in discharge effluent containing this product to cover systems without previously notifying the sewage treatment authority. Contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is caustic to membranes.

SANITIZATION OF NONPOROUS FOOD CONTACT SURFACES


PROPER METHOD: A solution of 100 ppm available chlorine may be used in the sanitizing solution if a solution containing an initial concentration of 100 ppm available chlorine must be tested and adjust the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sanitizing solution by 1/2 this product with 10 gallons of water. If no test kit is available, prepare a sanitizing solution by the product with 10 gallons of water to provide approximately 200 ppm available chlorine by weight.

Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with water. Maintain contact with the sanitizer for at least 2 minutes. If solution contains less than 50 (detected by a suitable test kit), either discard the solution or add sufficient product to reestablish recommended concentration with water after treatment and do not work equipment overnight.

Sanitizers used in automated systems may be used for general cleaning but may not be re-used for use

EPA EST NO 193-PA-1

manufactured by
WONDER CHEMICAL CORP.
249 CANAL ROAD - FAIRLESS HILLS, PA 19030



BEST AVAILABLE

(W/C)
R
4/5/8 1/19/72 5/8 LAD
10700 W/5100