

BEDSTRAW
BLACK MEDIC
BUCKHORN
CHICORY
CHICKWEED
CLOVER
DANDELION
DOCK

GROUND IVY
HEAL ALL
HENBIT
KNOTWEED
LAMBSQUARTER
LESPEDeza
MALLOW
MORNING GLORY

PEPPERGRASS
PIGWEEED
PLANTAINS
POISON IVY
POISON OAK
PURSLANE
RAGWEED
SHEPHERD'S PURSE

SPEEDWELL
SPURGE
WILD CARROT
WILD LETTUCE
WILD ONION
YARROW

and many others

DIRECTIONS FOR USE

WHERE TO USE The color of the paper can be used to help you find the right color for your project. The color of the paper can be used to help you find the right color for your project. The color of the paper can be used to help you find the right color for your project.

Environ Monit Assess (2008) 142:111–120
DOI 10.1007/s10661-008-9422-2
© Springer 2008.

WHEN TO USE

HOW MUCH TO USE - ENTIRE LAWN

Col 1

Ami DEXOL
Lawn Weed Killer
to use

• Insp :

Cut 2

Full Bottle
To
Gallons)

419.

Col. 3

Area to
Treat
(Sq. Feet)

NOTE .

KEEP FROM FREEZING

(CAUTION)

1000 INDUSTRIES
 1000 LA 1001

De la

LAWN WEED KILLER

One Pint Covers 4.000 Sq Ft

Contains *TRIMEC™ Herbicide

Contains: 2,4-D, MCPP and Dicamba

Also Kills: DANDELION, KNOTWEED, HENBIT, PLANTAINS,
SPURGE, POISON IVY and most other broadleaf weeds

ACTIVE INGREDIENTS

***Dimethylamine salt of 2,4-dimethyl-4-oxo-1,2,3,4-tetrahydronaphthalene-1-carboxylic acid	20.9
***Dimethylamine salt of 2,4-dichloro-1,2,3,4-tetrahydronaphthalene-1-carboxylic acid	20.9
***Dimethylamine salt of Oxidant 1	24
***Dimethylamine salts of related compounds	

NEXT INGREDIENTS

Total

2-methyl-4-chlorophenyl propionic acid 100.00

4-chlorophenylacetic acid 100.00

4-chlorophenylacetic acid equivalent 100.00

4-chlorophenylacetic acid equivalent 100.00

Dandelion Plantain Spurge Knotweed Henbit Poison Ivy and many others	Clover Chickweed Crabgrass Grounds Scurfweed and many others	Grounds Scurfweed and many others	Grounds Scurfweed and many others
--	---	---	---

Dexol



LAWN WEED KILLER

One Pint Covers 4,000 Sq. Ft.

Contains *TRIMEC® Herbicide

Contains: 2,4-D, MCPP and Dicamba

Also Kills: DANDELION, KNOTWEED, HENBIT, PLANTAINS,
SPURGE, POISON IVY, and most other broadleaf weeds.

ACTIVE INGREDIENTS:

*Dimethylamine salt of 2-(2-methyl-4-chlorophenoxy) propionic acid	7.65%
**Dimethylamine salt of 2,4-dichlorophenoxyacetic acid	8.07%
***Dimethylamine salt of Dicamba (3,6-dichloro-o-anisic acid)	0.84%
Dimethylamine salts of related compounds	0.11%
INERT INGREDIENTS	87.32%
Total	100.00%

*2 (2-methyl-4-chlorophenoxy) propionic acid equivalent 0.26 pounds per gallon
 **2,4 dichlorophenoxyacetic acid equivalent 0.576 pounds per gallon
 ***3,6 dichloro-o-anisic acid equivalent 0.06 pounds per gallon.

CONTROLS

BEDSTRAW	GROUND IVY	PEPPERGRASS	SPEEDWELL
BLACK MEDIC	HEAL ALL	PIGWEEED	SPURGE
BUCKHORN	HENBIT	PLANTAINS	WILD CARROT
CHICORY	KNOTWEED	POISON IVY	WILD LETTUCE
CHICKWEED	LAMBSQUARTER	POISON OAK	WILD ONION
CLOVER	LESPEDeza	PURSLANE	YARROW
DANDELION	MALLOW	RAGWEED	
DOCK	MORNING GLORY	SHEPHERD'S PURSE	and many others

DIRECTIONS FOR USE

WHERE TO USE DEXOL is a selective broadleaf herbicide for use on lawns. It kills weeds without harming the grass. It is effective against many common lawn weeds, including: DANDELION, BLACK MEDIC, CHICKWEED, CLOVER, DOCK, KNOTWEED, LAMBSQUARTER, MALLOW, MORNING GLORY, PEPPERGRASS, PIGWEED, PLANTAINS, POISON IVY, POISON OAK, PURSLANE, RAGWEED, SHEPHERD'S PURSE, SPEEDWELL, SPURGE, WILD CARROT, WILD LETTUCE, WILD ONION, and YARROW.

HOW TO USE DEXOL is applied as a liquid spray. It is most effective when applied to the weeds in the early morning or late afternoon. Do not apply DEXOL to the lawn if the temperature is below 50°F or if it is raining or about to rain within 24 hours of application. Do not apply DEXOL to the lawn if the wind is blowing at a speed of 10 mph or greater.

WHEN TO USE DEXOL can be applied at any time of the year, but it is most effective when applied in the spring or fall. It can be applied to the lawn as often as every 4 weeks, but it is best to apply it only once a year. Do not apply DEXOL to the lawn if the grass is dormant or if it is in the process of coming out of dormancy.

HOW MUCH TO USE - ENTIRE LAWN

For lawns up to 1/4 acre, use 1 pint of DEXOL per 4,000 sq. ft. of lawn. For lawns larger than 1/4 acre, use 1 quart of DEXOL per 4,000 sq. ft. of lawn. Do not use more than 1 quart of DEXOL per 4,000 sq. ft. of lawn. Do not use DEXOL on lawns that are larger than 1/2 acre.

Col. 1	Col. 2	Col. 3
Amount of DEXOL to use	Fill Bottle To	Area to Treat (Sq. Feet)
1 Pint	1 Gallon	4,000
1 Quart	2 Gallons	8,000

NOTE: DEXOL is a selective broadleaf herbicide. It kills weeds without harming the grass. It is most effective when applied to the weeds in the early morning or late afternoon.

KEEP HANDS FREEZING

CAUTION

DEXOL is a registered trademark of the DEXOL Chemical Company. DEXOL is a registered trademark of the DEXOL Chemical Company.

DEXOL LAWN WEED KILLER

One Pint Covers 4,000 Sq. Ft.
Contains *TRIMEC® Herbicide

Contains: 2,4-D, MCPP and Dicamba

Also Kills: DANDELION, KNOTWEED, HENBIT, PLANTAINS, SPURGE, POISON IVY, and most other broadleaf weeds

ACTIVE INGREDIENTS

*Dimethylamine salt of 2-(2-methyl-4-chlorophenyl)propionic acid 1.66%
**Dimethylamine salt of 2,4-dichlorophenoxyacetic acid 2.01%
***Dimethylamine salt of Dicamba (3,6-dichlorop benzoic acid) 0.34%
Dimethylamine salts of related compounds 0.01%

INERT INGREDIENTS

Total

2-(2-methyl-4-chlorophenyl)propionic acid equivalent 1.77%
2,4-dichlorophenoxyacetic acid equivalent 2.01%
3,6-dichlorop benzoic acid equivalent 0.06% per gallon