

Glidden

178-R-401 RED
VINYL-COTE NO-COP
ANTI-FOULING COATING

531-R-16-101

ACTIVE INGREDIENTS
bis (tributyltin) oxide 8.6%
INERT INGREDIENTS 91.4%
100.0%

DANGER

FLAMMABLE
VAPOR HARMFUL

See side panel for additional precautionary statements.

STOCK NO. 8010-027-7969

KEEP OUT OF THE REACH OF CHILDREN



EPA Establishment No. 400-1A-1
EPA Registration No. 20007

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (and Domestic Animals) **DANGER**

...with skin. Avoid contact with eyes. Wash thoroughly with soap and water after handling and before eating or drinking. Use with adequate ventilation.

First Aid - In case of contact:

If in eyes: Flush promptly with plenty of water. Get medical attention if irritation persists.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

...is that to fight... to water by spraying of equipment... air and dust generated during paint removal to enter water. Degree of paint debris is an expected result.

Mr. James N. Koebkenberg
Glidden Coatings and Resins
Division SCM Corporation
900 Union Commerce Bldg.
Cleveland, OH 44115

JAN 24 1983

Dear Mr. Koebkenberg:

Subject: Antifouling Paint Label
Improvement Program
178-R-401 Red Vinyl Cote
No-Cop Anti-Fouling Coating
531-R-16-101
EPA Registration Number 200-57
178-B-404 Black Vinyl
Cote No-Cop Anti-Fouling
Coating 531-B-16-100
EPA Registration Number 200-59
178-R-401-B Red Vinyl-Cote
No-Cop Anti-Fouling Coating
DGL 3191
EPA Registration Number 200-61
178-W-401 White Vinyl-Cote
No-Cop Anti-Fouling Coating
531-W-16-100
EPA Registration Number 200-62
Your Submission Received on January 19, 1983

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Add to the Precautionary Statements Section the following:

While spraying and/or sanding boat surface, wear a mask or a respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health.

- b. Above the Section "This material is toxic to fish" add the following heading:

Environmental Hazards.

- c. **KEEP OUT OF REACH OF CHILDREN** must be in close proximity to the Signal Word **DANGER** and separate from other label text. The preferred location is immediately above the Signal Word.
- d. Delete "CAUTION" on the back panel.
- e. Add to Storage and Disposal Section the following:

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures.

CONTAINER DISPOSAL

Refer to the attached sheet.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure