

Glidden

ACCEPTED
FEB 25 1975
Federal Insecticide,
and Rodenticide Act,
the pesticide
200-60

ACTIVE INGREDIENT
Cuprous Oxide 49.9% Min.
INERT INGREDIENTS 50.1% Max.

100.0%


WARNING! FLAMMABLE!
See Back Panel for Other Cautions
Keep Out of the Reach of Children



178 - R - 3 RED
VINYL-COTE ANTI-FOULING COATING

Made in U.S.A.

ONE GALLON
SCM GLIDDEN COATINGS & FINISHES • Cleveland, Ohio 44115
SCM CORPORATION



Aromatic Hydrocarbons 12.0% Pottery necessary.

68477170

178-R-3

100.0%
4770

GB

EPA Reg. No. 200-60
EPA Est. No. 200-Tx-1

Do not contaminate water by cleaning of equipment or disposal of wastes.


Do not reuse container. Destroy when empty

CONTAINS KETONES, XYLOL AND CUPROUS OXIDE.

ACCEPTED
1975

WARNING! **FLAMMABLE!** Keep away from heat, sparks, and open flame. Avoid prolonged contact with skin and breathing of vapor or spray mist. In case of skin contact, flush thoroughly with water, wash with soap and water. Wash contaminated clothing before reuse. In case of eye contact, flush thoroughly with water. Get medical attention. Do not take internally. Close container after each use.


Handwritten mark



ACCEPTED
FEB 25 1975
The...
LPS 1-11-75

ACTIVE INGREDIENT
INERT INGREDIENTS

See Tech. Panel 2 - Other Coatings
Keep Out of the Reach of Children



178 - W - 401 - WHITE
VINYL - COTE NO - COP
ANTI - FOULING COATING
531 - W - 16 - 100

Made in U.S.A.

... ..

U I R I