



# ALLYL ALCOHOL WEED SEED KILLER



ACTIVE INGREDIENTS	BY WEIGHT
Allyl Alcohol .....	98.0%
INERT INGREDIENTS .....	2.0%
TOTAL	100.0%

EPA REG. NO. 201-117

**DANGER!**  **POISON**

**CAUTION: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.**

## GENERAL DIRECTIONS

Shell Allyl Alcohol Weed Seed Killer applied as a preplant treatment is effective in the control of certain weed seeds in the soil and is used as a drench as directed below. Prepare soil as for planting. Break up any surface crust at time of treatment. Soil should be moderately moist (in condition for planting). If dry, pre-wet before treatment. Soil moisture should be such that it shows through the surface. Make sure the top of the soil is damp and that the surface moisture meets the moisture below. If possible, apply during cool weather when wind movement is sufficient to rapidly dissipate any vapors. Avoid applications when soil temperatures exceed 85°F. Apply evenly as surface drench. Apply sufficient water to insure penetration to at least 2 to 4 inches. After application avoid cultivating or disturbing soil deeper than drench penetration. Do not plant until characteristic odor has left the soil, usually about 3 days in warm weather to 10 days in cool weather. Use this product only as a preplant treatment and at recommended dosages.

### TOBACCO SEED BEDS, NURSERY AND ORNAMENTAL PLANTINGS AND OTHER BROADCAST SOIL TREATMENTS

Allyl Alcohol is used at the rate of 6 quarts in 100 gallons of water per 100 square yards of area to be treated. If soil is excessively dry, pre-wet the soil before treatment. For smaller areas use Allyl Alcohol Weed Seed Killer at the rate of 2 fluid ounces in one gallon of water for each square yard.

### CELERY SEED BEDS

Mix one gallon of Shell Allyl Alcohol Weed Seed Killer in 200 gallons of water and apply at the rate of 6 to 18 gallons of solution to 100 square feet of seed bed. Use the lower rates for sandy soil and higher rates for muck and heavier soils. If soil is dry, irrigate before treatment. It is also preferable to apply the fertilizer prior to treatment.

### PRECAUTIONS IN USING

**WARNING: POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN! RAPIDLY ABSORBED THROUGH SKIN!**

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

Do not get in eyes, on skin or on clothing. Do not breathe vapor. Use with adequate ventilation. Do not store near feed or food products.

Wear rubber gloves and goggles. In case of contact, immediately remove contaminated clothing including shoes and flush skin or eyes with plenty of water: for eyes, get medical attention. Do not reuse shoes or clothing until free of all contamination. Wash thoroughly with soap and water after handling and before eating or smoking.

During commercial or prolonged exposure in spray-mixing and loading operations, wear a mask or respirator of a type adequate for protection against organic vapors.

Do not reuse container. Destroy when empty.

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not apply or allow to drift to desirable plants.

### ANTIDOTE AND FIRST AID TREATMENT

**INTERNAL:** If swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). Repeat until vomit fluid is clear. Have victim lie down and keep quiet; get medical attention. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.**

**EXTERNAL:** If on skin, remove contaminated clothing and immediately wash skin with soap and water.

### NOTE TO PHYSICIAN

Treat exposed areas as a thermal burn. Bathe eyes thoroughly with saline solution and treat symptomatically. The onset of pain may not occur until six to eight hours after exposure. Do not use organic solvents for cleaning as they may increase the rate of absorption. Absorption may lead to distribution throughout the body with resulting visceral organ damage. Treat by inducing mild alkalization and administer alkaline-buffered salt and glucose solutions.

### NOTICE OF WARRANTY

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE EXPRESS OR IMPLIED, concerning this product or its use, which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

**NET CONTENTS: 30 GALLONS**

**SHELL CHEMICAL COMPANY, A Division of Shell Oil Company, AGRICULTURAL DIVISION, SAN RAMON, CA. 94583**