



ACCEPTED

JUN 28, 1971

DANGER! POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. DO NOT SWALLOW OR GET IN EYES, OR SKIN, OR ON CLOTHING.

Wear clean rubber gloves, clean waterproof protective clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for VAPONA Insecticide (DDVP) protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the chemical gets into eyes, immediately flush with water for at least 15 minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinsing with water. Keep out of any body of water. Dispose of rinsings in a way as not to constitute a hazard or contaminate water supplies. Do not contaminate feed and foodstuffs.

DECONTAMINATE AND DESTROY USED CONTAINERS. Do not reuse for any purpose. Decontaminate by washing thoroughly with an alkali and detergent solution and rinse with water. Destroy containers by crushing or puncturing and burying or burning. If burned, stay out of smoke.

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR VAPONA POISONING. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

FOR MANUFACTURING PURPOSES ONLY

DANGER!  **POISON**

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

ACTIVE INGREDIENTS	BY WEIGHT
2,2-dichlorovinyl dimethyl phosphate, min.	93.0%
Related Compounds	7.0%
TOTAL	100.0%

USDA Reg. No. 201-125

Net Contents: 55 Gallons

Licensed under U.S. Patent 2,956,073 for Insecticide Use Only.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water for at least 10 minutes.

IF WARNING SYMPTOMS APPEAR: (See WARNING SYMPTOMS below.)

Keep patient prone and quiet.

Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest hospital.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test. 2-PAM is also antidotal and may be administered in conjunction with atropine.

NOTICE OF WARRANTY

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED, concerning this product or its use, which extend beyond the statements on this label.



ACCEP
JUN 28, 1971

DANGER! POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. DO NOT SWALLOW OR GET IN EYES, OR SKIN, OR ON CLOTHING.

Wear clean rubber gloves, clean waterproof protective clothing and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for VAPONA Insecticide (DDVP) protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the chemical gets into eyes, immediately flush with water for at least 15 minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinsing with water. Keep out of any body of water. Dispose of rinsings in a way as not to constitute a hazard or contaminate water supplies. Do not contaminate feed and foodstuffs.

DECONTAMINATE AND DESTROY USED CONTAINERS. Do not reuse for any purpose. Decontaminate by washing thoroughly with an alkali and detergent solution and rinse with water. Destroy containers by crushing or puncturing and burying or burning. If burned, stay out of smoke.

**ANTIDOTE AND
FIRST AID TREATMENT**

ATROPINE IS THE EMERGENCY ANTIDOTE FOR VAPONA POISONING. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

**FOR MANUFACTURING
PURPOSES ONLY**

DANGER!  POISON

**KEEP OUT OF REACH OF CHILDREN
AND DOMESTIC ANIMALS.**

ACTIVE INGREDIENTS	BY WEIGHT
2,2-dichlorovinyl dimethyl phosphate, min.	93.0%
Related Compounds	7.0%
TOTAL	100.0%

USDA Reg. No. 201-125

Net Contents: 55 Gallons

Licensed under U.S. Patent 2,956,073 for Insecticide Use Only.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water for at least 10 minutes.

IF WARNING SYMPTOMS APPEAR: (See WARNING SYMPTOMS below.)

Keep patient prone and quiet.

Start artificial respiration immediately if patient is not breathing.

Transport the patient immediately to the nearest hospital.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test. 2-PAM is also antidotal and may be administered in conjunction with atropine.

NOTICE OF WARRANTY

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED, concerning this product or its use, which extend beyond the statements on this label.

ACL-1459 3-71

SHELL CHEMICAL COMPANY, A Division of Shell Oil Company, AGRICULTURAL DIVISION, SAN RAMON, CA. 94583