


SHELL CHEMICAL COMPANY
A Division of Shell Oil Company
Agricultural Chemicals Division

New York, New York 10020



CIDORIN Insecticide Emulsible Concentrate
(Contains 3.2 lb. active ingredients per gallon)

ACTIVE INGREDIENTS

Dimecyl phosphate of alpha-methylbenzyl
3-hydroxy-cis-crotonate
Petroleum hydrocarbons

INERT INGREDIENTS

Total

BY WEIGHT

38.20%

44.29%

17.51%

100.00%

USDA Reg. No.

WARNING: Keep out of the Reach of Children
See Other Panel for Additional Notes
on Side Panel

SHELL CHEMICAL COMPANY
A Division of Shell Oil Company
Agricultural Chemicals Division

(SIDE)

GENERAL DIRECTIONS

CIDORIN Insecticide Emulsible Concentrate (3.2 lb./gal) is suitable for use in conventional hydraulic sprayers or low pressure knap stick sprayers. Prior to use, mix the required amount in sufficient water and apply in accordance with State and Federal Record conditions. Do not apply regularly to calves under 6 months of age. Freshman cattle should not be treated as they may show hypersensitivity to organic phosphates.


DIRECTIONS FOR LIVESTOCK PEST CONTROL

FOR CONTROL OF SPIDER MITES, HORSE FLIES, HOUSE FLIES, LICE AND ROE BEETLES ON DAIRY CATTLE, BEEF CATTLE, SWINE, GOATS AND HOGS.

Mix 1 1/4 pints of CIDORIN Insecticide Emulsible Concentrate (3.2 lb./gal) per 6 gallons of water (1% concentration). Spray to thoroughly cover all parts of the animal, including the legs, using 1-2 pints of spray per large animal and proportionately less for smaller animals.

For pen or corral operations involving spray applications to livestock with high pressure equipment, do not exceed a 0.5% concentration. Mix 1 1/4 pints of CIDORIN Insecticide Emulsible Concentrate (3.2 lb./gal) per 12 gallons of water (1.5% concentration). Spray to thoroughly cover the animal's body and legs (avoid excessive spraying of the head) using 1-2 quarts of spray per large animal and proportionately less for smaller animals.

Content: _____ U.S. Gallons



(201-132)

CIODRIN® Insecticide Emulsible Concentrate

Improved face fly control may be achieved by adding sugar to the spray solution at the rate of 1 pound per 6-10 gallons of spray. Repeat above applications as necessary to maintain control, but not more often than once every 7 days.

LOW VOLUME APPLICATION FOR CONTROL OF FACE FLIES

Mix 4 teaspoons (2/3 fluid oz.) of CIODRIN Insecticide Emulsible Concentrate (3.2 lb/gal) per 1-1/2 pints of water (1% concentration). Using a calibrated sprayer, apply 5 teaspoons of spray to the face and a total of 5-10 teaspoons to the back and sides of the animal 3 times per week. Improved control may be achieved by the addition of 1 level teaspoon of sugar per pint of spray solution.

FOR CONTROL OF HOUSE FLIES, FACE FLIES, AND STABLE FLIES IN AND AROUND LIVESTOCK BUILDINGS

Mix 1 1/4 pints of CIODRIN Insecticide Emulsible Concentrate (3.2 lb/gal) per 6 gallons of water (1% concentration). Spray premise such as inside and outside barn walls (including dairy barns), eaves, fences and other resting or breeding places at least twice monthly using approximately 1 gallon of finished spray per 1000 square feet (40' x 25'). Improved house fly and face fly control may be achieved by adding sugar to the spray solution at the rate of 1 pound per 6-10 gallons of spray.

FOR CONTROL OF STABLE FLIES, HORN FLIES, HOUSE FLIES, AND FACE FLIES ON DAIRY AND BEEF CATTLE

Mix 7 1/2 teaspoons (1 1/4 fluid ounces) of CIODRIN Insecticide Emulsible Concentrate (3.2 lb/gal) per 1-1/2 pints of water (2% concentration). Spray to thoroughly cover all parts of the animal, including the legs, using 1-2 fluid ounces of spray per animal. Apply daily with conventional hand or power sprayers.

Improved control may be achieved by the addition of 1 level teaspoon of sugar per pint of spray solution.

FOR CONTROL OF LICE AND WINTER TICKS ON DAIRY CATTLE, BEEF CATTLE, SHEEP, GOATS AND HOGS

Mix 1-2 1/2 pints of CIODRIN Insecticide Emulsible Concentrate (3.2 lb/gal) per 18 gallons of water (0.1% - 0.2% concentration). Spray animals thoroughly using up to 2 gallons of spray for the 0.1% concentration and up to 1 gallon of spray for the 0.25% concentration. Apply a second application 14 days later. Repeat applications as necessary to maintain control.

TACKRUBBER APPLICATIONS

For use in backrubbers or free rubbers for the control of horn flies and face flies, mix 1 1/4 pint of CIODRIN Insecticide Emulsible Concentrate (3.2 lb/gal) per 6 gallons of tack rubber seed oil (1% concentration). This may be diesel fuel or fuel oil in accordance with local recommendations.

Agricultural Chemicals Division

CIODRIN® Insecticide Emulsible Concentrate

PRECAUTIONS IN USING

Keep out of reach of children. Do not contaminate feed or foodstuffs. To protect fish and wildlife, do not contaminate any body of water nor apply in any area not specified on the label. During commercial or prolonged exposure in spray-mixing and loading operations, wear clean rubber gloves and a mask or respirator of a type found suitable by the U. S. Department of Agriculture for protection against CIODRIN Insecticide. Use this material only for recommended purposes and at recommended dosages.

WARNING: HAZARDOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN

Wash thoroughly with soap and water after handling and before eating and smoking. Wear clean clothing. In case of spillage on person or clothing, immediately remove clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Keep away from heat and open flame. Avoiding skin contact. Call a physician in all cases of suspected poisoning.

DESTROY USED CONTAINERS. Do not reuse for any purposes. Decontaminate containers by rinsing thoroughly with water and alkaline detergent. Destroy contents by breaking and burying fragments in isolated area. Dispose of rinsings in a way as not to constitute a hazard, or contaminate water supplies.

NOTICE OF WARRANTY

Shell Chemical Company warrants (its liability being limited to the purchase price of the product named on this label) that this product consists of the ingredients specified but makes NO OTHER WARRANTY OR REPRESENTATION, OF MERCHANTABILITY, FITNESS, OR OTHERWISE (EXPRESS OR IMPLIED) whether or not the product is used in accordance with directions, and shall have no responsibility whatsoever for injury to persons or loss or damage to property, resulting from the handling, storage or use of this product. The user or buyer shall be deemed to have accepted these conditions, which may be varied only by agreement in writing, signed by duly authorized representatives of the above named company. Shell Chemical Company is a division of Shell Oil Company and as used herein means Shell Oil Company.

SHELL CHEMICAL COMPANY
A Division of Shell Oil Company
New York, N. Y.