



0.5% VAPONA® INSECTICIDE-SYNERGIZED PYRETHRINS AEROSOL



ACTIVE INGREDIENTS	BY WEIGHT
2, 2-Dichlorovinyl dimethyl phosphate	0.46%*
Related Compounds	0.04%*
Pyrethrin	0.20%
Technical Piperonyl Butoxide	1.00%**
Petroleum Distillates	13.30%
INERT INGREDIENTS	85.00%
	TOTAL 100.00%

*Equivalent to 0.5%w VAPONA Insecticide
 **Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% other Related Compounds.
 EPA Reg. No. 201-135

ACCEPTED
 April 10, 1972
 201-135

CAUTION! KEEP OUT OF REACH OF CHILDREN

PRECAUTIONS IN USING

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. Avoid breathing of spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate utensils, feed, water or foodstuffs. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal. Do not remain in treated areas and ventilate the area after treatment is completed.

DO NOT SPRAY DIRECTLY ON THE SKIN OR ON ANIMALS. Remove birds and pets and cover fish bowls and aquaria before spraying room. An average size room would require 15-20 seconds of spraying.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

USE DIRECTIONS FOR APPLICATION

Shell 0.5% VAPONA Insecticide-Synergized Pyrethrins Aerosol is a specially prepared insecticide for use in the control of resistant and non-resistant insects in households, restaurants, theaters, food processing plants, industrial plants and warehouses. Foods should be removed or covered during treatment.

All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Remove cap, hold can upright, point valve opening away from face. Press valve to spray.

For control of flies, mosquitoes, wasps, hornets, gnats, flying moths and other small flying insects spray upwards into four corners of room 10-15 seconds per 1000 cu. ft. of room space. An average sized room would require 15-20 seconds of spraying. Close windows for about 15 minutes after treatment. To control wasps and hornets on nest, spray nest directly at night. A thorough misting around patio, barbeque, picnic tables and other outdoor spaces when the air is quiet will repel and kill annoying flying insects. Repeat as necessary.

For control of roaches, ants, fleas, ticks, silverfish, spiders, centipedes and millipedes spray cracks of woodwork, walls, floors, around door and window frames, baseboards, behind shelving of storage areas and other places these insects may congregate, walk or hide. Spray ant trails around doors and window sills.

For control of fleas and ticks spray animal quarters freely; force insecticide into cracks in floor and about the room. Spray animal bedding. Repeat as necessary. DO NOT SPRAY ON ANIMALS.

For control of bed bugs take bed apart and spray entire surface of bedstead, slats and springs. Spray thoroughly into cracks and joints in bedstead and on tufts and seams of mattress. Do not spray general surface of mattress. Spray on and under baseboards, mouldings, cracks in floors and walls, underneath loose wallpaper and other places these insects may be found. Air mattress until completely dry, at least four hours before re-use.

NOTICE OF WARRANTY

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

NET CONTENTS: 5 GALLONS

SHELL CHEMICAL COMPANY, A Division of Shell Oil Company, AGRICULTURAL DIVISION, SAN RAMON, CA. 94583