

CORPORATION

MAGNACIDE" B

BIOCIDE (ACROLEIN, INHIBITED)

GENERAL DIRECTIONS

Magnacide B is a water soluble material for control of bacteria in industrial water system, particularly water floods. Apply only in accordance with directions in Magnacide B Process Handbook under the supervision of trained personnel.

DANGER!

EXTREMELY FLAMMABLE AND IRRITATING VAPOR AND LIQUID. POISONOUS BY INHALATION, SKIN CONTACT OR SWALLOWING.

Do not breathe vapor.

Do not get in eyes, on skin, or on clothing.

If spilled on clothing, gloves or shoes, remove them immediately and wash thoroughly before re-use.

Keep away from fire, sparks, and heated surfaces.

Keep container closed.

Do not store partially filled containers for prolonged periods (2 to 3 months) as polymerization may occur. Dilute only with water. Do not apply with equipment used for acids and alkalies. Always use clean containers.

NOTE: Magnacide B in closed systems and in presence of alkalies (such as aqua ammonia, caustic and others) or strong acids can react with violence.



POISON



ANTIDOTE AND FIRST ALL REATMENT CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

INTERNAL: If the material has been swallowed induce vomiting immediately. This may be done by introducing a finer into the throat or by giving warm salt water (1 tablespoon of sit to a glass of water). Repeat until vomit fluid is clear.

NEVER GIVE ANYTHING BY MOUTH TO AN INCONSCIOUS PERSON.


Keep patient prone and weet.

If inhaled, get victim into fresh air immedially and give artificial respiration if breathing has stopped.

EXTERNAL: If spilled on the skin, remove the material gets into the eyes, wash immediately with running water for at least 15 minutes. For eyes get medical attention.

NOTE TO PHYSICIANS

Liquid Magnacide B is absorbed by the skin and is particularly irritating to any lesion and to the eyes. The vaper act principally on the mucous membrane of the eyes and respiratry tract. Because of the extreme lachrymatory warning effect, the concentration tolerable by man is far below the minimum lethal concentratio. Treat exposed area as a chemical burn. Thoroughly flush the eyes will water and treat symptomatically. Persons exposed to Magnacide B vapors may have a delayed reaction and experience irritation of the respiratory tract. In severe cases, this may progress to pulmonar edema. Therefore, it is advisable to keep persons exposed to Magnacide B under observation for 24 bours following exposure.



STORE IN COOL PLACE AND KEEP AWAY FROM FEED OR FOOD PRODUCT!

NOTICE OF WARRANTY

Magna Corporation warrants (its liability being limited to the purchase price of the preduct hamed on this label) that this product consists of the ingredients specified but makes no other warranty or representation of any kind, expressed or implied, including any warranty or representation regarding the effect or result of this product's the whether or not the product is used in accordance with directions, and shall have no responsibility whatsoever for injury to persons or loss or damage to property, resulting troubthe handling, storage or use of this product. The user or buyer shall be deemed to have accepted these conditions, which may be varied only by agreement in writing, stand by duly authorized representative with above-named company.

MAGNA CORPORATION
SANTA FESPRINGS, CALIFORNIA U.S.A.