

2% ENDRIN GRANULES



ACTIVE INGREDIENTS
Endrin*

INERT INGREDIENTS

USDA Reg. No. 201-181

BY WEIGHT

2.0% 98.0%

100.0%

WARNING!

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS

SEE ANTIDOTE AND OTHER PRECAUTIONS BELOW

Oct. 5, 1971

*Hexachloroepoxyoctahydro-endo, endo-dimethanonaphthalene

Total

Read the Directions Carefully and

Follow Them at all Times

201-181

GENERAL DIRECTIONS

Endrin Granules can be used in airplane and ground equipment adapted to uniformly distribute granular materials. Use this product only for recommended purposes and at recommended dosages.

FOLIAGE USE: Apply required amounts of Endrin Granules uniformly to the foliage, and time applications in accordance with state and federal recommendations.

USE AND APPLICATION DIRECTIONS

CROP OR USE	INSECT	DOSAGE	DIRECTIONS FOR APPLICATION	INTERVAL, FINAL TREATMENT TO HARVEST, DAYS
SUGARCANE	Sugarcane borer	12 lbs. per acre	Make 4 to 8 applications at 14 day intervals as specified by state agriculture experiment station.	Do not make application within 45 days of harvest. Do not feed bagasse or field trimmings.
		15 lbs. per acre	Make 4 applications at 21 day intervals as specified by state agricultural experiment station.	Do not make application within 45 days of harvest. Do not feed bagasse to livestock.

PRECAUTIONS IN USING

WARNING! HAZARDOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN! RAPIDLY ABSORBED THROUGH SKIN. Do not swallow or get in eyes, on skin or on clothing. Do not breathe dust. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. During commercial or prolonged exposure in mixing or loading operations, wear clean rubber gloves and a mask or respirator of a type found adequate for protection against endrin. Not for use or storage in or around the home.

In case of contact with skin or eyes, immediately flush skin or eyes with plenty of water for 15 minutes; for eyes get medical attention.

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed and foodstuffs.

This product is poisonous to fish and wildlife. Keep out of lakes, ponds and streams. Do not apply in any manner not specified on the label. Birds and other wildlife in treated areas may be killed.

DESTROY USED CONTAINERS. Empty containers as thoroughly as possible, then crush and bury or burn. If burned, keep out of smoke.

NOTICE OF WARRANTY

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OR MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

NET WEIGHT: 50 LBS.

SHELL CHEMICAL COMPANY, A Division of Shell Oil Company, AGRICULTURAL DIVISION, SAN RAMON, CA. 94583