

SHELL CHEMICAL COMPANY
A Division of Shell Oil Company
Agricultural Chemicals Division

New York 20, New York

07.1

Agricultural Chemicals Division

December 6, 1966




TECHNICAL AZODRIN[®] INSECTICIDE
FOR MANUFACTURING PURPOSES ONLY

<u>ACTIVE INGREDIENTS</u>	<u>PERCENT BY WEIGHT</u>
Dimethyl phosphate of 3-hydroxy-N-methyl-cis-crotonamide	75
<u>INERT INGREDIENTS</u>	<u>25</u>
	TOTAL 100

Net Contents: _____

USDA REG. NO. 201-219



PRECAUTIONS IN USING

DANGER! Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to Azodrin Insecticide poisoning.

Do not swallow or get in eyes or on clothing. Do not breathe vapors.

Keep out of the reach of children and domestic animals. Do not contaminate food or feed products. Keep away from heat and open flame.

ACCEPTED

APR 22 1969

Page 1 of 3

TECHNICAL AZODRIN[®] INSECTICIDE

PRECAUTIONS IN USING (cont'd)

Wear clean rubber gloves, clean protective clothing, and goggles or face shield. Replace gloves frequently and destroy used gloves. During commercial or prolonged exposure in spray-mixing and loading operations, wear a mask or respirator of a type passed by the U. S. Department of Agriculture for AZODRIN[®] Insecticide (SD-9129) protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove clothing and wash skin with soap and water; wash clothing before re-use. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and rinse with water.

This product is poisonous to fish and wildlife. Keep out of lakes, ponds and streams.

Note: Caution! Avoid skin and eye contamination when handling strong caustic solutions.

DECONTAMINATE AND DESTROY USED CONTAINERS. Do not re-use for any purpose. Decontaminate containers by washing thoroughly with a strong solution of alkali and detergent and rinsing with water. Destroy containers by crushing and burying fragments in an isolated area. Dispose of rinsings in a way as not to constitute a hazard, or contaminate water supplies.

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR AZODRIN INSECTICIDE POISONING. Consult your physician about obtaining an adequate supply of 1/100 - grain atropine tablets for emergency use. CALL A PHYSICIAN IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes. IF WARNING SYMPTOMS APPEAR: Administer two 1/100-grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below). Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

Page 2 of 3

6776-4

December 6, 1966

NOTE TO PHYSICIAN

WARNING SYMPTOMS:

Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT:

Atropine is the specific therapeutic antagonist of choice against para-sympathetic nervous stimulation. If there are signs of para-sympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

NOTICE OF WARRANTY

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED, concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

SHELL CHEMICAL COMPANY
A DIVISION OF SHELL OIL COMPANY
AGRICULTURAL CHEMICALS DIVISION
New York, New York 10020