



11(ot3)

SHELL CHEMICAL COMPANY  
A Division of Shell Oil Company  
Agricultural Chemicals Division  
(Single Panel Label)

New York, New York 10020



TECHNICAL VAPONA® INSECTICIDE  
FOR USE BY TRAINED PERSONNEL ONLY

#### ACTIVE INGREDIENTS

#### BY WEIGHT


2,2-Dichlorovinyl dimethyl phosphate  
Related Compounds

93%\*  
7%\*  
100%

TOTAL

\*Equivalent to 100% VAPONA Insecticide

USDA REG. NO. 201-



KEEP OUT OF REACH OF CHILDREN  
AND DOMESTIC ANIMALS

#### PRECAUTIONS IN USING

POISONOUS IF SWALLOWED. INHALED OR ABSORBED THROUGH SKIN OR BY EYES.  
RAPIDLY ABSORBED THROUGH SKIN.

Do not get on skin or in eyes. Do not breathe fumes. Avoid prolonged exposure to fumes. Wear clean rubber gloves, protective clothing and goggles when handling the concentrate to prepare dilutions. During application indoors wear a full face mask of a type passed by the U.S. Department of Agriculture for DIMP (VAPONA) Insecticide protection. Keep all unprotected persons out of operational areas.

In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Store in a safe place. Children or animals must not be able to reach or handle the technical product or diluted solution. Mix outdoors or in a well ventilated room. Wash off the outside of the bottle in running water before storing away. It is recommended that only the amount of diluted solution be prepared that will be used immediately. Do not contaminate feed, water or foodstuffs.

Do not apply in any manner not specified on the label.

DECONTAMINATE AND DISPOSE OF USED CONTAINERS: Do not re-use for any purpose. Decontaminate containers by washing thoroughly with a strongly alkaline, detergent solution and rinsing with water. Dispose of rinsings in a way as not to create a hazard or contaminate water supplies.

3(10+3) Agricultural Chemicals Division  
TECHNICAL VAPONA® INSECTICIDE

PRECAUTIONS IN USING (Cont'd.)

Destroy containers by crushing or puncturing; then bury, or burn; if burned stay out of smoke.

Note: Caution! Avoid skin and eye contamination when handling strong caustic solutions.

USE AND APPLICATION DIRECTIONS

SHELL TECHNICAL VAPONA Insecticide is approved for use in fogging devices.

TOBACCO WAREHOUSES: To control cigarette beetles and tobacco moths use a 2% w fogging solution; dilute 1 pt. of this product with 10 1/2 gals. of odorless oil or other oil solvents commonly used for diluting insecticidal poisons. Solvents must be nonflammable and known to be safe for use in tobacco warehouses. Apply the 2% fogging solution at a rate of 18 to 36 fl. ozs. per 10,000 cu. ft. (10 to 20 grams of VAPONA Insecticide per 10,000 cu. ft.). Make application as often as necessary to maintain control. TO BE APPLIED BY, OR UNDER THE DIRECTIONS OF TRAINED PERSONNEL in a closed warehouse storing unfinished tobacco only.

Prepare the warehouse for treatment by closing all doors, windows and ventilators; lock or barricade all entrances, post warning signs and take whatever other precautions are necessary under the circumstances to prevent unprotected humans or domestic animals from entering the treated area. It is generally desirable to make the application in the late afternoon in order that the warehouse can be closed all night. All work in the warehouse must be suspended while warehouse remains closed. Workmen may enter the warehouse the morning after treatment.

The fogging apparatus and operators should remain outdoors and the fog directed into the warehouse. Operator must wear a fullface mask of a type passed by the U.S. Department of Agriculture for DDVP (VAPONA Insecticide) protection. Operator must be clothed to protect hands, neck and all other skin surfaces.

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR VAPONA INSECTICIDE POISONING. Consult your physician about obtaining an adequate supply of 1/100-grain atropine tablets for emergency use. CALL A PHYSICIAN IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). Repeat warm salt water until vomit fluid is clear. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Have patient lie down and keep quiet.

EXTERNAL: If the material has been spilled on the skin, immediately remove and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes, and get medical attention.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100-grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below). Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

3(10+3)

Agricultural Chemicals Division  
TECHNICAL VAPONA® INSECTICIDE

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

NOTICE OF WARRANTY

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED, concerning this product or its use, which extend beyond the statements on this label.

SHELL CHEMICAL COMPANY  
A Division of Shell Oil Company  
AGRICULTURAL CHEMICALS DIVISION  
New York, New York 10020

Net Contents \_\_\_\_\_ gallons