

NOTICE OF WARRANTY

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED, CONCERNING THIS PRODUCT OR ITS USES WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER NORMAL CONDITIONS IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

GENERAL DIRECTIONS
 DANGER: DO NOT use in conventional spray or low pressure broadcast sprayers. Conventional spraying is recommended to prevent undue wetting of the vegetation. Follow the label directions for the correct amount of water needed for a specific amount of area of type of soil surface. Refer to DILUTION TABLE for the quantity of insecticide needed to make the correct amount of solution.

PREMISE USE DIRECTIONS
 There is no additional information and directions for dilution.

INSECT	TYPE OF SURFACE	% SOLUTION	DIRECTIONS
Flies	Concrete	2.0%	Apply to concrete areas. Use 1 gallon of spray per 100 sq. ft. of surface area.
Flies	Concrete	0.5%	Apply to concrete areas using 1 1/2 gallons per 100 sq. ft. of surface area.

PREMISE USE DIRECTIONS

INSECT	TYPE OF SURFACE	% SOLUTION	DIRECTIONS
Flies	Wood Siding	0.5%	Apply directly to siding at 100-150 sq. ft. per gallon. Do not spray over plants. For best results, spray every 7-10 days. For maximum control, repeat every 7-10 days. For maximum control, repeat every 7-10 days. For maximum control, repeat every 7-10 days.
Flies	Floor Management Lines	0.5%	Apply 1-2 Gal./100 sq. ft. evenly by broadcasting to floor surfaces. Also apply liberally to walls, doors, cracks, crevices and interiors. Spray twice daily.
Flies	Floor Management Lines	0.5% WP	Treat evenly and thoroughly using 2.5 Gal./50 sq. ft.
Flies	Floor Management Grids	0.5% WP	Use evenly throughout top layer of low concrete using 2.5 Gal./50 sq. ft.
Flies	Floor Management Board Feet	1.0%	Treat with brush or spray thoroughly, particularly cracks and crevices using 1 Gal./100 sq. ft.
Flies	All Types	1.0%	Apply 1 Gal./100-150 sq. ft. thoroughly to walls, ceiling, floor cracks and crevices with a power sprayer.

PREMISE USE DIRECTIONS

INSECT	PROBLEM AREAS	% SOLUTION	DIRECTIONS
Flies	Concrete	2.0%	For dry whitewashed wood or concrete block surfaces 1 gal. of solution/100 sq. ft.
Flies	Concrete	1.0%	For unpainted wood or painted concrete block surfaces 1 gal. of solution/100 sq. ft.
Flies	Concrete	1.0%	For masonry or galvanized sheet metal surfaces 1/2 gal. of solution/100 sq. ft.
Flies	Concrete	1.0%	Apply 1 gal. of mixed solution/100 sq. ft. Penetrate problem area first time repeat every 7-10 days thereafter.
Flies	Concrete	0.5%	Spray selected areas thoroughly approximately 20 gal. of mixed solution/acre. Spray along foot paths and roadsides leading to each area.

DILUTION TABLE

AMOUNT OF BAGGED-PRETTABLE POWDER	AMOUNT OF WATER FOR			
	0.5% SOLUTION	0.5% SOLUTION	1.0% SOLUTION	2% SOLUTION
1 1/2 lb.	30 Gal.	30 Gal.	15 Gal.	7 1/2 Gal.
3 lb.	60 Gal.	60 Gal.	30 Gal.	15 Gal.
6 lb.	120 Gal.	120 Gal.	60 Gal.	30 Gal.

AD 1234

SOLID RED

SOLID RED

RABON 50 WP

INSECTICIDE

LIVESTOCK, POULTRY & PREMISE SPRAY

ACTIVE INGREDIENT	BY WEIGHT
2 chloro 1 (2,4,5-trichlorophenyl)vinyl dimethyl phosphate	50.0%
INERT INGREDIENTS	50.0%
TOTAL	100.0%

CAUTION:
KEEP OUT OF REACH OF CHILDREN
SEE OTHER CAUTIONS ON SIDE PANEL

EPA REG. NO 201 227 ZC

NOTICE OF WARRANTY

THE MANUFACTURER OF THIS PRODUCT MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE SERVICE WHICH EXTEND BEYOND THE USE OF THE PRODUCT UNDER THE CONDITIONS OF USE SET FORTH IN THE STATEMENTS MADE ON THIS LABEL.

NET CONTENTS: 4 POUNDS



SOLID RED CENTER

PRECAUTIONS IN USING

CAUTION: Harmful if swallowed. Avoid breathing spray mist and dust. Do not get in eyes, on skin, or on clothing. If the material gets into the eyes, wash with plenty of water for 15 minutes.