



BLADEX 15G GRANULAR HERBICIDE

CAUTION!
 KEEP OUT OF REACH OF CHILDREN.
 SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

ACTIVE INGREDIENTS

BY WEIGHT

INERT INGREDIENTS

NOTE: CONDITIONS OF SALE VARY IN SOME AREAS. BEFORE OPENING THIS CONTAINER, CHECK FOR AN ACCEPTABLE RETURN UNOPENED CONTAINER.

WEEDS CONTROLLED BY BLADEX 15G HERBICIDE

GRASSES

- | | | | |
|---------------------|-----------------|------------------------|------------------------|
| X Annual Bromegrass | X Barnyardgrass | X Fall Paspalum | X Guinea Grass |
| X Annual Ryegrass | X Bromegrass | X Panicum polyanthemum | X Panicum polyanthemum |
| X Annual Wheatgrass | X Bromegrass | X Panicum polyanthemum | X Panicum polyanthemum |

BROADLEAVES

- | | | | |
|------------------------|------------------------|-----------------|----------------------|
| H Annual grassweed | X Common chickweed | H Hedge mustard | X Shepherdspurse |
| X Annual morning glory | X Common groundsel | X Ironweed | X Smallflower galium |
| X Annual ragwort | X Common milkweed | X Lambsquarters | X White turnip |
| X Black mustard | X Common purslane | X Lambsquarters | X Wild radish |
| X Buttercup | X Corn spurry | X Mayweed | X Wild turnip |
| X Buttercup (bitter) | X Galium (teething) | X Pigweed | X Wild turnip |
| X Carpetweed | X Hair-pull-thrush | X Smartweed | X Wild turnip |
| X Cocklebur | X Horned morning glory | X Smartweed | X Wild turnip |

GENERAL INFORMATION

BLADEX 15G Herbicide is a selective herbicide that controls weeds in field crops. It is most effective on annual grasses and broadleaves that are susceptible to its action.

BLADEX 15G Herbicide should be applied after the crop has reached the four-leaf stage.

Apply BLADEX 15G Herbicide to the soil in the row between the crop plants.

Apply BLADEX 15G Herbicide after the crop has reached the four-leaf stage.

Apply BLADEX 15G Herbicide to the soil in the row between the crop plants.

Apply BLADEX 15G Herbicide after the crop has reached the four-leaf stage.

Apply BLADEX 15G Herbicide to the soil in the row between the crop plants.

Apply BLADEX 15G Herbicide after the crop has reached the four-leaf stage.

Apply BLADEX 15G Herbicide to the soil in the row between the crop plants.

Apply BLADEX 15G Herbicide after the crop has reached the four-leaf stage.

APPLICATION DIRECTIONS

Apply BLADEX 15G Herbicide to the soil in the row between the crop plants.

Apply BLADEX 15G Herbicide after the crop has reached the four-leaf stage.

Apply BLADEX 15G Herbicide to the soil in the row between the crop plants.


Apply BLADEX 15G Herbicide after the crop has reached the four-leaf stage.

Apply BLADEX 15G Herbicide to the soil in the row between the crop plants.

BROADCAST APPLICATION RATES PER ACRE FOR BLADEX 15G HERBICIDE

IF FOUR-BAND APPLICATION, USE PROPORTIONATELY LESS

Soil Type Description	Broadcast Application Rates (Pounds of Active Ingredient per Acre)				Soil Type Description
	Less Than 1% Sand	1-2% Sand	3-4% Sand	5-6% Sand	
Clay	1.0	1.0	1.0	1.0	Clay
Clay loam	1.0	1.0	1.0	1.0	Clay loam
Loam	1.0	1.0	1.0	1.0	Loam
Loam sand	1.0	1.0	1.0	1.0	Loam sand
Sand	1.0	1.0	1.0	1.0	Sand



PRECAUTIONS IN USE

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Wash thoroughly with plenty of water for eyes, nose and mouth. Wash exposed clothing with plenty of soap and water. If you get this product on your skin, wash it off immediately. If you get it on your clothing, remove the clothing immediately. If burned, keep warm and drink plenty of water.

CONDITIONS OF SALE AND WARRANTY

Shipment of this herbicide by Shell Chemical Company, Inc. is subject to the following conditions of sale and warranty:

SUPPLEMENTAL CALIBRATION CHART FOR BLADEX 15G

Suggested Applicator Settings for BLADEX 15G

NET WEIGHT: 50 LBS.

SHELL CHEMICAL COMPANY A Division of Shell Oil Company AGRICULTURAL DIVISION, SAN RAMON, CALIF.

BLADEX[®] 15G GRANULAR HERBICIDE



ACTIVE INGREDIENTS
 2-(4-chloro-6-ethylamino-s-triazin-5-ylamino)-2-methylpropanoic acid
INERT INGREDIENTS
 TOTAL 100%
 EPA REGISTRATION NO. 10-3177A

NOTE: CONDITIONS OF SALE AND WARRANTY BEFORE OPENING THIS CONTAINER IF THEY ARE NOT ACCEPTABLE RETURN UNOPENED PRODUCT

ION!
PH OF CHILDREN,
DITIONAL PRECAUTIONS.

BY BLADEX[®] 15G HERBICIDE

- GRASSES**
- Annual ryegrass
 - Brome grass
 - Cocksfoot
 - Dallisgrass
 - Fescue
 - Guinea grass
 - Johnson grass
 - Orchard grass
 - Perennial ryegrass
 - St. Augustine grass
 - Tall fescue
 - Yellow foxtail
- ROADLEAVES**
- Blueweed
 - Broadleaf
 - Chickweed
 - Clover
 - Dandelion
 - Field bindweed
 - Groundsel
 - Knotweed
 - Lambsquarters
 - Plantain
 - Purslane
 - Smartweed
 - Spinyhead
 - Yellow foxtail

ACCEPTED
 2/21/72
 September 11, 1972
 UNDER THE FEDERAL INSECTICIDE,
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 911-372
 CHEVROLET

L INFORMATION

ence herbicide for the control of annual grasses and broadleaf weeds in corn and soybean crops. BLADEX 15G Herbicide is used in the following manner:

gh the roots, and therefore results in rapid desiccation of the plant. A rotary harrow or similar implement should be used in four to six days after application. Do not apply if the soil is too wet to cultivate. Factors such as soil moisture, temperature, and soil pH may affect the effectiveness of the herbicide under certain circumstances.

ION DIRECTIONS

ter planting, but before the crop has emerged, apply BLADEX 15G Herbicide in four bands per acre. The application rate should be adjusted to the optimum rate for the soil type. Refer to the Supplemental Calibration Chart for further information.

PLICATION RATES PER ACRE

EX[®] 15G HERBICIDE

ON, USE PROPORTIONATELY LESS!

Percent Organic Matter in Soil			
2%	3%	4%	Over 4%
Pounds BLADEX 15G	Pounds BLADEX 15G	Pounds BLADEX 15G	Pounds BLADEX 15G
1.0	1.0	1.0	1.0
1.0	1.0	1.0	1.0
1.0	1.0	1.0	1.0
1.0	1.0	1.0	1.0
1.0	1.0	1.0	1.0

PRECAUTIONS IN USING

Shell and the seller offer this product under the following conditions of sale and warranty. Shell and the seller offer this product under the following agreed conditions of sale and warranty:

CONDITIONS OF SALE AND WARRANTY

Shell and the seller offer this product under the following agreed conditions of sale and warranty:

SUPPLEMENTAL CALIBRATION CHART

CALIBRATION CHART FOR BLADEX[®] 15G GRANULAR HERBICIDE

Suggested Application Rates for 14-165 Band

Band	Rate (lb/acre)	Rate (lb/acre)	Rate (lb/acre)
1	16	16	16
2	16	16	16
3	16	16	16
4	16	16	16

40

NET WEIGHT: 50 LBS.

COMPANY, A Division of Shell Oil Company, AGRICULTURAL DIVISION SAN RAMON, CA. 94583

11