



Shell

Vaponite 2

EMULSIFIABLE INSECTICIDE

ONLY FOR SALE TO, USE AND STORAGE BY PEST
CONTROL OPERATORS AND OTHER TRAINED PERSONNEL

SUPPLEMENTAL LABELING

**VAPONITE® 2 EMULSIFIABLE INSECTICIDE —
ONLY FOR SALE TO, USE AND STORAGE BY PEST
CONTROL OPERATORS AND OTHER TRAINED PERSONNEL**
(EPA Reg No 201-235)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product
in a manner inconsistent with its labeling.

MUSHROOM HOUSES: Phorid Flies (Manure Flies): Use 2 pints of VAPONITE 2 Emulsifiable with 12 .
gallons of water (0.15% Solution): Apply with a brush or as a coarse, wet spray to inside walls, around
doors, ventilators and cracks in building before mushrooms come into production. Use 1/2 to 1 pint of 0.5%
Solution per 100 sq. ft. Apply up to 10 days before crop appears on soil beds. Do Not spray inside walls after
mushrooms appear above soil beds. Thereafter, use only on the outside walls of mushroom houses.

IMPORTANT

Before using VAPONITE® 2 Emulsifiable Insecticide, read and carefully observe the cautionary
statements and all other information on the product label.

This bulletin contains new or supplemental instructions for use of this product which may not appear on
package label and must be in the possession of the user at time of application. Follow the instructions
carefully.

ACCEPTED
WILLIAM L. L. 235
IN THE

DEC 20 1982

U.S. DEPT. OF AGRICULTURE
F

201-235

ACL 2349 1-82



Shell

Vaponite 2

EMULSIFIABLE INSECTICIDE

ACTIVE INGREDIENTS	BY WEIGHT
1. Hydrocortisone Acetate	24.0 g
2. Betamethasone Valerate	24.0 g
3. Fluocinolone Acetonide	24.0 g
4. Fluometholone	24.0 g
5. Fluocortolone	24.0 g
6. Fluocinonide	24.0 g
7. Fluometholone	24.0 g
8. Fluocortolone	24.0 g
9. Fluocinonide	24.0 g
10. Fluometholone	24.0 g
11. Fluocortolone	24.0 g
12. Fluocinonide	24.0 g
13. Fluometholone	24.0 g
14. Fluocortolone	24.0 g
15. Fluocinonide	24.0 g
16. Fluometholone	24.0 g
17. Fluocortolone	24.0 g
18. Fluocinonide	24.0 g
19. Fluometholone	24.0 g
20. Fluocortolone	24.0 g
21. Fluocinonide	24.0 g
22. Fluometholone	24.0 g
23. Fluocortolone	24.0 g
24. Fluocinonide	24.0 g
25. Fluometholone	24.0 g
26. Fluocortolone	24.0 g
27. Fluocinonide	24.0 g
28. Fluometholone	24.0 g
29. Fluocortolone	24.0 g
30. Fluocinonide	24.0 g
31. Fluometholone	24.0 g
32. Fluocortolone	24.0 g
33. Fluocinonide	24.0 g
34. Fluometholone	24.0 g
35. Fluocortolone	24.0 g
36. Fluocinonide	24.0 g
37. Fluometholone	24.0 g
38. Fluocortolone	24.0 g
39. Fluocinonide	24.0 g
40. Fluometholone	24.0 g
41. Fluocortolone	24.0 g
42. Fluocinonide	24.0 g
43. Fluometholone	24.0 g
44. Fluocortolone	24.0 g
45. Fluocinonide	24.0 g
46. Fluometholone	24.0 g
47. Fluocortolone	24.0 g
48. Fluocinonide	24.0 g
49. Fluometholone	24.0 g
50. Fluocortolone	24.0 g
51. Fluocinonide	24.0 g
52. Fluometholone	24.0 g
53. Fluocortolone	24.0 g
54. Fluocinonide	24.0 g
55. Fluometholone	24.0 g
56. Fluocortolone	24.0 g
57. Fluocinonide	24.0 g
58. Fluometholone	24.0 g
59. Fluocortolone	24.0 g
60. Fluocinonide	24.0 g
61. Fluometholone	24.0 g
62. Fluocortolone	24.0 g
63. Fluocinonide	24.0 g
64. Fluometholone	24.0 g
65. Fluocortolone	24.0 g
66. Fluocinonide	24.0 g
67. Fluometholone	24.0 g
68. Fluocortolone	24.0 g
69. Fluocinonide	24.0 g
70. Fluometholone	24.0 g
71. Fluocortolone	24.0 g
72. Fluocinonide	24.0 g
73. Fluometholone	24.0 g
74. Fluocortolone	24.0 g
75. Fluocinonide	24.0 g
76. Fluometholone	24.0 g
77. Fluocortolone	24.0 g
78. Fluocinonide	24.0 g
79. Fluometholone	24.0 g
80. Fluocortolone	24.0 g
81. Fluocinonide	24.0 g
82. Fluometholone	24.0 g
83. Fluocortolone	24.0 g
84. Fluocinonide	24.0 g
85. Fluometholone	24.0 g
86. Fluocortolone	24.0 g
87. Fluocinonide	24.0 g
88. Fluometholone	24.0 g
89. Fluocortolone	24.0 g
90. Fluocinonide	24.0 g
91. Fluometholone	24.0 g
92. Fluocortolone	24.0 g
93. Fluocinonide	24.0 g
94. Fluometholone	24.0 g
95. Fluocortolone	24.0 g
96. Fluocinonide	24.0 g
97. Fluometholone	24.0 g
98. Fluocortolone	24.0 g
99. Fluocinonide	24.0 g
100. Fluometholone	24.0 g
101. Fluocortolone	24.0 g
102. Fluocinonide	24.0 g
103. Fluometholone	24.0 g
104. Fluocortolone	24.0 g
105. Fluocinonide	24.0 g
106. Fluometholone	24.0 g
107. Fluocortolone	24.0 g
108. Fluocinonide	24.0 g
109. Fluometholone	24.0 g
110. Fluocortolone	24.0 g
111. Fluocinonide	24.0 g
112. Fluometholone	24.0 g
113. Fluocortolone	24.0 g
114. Fluocinonide	24.0 g
115. Fluometholone	24.0 g
116. Fluocortolone	24.0 g
117. Fluocinonide	24.0 g
118. Fluometholone	24.0 g
119. Fluocortolone	24.0 g
120. Fluocinonide	24.0 g
121. Fluometholone	24.0 g
122. Fluocortolone	24.0 g
123. Fluocinonide	24.0 g
124. Fluometholone	24.0 g
125. Fluocortolone	24.0 g
126. Fluocinonide	24.0 g

EPA Reg No 201-235
EPA Est No 5905-AR-1

CONTAINS 2 LBS. VAPONA[®]
INSECTICIDE PER GALLON
NET CONTENTS: 1 GALLON

DANGER!  **POISON**

IF SWALLOWED - Do not induce vomiting. If swallowed, drink water or milk. If symptoms develop, call a doctor. For more information, call 1-800-424-9293.

IF ON SKIN: Wash with soap and water. Do not use solvents or abrasives. Do not use heat.

IF IN EYES W/

1. *Staphylococcus aureus* (ATCC 12228) was grown in tryptic soy broth (TSB) (Difco) supplemented with 0.5% yeast extract (Difco) and 0.5% glucose (Difco) at 37°C. Cells were harvested by centrifugation at 5000g for 10 min and washed with distilled water. Cells were then resuspended in distilled water and adjusted to a concentration of 1×10^8 cells/ml. Cells were then washed with distilled water and resuspended in distilled water. Cells were then washed with distilled water and resuspended in distilled water.

ACCEPTED
WITH COMMENTS
in February 1964

DEC 28 1932

Under the provisions of the
 First...
 as...
 registered...
201-235

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

THREATS TO HUMANS AND DOMESTIC ANIMALS

HAZARDOUS WASTE can be a serious problem for a community. As I stated earlier, the community of Lees Ferry is located on an active flood plain. As a result, the town of Lees Ferry has been fighting for water quality protection for the past 100 years when the first hazardous waste disposal plant in the West was established. It is approximately 10 miles from Lees Ferry and is owned and operated by the Bureau of Mines for the National Institute of Environmental Health and Human Studies. The EPA Region 9 has a responsibility and has been conducting a study of the site. Keep a watch on the potential for hazardous waste disposal and

1. The first step was to identify the main components of the system. This involved a thorough review of the existing literature and a consultation with experts in the field. The goal was to understand the current state of the art and to identify the key areas for improvement.

PRECAUTIONS IN USING
NOT FOR USE OR STORAGE IN OR AROUND THE HOME
HOUSEHOLD USE IS RESTRICTED TO PEST CONTROL
OPERATORS.

TABLE 1. The relationship between the number of species and the number of individuals in the community. The number of species is plotted against the number of individuals in the community. The number of species is plotted against the number of individuals in the community.

[illegible]

NOTE TO PHYSICIAN

Warning symptoms *These are the symptoms which may occur before the onset of a seizure.*

Treatment: _____

There are no other persons who are known to have been involved in the above mentioned activities.

2-PAM can also be used as a reflective and/or refractive index matching layer. For example, a 2-PAM layer may also be used as a reflective and/or refractive index matching layer in a drop-injection LED as an alternative to a 2-PAM layer in a light pipe. Preferably, a thickness of a 2-PAM layer is 15 to 100 nm, and the refractive index of a 2-PAM layer is 1.3 to 1.5.

[illegible]

CONFIDENTIAL

ENVIRONMENTAL HAZARDS

These factors have a close bearing on the well-being of the whole community, and it is the duty of the Government to take effective steps to ensure that the health of the community is not endangered by any of the above factors.

PHYSICAL OR CHEMICAL HAZARDS

PHYSICAL OR CHEMICAL HAZARDS

DIRECTIONS FOR USE

1. The first step in the process is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the situation.

TO BE APPLIED BY PEST CONTROL OPERATORS OR TRAINED PERSONNEL ONLY

PROHIBITIONS

PROHIBITIONS

PESTICIDE DISPOSAL

PESTICIDE DISPOSAL

CONTAINER DISPOSAL

CONTAINER DISPOSAL

Household Pest Control

As a result of the above, the Commission has concluded that the information provided by the respondents is not sufficient to enable it to make a determination as to whether or not the respondents are in violation of the provisions of the Act. The Commission has therefore decided to issue a notice of violation to the respondents, and to require them to provide further information within a specified period of time. The Commission has also decided to issue a notice of violation to the respondents, and to require them to provide further information within a specified period of time.

APPLICATION WITHIN FOOD AREAS
OF FOOD HANDLING ESTABLISHMENTS

Limited to crack and crevice treatment only

Limited to crack and grout treatment only.
 After a crack has been fully exposed and all other cracks and
 openings such as expansion joints have been filled with concrete,
 a constant flow of grout is applied until the flow has stopped.
 Grout is then applied in layers which are allowed to cure before
 the next layer is applied. The thickness of the grout layer should be
 1/2" to 1" for the first layer and 1/4" to 1/2" for the subsequent layers.
 The grout should be applied in a continuous manner, avoiding
 any interruption of flow for a period of 15 minutes.
 The grout should be applied in a continuous manner, avoiding
 any interruption of flow for a period of 15 minutes.

ALL OTHERS ARE TO BE PRODUCED IN THE FOUR AREA
OF THE HANCOCK COUNTY GOVERNMENT OTHER THAN A
ACROSS THE RIVER TREATMENT AREA IS PRODUCED
IN THE FOUR AREA

NOTICE OF WARRANTY

THE FOLLOWING INFORMATION CONTAINS MATERIALS THAT ARE UNCLASSIFIED
EXCEPT WHERE SHOWN OTHERWISE. THE INFORMATION IS BEING RELEASED FOR
YOUR INFORMATION AND IS NOT TO BE USED FOR ANY OTHER PURPOSES.

ACL ROOM 7 B.

[illegible]

AREA OF INTEREST: KAYAH
AREA OF INTEREST: KAYAH
AREA OF INTEREST: KAYAH
AREA OF INTEREST: KAYAH

[illegible]

Manure Piles Garbage Dumps

Manure Piles Garbage Dumps

Dog Kennels

Dog Kennels



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

301/77146
17/3

DEC 28 1982

OFFICE OF
PESTICIDES AND TOXIC SUBSTANCES

Shell Oil Co.
1025 Connecticut Ave. N.W., Suite 200
Washington, DC 20036

Attn: Dr. E. L. Hobson

Dear Dr. Hobson:

Subject: Amendment - Supplemental Labeling - Revise User Group Statement
Vaponite 2 Emulsifiable Insecticide
EPA Reg. No: 201-235
Your Letter: September 1, 1982

The supplemental labeling submitted in connection with amended labeling for the subject product is acceptable and a stamped copy is enclosed for your records.

The master label submitted in connection with the above captioned product registration is also acceptable, subject to the following comments, and a stamped copy is enclosed for your records.

At the next label printing please make the following revisions:

1. Under "NOTE TO PHYSICIAN" change "Warning symptoms" to "Poisoning symptoms".
2. Under "ENVIRONMENTAL HAZARDS" delete "Do no (sic) apply where runoff is likely to occur." and insert "Birds and other wildlife feeding in treated areas may be killed."
3. Under the "STATEMENT OF PRACTICAL TREATMENT" revise the following:
"CALL A PHYSICIAN OR POISON CONTROL CENTER IN ALL CASES OF SUSPECTED POISONING." (the term "POISON CONTROL CENTER" added)
4. Revise your "STORAGE AND DISPOSAL" in accordance with the enclosure.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)