

# Water Miscible Insecticide

CONTAINS 8 LB. ACTIVE INGREDIENT PER GALLON  
(Organic Phosphate Compound, Liquid, N.O.S.)



ACCEPTED

2/12/1972

FEDERAL INSECTICIDE  
AND RODENTICIDE ACT  
POISON REGISTER  
NO. 201-274  
REMARKS

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

See antidote and other precautions below.

clean protective clothing. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least 10 minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before re-use. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with concentrate solutions of alkali and detergent and rinse with water.

NOTE: DANGER! Avoid skin and eye contamination when handling strong caustic solutions.

DECONTAMINATE AND DESTROY USED CONTAINERS. Do not re-use for any purpose. Decontaminate containers by rinsing thoroughly with water and alkaline detergent. Destroy containers by breaking and burying fragments in isolated area. Dispose of rinsings in a way as not to constitute a hazard or contaminate water supplies.

### ANTIDOTE AND FIRST AID TREATMENT

ATROPINE IS THE EMERGENCY ANTIDOTE FOR BIRDIN POISONING. 2-PAM is also antidotal and may be used in conjunction with atropine.

### CALL A PHYSICIAN IN ALL CASES OF SUSPECTED POISONING

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes. IF WARNING SYMPTOMS APPEAR: (See WARNING SYMPTOMS below). Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest hospital.

### NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred.

Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion in 250 cc of saline over a 15 to 30 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5 percent solution in water over not less than two minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children the dose of 2-PAM is 0.25 grams.

Morphine is an improper treatment.

Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

### NOTICE OF WARRANTY

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED, concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

per gallon. For foliage

<p>INSTRUCTIONS APPLICATION</p> <p>form coverage. ry. Do not apply harvest. Do not treated fields, or or seed. Do not bee activity. Do on this crop seed.</p> <p>form coverage. y. Do not apply harvest. Do not treated fields trash.</p>
---

ABSORBED THROUGH  
SKIN. IRRITATION MAY  
LOCALLY INCREASE

Do not use in or around the

Do not use on plants not specified on the label. Do not apply to plants or disposal of

Destroy used gloves, wash hands, and use respirator of a type approved for protection with

NET CONTENTS: 1 GALLON

of Shell Oil Company, AGRICULTURAL DIVISION, SAN RAMON, CA. 94583

201-274

05/12/72

1/1