



# Bladex<sup>®</sup> 10 G

## GRANULAR

CODE  
4320 AH

| ACTIVE INGREDIENTS                                                  | BY WEIGHT |
|---------------------------------------------------------------------|-----------|
| 2-(4-chloro-6-ethylamino-s-triazin-2-ylamino)-2-methylpropionitrile | 10.0%     |
| INERT INGREDIENTS                                                   | 90.0%     |
| TOTAL                                                               | 100.0%    |

EPA REGISTRATION NO. 20 280 AA



# CODE 4320 AH



**Bladex<sup>®</sup> 10**  
**GRANULAR**

BY WRIGHT

| ACTIVE INGREDIENTS                                                        |        | ST Wt | ST |
|---------------------------------------------------------------------------|--------|-------|----|
| 2 (4-chloro-6-ethylamino-5-trifluoromethylphenoxy)-2-methylpropanoic acid | 100.00 |       |    |

### INERT INGREDIENTS

|     |        |
|-----|--------|
|     | 90.0%  |
| T/L | 100.0% |

EPA REGISTRATION NO. 100-000000 AA

**CAUTION:**

# Bladex

## GRANULAH

| ACTIVE INGREDIENTS                                                  |  | BY WEIGHT |
|---------------------------------------------------------------------|--|-----------|
| 2 (4-chloro 6-ethylamino-s-triazin-2-ylamino)-2-methylpropionitrile |  | 10.0%     |
| INERT INGREDIENTS                                                   |  | 90.0%     |
| TOTAL                                                               |  | 100.0%    |

EPA REGISTRATION NO. 231-260 AA

### CAUTION!

KEEP OUT OF REACH OF CHILDREN.

SEE BACK PANEL FOR ADDITIONAL CAUTIONS

NET WEIGHT: 50 LBS.

SHELL CHEMICAL COMPANY, A Division of Shell Oil Company, AGRICULTURAL DIVISION, SAN RAMON, CA. 94583



**Bladex<sup>®</sup> 10 G**  
**ANNUAL**

  
**CODE**  
**4320 AH**



# **Bladex<sup>\*</sup> 10 G**

## **Herbicide**

GENERAL INFORMATION

APPLICATION DIRECTIONS

Broadcast Application of BLADEX 10G Granules

Apply 100 g (3.5 oz) per 100 m<sup>2</sup> (25,000 sq ft) of treated area.

Apply 100 g (3.5 oz) per 100 m<sup>2</sup> (25,000 sq ft) of treated area.

For more information

| ACTIVE INGREDIENTS                                                 |  | BY WEIGHT |
|--------------------------------------------------------------------|--|-----------|
| 2-(4-chloro-6-ethylamino-s-triazin-2-ylamino)-2-methylpropanitrile |  | 10.0%     |
| INERT INGREDIENTS                                                  |  | 90.0%     |
| TOTAL                                                              |  | 100.0%    |

MULAN

APPLICATION DIRECTIONS

Broadcast Application of BLADEX 100 Granule

Control Broadleaves and Grasses

Apply 1.5 to 2.0 lbs. of granules per acre, broadcast and incorporate into the soil. For best results, apply when weeds are young.

Weeds Controlled by BLADEX 100 G

Grasses

Annual ryegrass, Brome grass, Cocksfoot, Fescue, Rye, Ryegrass, St. Augustine, St. Paul, Timothy, Vernalis, Wild rye, and other grasses.

Broadleaves

Annual bluegrass, Barnyard grass, Crabgrass, Dandelion, Field bindweed, Galium, Groundsage, Knotweed, Lambsquarters, Pigweed, Smartweed, Spiny amaranth, and other broadleaves.

| ACTIVE INGREDIENTS                                                  |  | BY WEIGHT |
|---------------------------------------------------------------------|--|-----------|
| 2 (4-chloro-6-ethylamino-s-triazin-2-ylamino)-2-methylpropionitrile |  | 10.0%     |
| INERT INGREDIENTS                                                   |  | 90.0%     |
| TOTAL                                                               |  | 100.0%    |

EPA REGISTRATION NO. 201-210 AA

CAUTION!

KEEP OUT OF REACH OF CHILDREN.

SEE BACK PANEL FOR ADDITIONAL CAUTIONS

CAUTION

KEEP OUT OF REACH OF CHILDREN

NOTICE OF WARRANTY

BLADEX 100 GRANULES is warranted to be free from defects in material and workmanship under normal use and conditions for a period of 12 months from the date of purchase.

CODE 4320 AH

Net 50 LBS.

AGRICULTURAL DIVISION, SAN RAMON, CA. 94583







# Bladex<sup>®</sup> 10 G

## GRANULAR

| ACTIVE INGREDIENTS                     | BY WEIGHT |
|----------------------------------------|-----------|
| 2,4-Dichlorophenoxyacetic acid (2,4-D) | 100%      |
| INERT INGREDIENTS                      | 90.0%     |
|                                        | 100.0%    |

EPA REGISTRATION NO. 2013-Q-AA

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN

For more information, see the label.

NET WEIGHT: 50 LBS.

SHELL CHEMICAL COMPANY, A Division of Shell Oil Company, AGRICULTURAL DIVISION, SAN RAMON, CA 94583

**CODE  
4320 AH**



# Bladex\* 10 G

## Herbicide

### GENERAL INFORMATION

### APPLICATION DIRECTIONS

5. 2. 1. 1.

[illegible]

**CAUTION**  
 READ INSTRUCTIONS  
 BEFORE USING  
 THE TOOL FOR THE FIRST TIME

Author: H. ARHANI

© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 105–112

# CODE 4320 AH

LOS ANGELES, CALIFORNIA 90003