

POULTRY SPRAY & LARVICIDE

EMULSIFIABLE

Contains RABON[®] and VAPONA[®] Insecticides

**Controls NORTHERN FOWL MITES, CHICKEN MITES,
and LICE on or around CHICKENS,
& Controls FLIES as a RESIDUAL SURFACE SPRAY and LARVICIDE**

ACTIVE INGREDIENTS

2,4-Dichlorophenoxyacetic acid	23.0
2,4-Dichlorophenoxyacetic acid, phosphate	5.3
Phosphorus Compounds	0.4
Pyrethrin	48.3
INERT INGREDIENTS	23.0
TOTAL	100.0




DANGER:
KEEP OUT OF REACH OF CHILDREN
AND DOMESTIC ANIMALS

EPA Reg. No. 201-303 ZA

MUST BE DILUTED



NET CONTENTS: 5 GALLONS



GENERAL DIRECTIONS

USE DIRECTIONS

USE	SOLUTION	REMARKS
Chickens (Chickens)	1/2 oz per gallon	Apply to the body of the bird, especially the neck and under the wings. Do not spray the face.
Chickens (Chickens)	1/2 oz per gallon	Apply to the body of the bird, especially the neck and under the wings. Do not spray the face.
Roosts	1/2 oz per gallon	Apply to the surface of the roost.
Water	1/2 oz per gallon	Apply to the water.
Feed	1/2 oz per gallon	Apply to the feed.
Surfaces	1/2 oz per gallon	Apply to the surfaces.
Flies	1/2 oz per gallon	Apply to the surfaces.

DILUTION TABLE

AMOUNT OF WATER (GALLONS)	AMOUNT OF SOLUTION (GALLONS)
1	1/2
2	1
3	1 1/2
4	2
5	2 1/2
6	3
7	3 1/2
8	4
9	4 1/2
10	5

DANGER

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

FIRST AID

IF ON SKIN: Wash with plenty of water. If in eyes: Hold eye open and flush continuously with water. If swallowed: Give large quantities of water. Do not induce vomiting.

PRECAUTIONS IN USING

Do not use in enclosed areas. Do not use in areas where children or domestic animals are present. Do not use on birds that are sick or stressed. Do not use on birds that are laying eggs.

NOTICE OF WARRANTY

THE MANUFACTURER MAKES NO WARRANTY OF MERCHANTABILITY FOR ANY PURPOSES OTHER THAN AS SHOWN ON THE LABEL.

CODE 7460 JG

SHELL CHEMICAL COMPANY
A Division of Shell Oil Company
ANIMAL HEALTH
SAN RAMON, CALIFORNIA 94583

GENERAL DIRECTIONS

This is a spray & larvicide. Use in conventional power or low pressure knapsack sprayers. Apply with direct application to chickens. Power spray at no less than 100-125 psi. Recommended dilution is 0.5% solution. Refer to the percent solution needed for specific insect control. Refer to the Dilution Table for the quantity of insecticide needed to make the percent solution indicated.

USE DIRECTIONS

INSECT	USE	SOLUTION	REMARKS
LICE & Mites	Caged Chickens		Apply 1 gal. of solution to 100 birds under high pressure (no less than 100-125 psi) to the vent and fluff areas from behind. Repeat when necessary, however, not more often than every 14 days. Individual treatment applies to each bird. Solution per bird. Treatment is a fully toxic acid irritation of breeding flocks.
	Chickens on litter		Apply 2 gal. of solution to 100 sq. ft. evenly with penetration to the floor. Also apply thoroughly to walls, roosts, cracks, and crevices. Spray birds lightly.
	Roost Panel		Apply 1 pt. of solution to 1 sq. ft. of roost area with brush or spray.
POULTRY Lice Bug	Poultry Buildings		Apply 1 gal. of solution to 100 sq. ft. to thoroughly cover walls, ceiling, floors, cracks, and crevices using high pressure spray.
FLIES	Residual Surface Spray		Apply 1 gal. of solution to 100 sq. ft. to thoroughly cover walls, ceilings, and other areas where flies tend to congregate. Extreme infestations may necessitate increasing the solution to a 2% level.
MAGGOTS fly larvae	Larvicide		Apply 1 gal. of solution to 100 sq. ft. of droppings as a drench spray. Repeat at 10 day intervals until droppings begin to come up. Then treat only hot spots - small areas found to have large numbers of maggots. Do not spray birds directly.

DILUTION TABLE

AMOUNT OF POULTRY SPRAY & LARVICIDE	AMOUNT OF WATER (GALLONS)		
	0.5% Solution	1% Solution	2% Solution
1 pt.	6	3	1 1/2
2 pt.	12	6	3
4 pt.	24	12	6
2 qt.	48	24	12

DANGER

Keep out of Reach of Children. Emulsifiable is corrosive and causes eye damage and skin irritation. Do not get in eyes or on skin or clothing. Wear goggles or face shield and rubber gloves when handling emulsifiable. May be fatal if swallowed, inhaled, or absorbed through skin.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for 15 minutes. If severe, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available drink large quantities of water. Avoid alcohol. Call a physician immediately. Atropine is antidotal. PAM is also antidotal and may be administered in conjunction with atropine.

PRECAUTIONS IN USING

Do not breathe vapors or spray mist. Wash thoroughly with soap and water after handling and before eating or drinking. Wash hands thoroughly. During prolonged exposure, wear clean rubber gloves and a mask. Use dust mask type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Apply this product only as specified on this label. Not for use or storage in or around the home. Do not apply when wind drift is likely to occur. Do not apply when weather conditions favor drift from treated areas. Avoid contamination of food. This product is toxic to fish and wildlife. Birds feeding in treated areas may be killed. Keep out of lakes, streams, and ponds. Do not use, pour, fill, or store near heat or open flame (flash point 83 F.). CONTAMINATE A CONTAINMENT CONTAINERS. Sanitize used containers by washing thoroughly with a 1% solution of caustic soda, less than 1% and thoroughly. CAUTION: Avoid skin and eye contact with caustic solutions. Wash containers with water and dispose of the washings in a way that will not constitute a hazard to the water supply. Clean containers by flushing and pouring thoroughly.

NOTICE OF WARRANTY


SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE, EXPRESS OR IMPLIED, in receiving this product, or in any other statement beyond the truth and accuracy of the information contained in and with the statement on page 1 of this label.

CODE 7460 JG

SOLID RED

SHELL CHEMICAL COMPANY
 A Division of Shell Oil Company
ANIMAL HEALTH
 SAN RAMON, CALIFORNIA 94583

and LICE ON or around CHICKENS,
& Controls FLIES as a RESIDUAL SURFACE SPRAY and LARVICIDE



ACTIVE INGREDIENTS

2-Chloro-1-(2,4,5-trichlorophenyl)
vinyl dimethyl phosphate
2,2-Dichlorovinyl dimethyl phosphate
Related Compounds
Xylene

BY WEIGHT

23.0%*
5.3%**
0.4%**
48.3%

INERT INGREDIENTS

TOTAL 100.0%

RABON[®] Insecticide
Equivalent to 5.7% VAPONA[®] Insecticide

DANGER:
KEEP OUT OF REACH OF CHILDREN
AND DOMESTIC ANIMALS.
(See antidote and other precautions on side panel.)

EPA Reg. No. 201-303 ZA

MUST BE DILUTED

TAKE TIME

OBSERVE LABEL
DIRECTIONS

NET CONTENTS: 5 GALLONS

