



AGRI 2170
 FEB 15 1973
 201-337

LANDRIN[®] 50% W. P. INSECTICIDE



WARNING! KEEP OUT OF REACH OF CHILDREN.

| ACTIVE INGREDIENTS | BY WEIGHT |
|--------------------------------------------|---------------|
| 3,4,5-trimethylphenyl methylcarbamate..... | 40.0%* |
| 2,3,5-trimethylphenyl methylcarbamate..... | 10.0%* |
| INERT INGREDIENTS | 50.0% |
| TOTAL | 100.0% |

*Equivalent to 50 LANDRIN Insecticide
 EPA Reg. No. 201-337

USE AND DIRECTIONS FOR APPLICATION

LANDRIN 50% W.P. Insecticide is a soil insecticide to be applied at planting time for control of corn rootworms on corn (field and pop). Mix the required amount of LANDRIN 50% W.P. Insecticide in sufficient water (6-8 gallons per 13,068 linear feet) to provide uniform spray coverage of the soil surface. Apply 1.5 to 2.0 pounds of LANDRIN 50% W.P. Insecticide as a 6 to 8 inch spray band for each 13,068 linear feet of row; or on an acre basis using 40-inch row spacing. Apply amount per acre recommended according to row spacing chart for row treatment. Apply as a 6 to 8 inch band to the soil surface. Incorporate the granules by applying behind the covering disc and ahead of the press wheels. DO NOT apply LANDRIN 50% W.P. Insecticide within 90 days of harvest.

| ROW SPACING CHART | | |
|-----------------------------------------------|----------------------------------|--------------------------------------------------------------------|
| SUGGESTED RATES ACCORDING TO CORN ROW SPACING | | |
| Row Spacing (inches) | Linear Feet of Corn Row Per Acre | Amount of LANDRIN 50% W.P. Per Acre Row Treatment at Planting Time |
| 40 | 13,068 | 1.5 to 2.0 lbs. |
| 38 | 13,939 | 1.6 to 2.2 lbs. |
| 36 | 14,520 | 1.7 to 2.3 lbs. |
| 30 | 17,424 | 2.0 to 2.7 lbs. |

PRECAUTIONS IN USING

WARNING! KEEP OUT OF REACH OF CHILDREN. HARMFUL OR FATAL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. Avoid inhalation of dust and contact with skin. Do not get in eyes, or on clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean rubber gloves, clean protective clothing and a mask or respirator of a type passed by U. S. Bureau of Mines for LANDRIN protection.

In case of spillage on person or clothing, remove clothing immediately and flush skin or eyes with plenty of water, for eyes get medical attention. If swallowed, induce vomiting immediately and get medical attention. ATROPINE is antidotal.

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed, water or foodstuffs.

Do not reuse empty containers. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Destroy empty containers by burying with wastes or by burning. Stay away from smoke or fumes.

FISH AND OR WILDLIFE PRECAUTIONS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Do not contaminate lakes, streams or ponds by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NOTICE TO USER

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

NET CONTENTS: 10 lbs.

SHELL CHEMICAL COMPANY, A Division of Shell Oil Company, AGRICULTURAL DIVISION, SAN RAMON, CA. 94583