


TEAR ALONG THIS LINE

CAREFULLY OPEN THIS ENVELOPE AND IMMEDIATELY DROP THE INNER BAG INTO THE SPRAY TANK. DO NOT OPEN OR HANDLE THE INNER BAG. MOISTURE WILL CAUSE BREAKAGE.



Shell

VENDEX[®] 50 WP

WATER SOLUBLE BAG ACCEPTED

MITICIDE

NOV 07 1978

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under Reg. No. 201-369

ACTIVE INGREDIENT	BY WEIGHT
Hexakis (2-methyl-2-phenylpropyl)-distannoxane	50%
INERT INGREDIENTS	50%
TOTAL	100%

EPA REG. NO. 201-369
NET WEIGHT: 1 Lb. (454 G.)

DANGER!
KEEP OUT OF THE REACH OF CHILDREN.

PRECAUTIONS IN USING

DANGER! CORROSIVE. THIS PRODUCT MAY CAUSE SKIN IRRITATION, RESPIRATORY IRRITATION AND EYE DAMAGE. **Do not get in eyes, on skin or on clothing.** Wear suitable eye protection, such as goggles or safety glasses with side shields or their equivalent when handling the product. During commercial application or other prolonged exposure, use goggles and a face mask. Wear clean protective clothing that covers the body well. Avoid handling the inner bag as moisture will cause breakage.

Harmful if swallowed. Avoid contamination of food. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling, spraying and before eating or smoking.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician.

Do not graze or feed animals on cover crops grown in treated areas. Avoid contamination of food, feedstuff and domestic water supplies.

This product is toxic to fish. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

Rinse equipment and dispose of wastes by burying in non-crop land away from water supplies. Dispose of empty containers by burying with wastes or by burning. Dispose of empty containers in accordance with local, state or federal regulations.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock respiratory depression and convulsion may be needed.

201-369

11/07/1978

1/2

GENERAL INFORMATION

VENDEX 50 WP Water Soluble Bag Miticide is recommended for control of a wide range of plant feeding mites, including strains that are resistant to other miticides. VENDEX 50 WP Water Soluble Bag Miticide may be applied when honeybees are present and when beneficial mites are important in integrated control programs. VENDEX 50 WP Water Soluble Bag Miticide can readily be dispersed in water and can be used in conventional dilute sprayers or concentrate sprayers. Agitation is re-

quired during mixing and spraying. Thorough and complete coverage of foliage and fruit is necessary for optimum mite control. This product is compatible with insecticides and fungicides recommended for grove, orchard, and both greenhouse and outdoor ornamental spray schedules.

Apply this product only as recommended on this label by ground application.

CAREFULLY OPEN THIS ENVELOPE AND IMMEDIATELY DROP THE INNER BAG INTO THE SPRAY TANK. DO NOT OPEN OR HANDLE THE INNER BAG. MOISTURE WILL CAUSE BREAKAGE.

DOSAGE AND CROP RECOMMENDATIONS¹

Crop	Mites Controlled	For Concentrate Spray VENDEX 50 ²		For Dilute Spray VENDEX 50		Remarks
		Pounds per acre	Water soluble bags per acre	Ozs. per 100 gals.	Water soluble bags per 400 gals.	
Apples	Apple Rust Carpini Spider European Red McDaniel Spider Two-spotted Spider	1 to 3	1 to 3	4 to 8	1 to 2	(1) Do not apply more than 800 gals. dilute spray per acre. (2) Apply when mites appear. Repeat as necessary to maintain control. (3) Do not apply more than 4 times per season including a pre-bloom spray. Apply this product no more than 3 times between petal fall and harvest. (4) Do not apply within 14 days of harvest.
Pears	European Red McDaniel Spider Pear Rust Two-Spotted Spider	1 to 3	1 to 3	4 to 8	1 to 2	
Citrus ³	Citrus Red (Arizona & Calif.) Citrus Rust (Florida & Texas) Texas Citrus (Florida & Texas) Two-Spotted Spider (Arizona & Calif.) Yuma Spider (Arizona)	2 to 4 ⁴	2 to 4	4 to 8	1 to 2	(1) Do not apply more than 1500 gals. dilute spray per acre. (2) Apply when mites appear. Repeat as necessary to maintain control. (3) Do not apply more than 4 sprays in any 12-month period. (4) Do not apply within 7 days of harvest.
Greenhouse & outdoor ornamentals (including nursery stock, greenhouse flowers and plants grown for propagation purposes)	Spruce Spider <i>Oligonychus</i> Two-spotted Spider	—	—	8 to 16	2 to 4	(1) Do not add oil to the spray solution. (2) Apply when mites appear. Repeat as necessary to maintain control, but not more than once every 28 days. (3) Apply to the foliage only of chrysanthemums (pre-bloom) and poinsettias (prebloom).

¹This product is packaged in WATER SOLUBLE BAGS - drop required number of inner bags - unopened - into the spray tank. Do not handle inner bag, moisture will cause breakage.
²For Concentrate Sprays - Adjust the dosage to apply an amount not exceeding that used in a dilute spray.
³Do not use VENDEX 50 WP on the following citrus: Tangerines, tangelos, Reed grapefruit, and Webb Red Blush grapefruit.
⁴Only use dilute spray applications on lemons.

NOTICE OF WARRANTY

SHELL CHEMICAL COMPANY MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED, concerning this product or its use which extends beyond

the use of this product under normal conditions in accord with the statements made on this label.

SHELL CHEMICAL COMPANY, A Division of Shell Oil Company, AGRICULTURAL CHEMICALS, HOUSTON, TX 77001

2/e