

ACCEPTED
 UNDER THE FEDERAL
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC PESTICIDE
 REGISTERED
 TO ATTACHED COMMENTS

211-2

DIRECTIONS FOR USE

CHLORIC is a Disinfectant and Deodorizing Agent. It has many uses, and when directions are followed, excellent results are obtained. Warm water should be used to obtain best results.

HOUSEHOLD USES

Clean thoroughly all articles with suitable cleaner and rinse thoroughly before disinfecting. After disinfecting, all articles and equipment should be thoroughly rinsed with potable water.

Use 2 ounces CHLORIC to each gallon of water, for *Disinfecting and Bleaching* pre-soak method bed linens, diapers, napkins and dish cloths. Use 2 ounces CHLORIC to each gallon of water in *Disinfecting and Deodorizing* floors, contaminated clothing, bread and cake boxes, hampers, fruit jars, dishes, glassware and as a general disinfectant after the surface has been thoroughly cleaned with a suitable cleanser and rinsed. After disinfection, all articles and equipment should be thoroughly rinsed with potable water.

HOSPITAL USES

Clean all articles with suitable cleaner before disinfecting and rinse thoroughly before disinfecting. After disinfecting, all articles and equipment should be thoroughly rinsed with potable water.

Use 2 ounces CHLORIC to one gallon water To *Disinfect* rubber goods, syringes, fittings for douches and injections, sputum cups, wood work and operating rooms.

CHLORIC

CONTAINS

SODIUM HYPOCHLORITE

Disinfectant and Deodorant

| | |
|------------------------------|---------|
| Active Ingredients | |
| Sodium Hypochlorite - - | 4.25% |
| Inert Ingredients: Water - - | 95.75% |
| Total - - | 100.00% |

CAUTION: KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautions.

Manufactured by

Central Chemical Co. Inc.

KANSAS CITY, KANSAS 66215

NET CONTENTS

1 GALLON

FACTORIES, SCHOOLS AND OTHER PUBLIC INSTITUTIONS

Clean thoroughly all articles with suitable cleaner and rinse thoroughly before disinfecting. After disinfecting, all articles and equipment should be thoroughly rinsed with potable water.

Use 2 ounces CHLORIC to each gallon of water. To *Disinfect and Deodorize*, store rooms and toilet rooms, floors.

FARM AND DAIRY USES

Clean thoroughly all articles with suitable cleaner and rinse thoroughly before disinfecting. After disinfecting, all articles and equipment should be thoroughly rinsed with potable water.

Use 2 ounces CHLORIC to each gallon of water for *Disinfecting and Deodorizing* bottles, bottle washers, brushes, milking machines, milk and ice cream cans, separators, clarifiers, strainer cloths, pasteurizers, pumps, valves, butter tubs, cheese hoops, cheese presses, coolers, bottle fillers, holding tanks, churns, paper liners, pans, vacuum pans and curd tanks. After disinfecting, all articles and equipment should be thoroughly rinsed with potable water.

SWIMMING POOL TREATMENT

Use 1 gallon CHLORIC per, 30,000 gallons of water each day. Maintain the available Chlorine at 0.6 to 1.0 ppm. This may be determined by the use of a suitable test kit.

CAUTION:

May be harmful if swallowed. Skin and eye contact may cause severe irritation. Avoid contact with skin and eyes.

EPA Reg. No. 211-2