• • •

CENTRAL'S **CEN-KILL**

LIQUID INSECTICIDE SPRAY 0.25 KILLS: ROACHES, ANTS, SPIDERS, SOW BUGS, GRAIN MITES, EARWIGS, HOUSEFLIES, MOSQUITOES, GNATS, WASPS

Active Ingredients:

| * + (5-Benzyl-3-furyl)methyl 2,2-dimethyl-3- | |
|------------------------------------------------------------------------------------|--------|
| (2-methylpropenyl) cyclopropanecarboxylate | 0.25 |
| Related compounds | 0.03 |
| Aromatic petroleum hydrocarbons | 0.33 |
| Petroleum distillate. | 99,37 |
| Inert Ingredients: | 0.01 |
| | 100.00 |
| *Cis, trans isomers ratio: max. 30° (±) cis and min. +U.S. Patent No. 3,466,007 | 70°。(± |

For Use In:

- Hospitals
- Stores
- Hotels & Motels
- Restaurants
- Cafeterias Bakeries
- Food processing
 Kitchens
- Utility Rooms plants
- Washrooms

DIRECTIONS FOR USE

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

FOR FLIES, MOSQUITOES, AND GNATS: Close windows and doors. Spray freely toward ceiling in all directions until room is filled with mist, then leave the room. Keep doors closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

CAUTION: KEEP OUT OF REACH OF CHILDREN


Harmful if swallowed. Avoid contamination of food stuffs, by covering, removing or otherwise protecting foods during spraying. Do not use or store near heat or open flame. All surfaces that may afterwards come in contact with food or food stuffs. should be completely cleaned after spraying. When applying this product in these areas, apply only when plant is not in operation. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

When not in use, the can or container should be kept tightly sealed to prevent evaporation.

EPA Reg. No. 211-41

MANUFACTURED BY **CENTRAL CHEMICAL COMPANY**, Inc. KANSAS CITY, KANSAS 66115 U.S.A. Manufacturers of Chemical Specialties Since 1925

NET CONTENTS



250°°)34°。 131% 375°%)10°。)00% ±) trans.

Locker Rocms