

surfaces.

This product is economical to use because it is highly concentrated.

**Precautionary Statements**

**Hazards to humans and domestic animals**

# DANGER

Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE**

Store in securely closed original container. Store in area that will prevent cross contamination of other pesticides, fertilizer, food and feed. Avoid storage at temperature extremes or in sunlight.

**PESTICIDE DISPOSAL**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL**

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

0887

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

## Cleaner-Disinfectant-Deodorizer-Fungicide-Virucide\* Sanitizer for Hospital and Institutional Use

Active Ingredients	Octyl Decyl Dimethyl Ammonium Chloride	2.750%
	Dioctyl Dimethyl Ammonium Chloride	1.875%
	Didecyl Dimethyl Ammonium Chloride	1.875%
	Alkyl (C <sub>12</sub> , 50%, C <sub>12</sub> , 40%, C <sub>12</sub> , 10%) Dimethyl Benzyl Ammonium Chloride	5.000%
Inert Ingredients		(87.500%)
		<hr/> 100.000%

# KEEP OUT OF REACH OF CHILDREN DANGER

### Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short acting barbiturate drug.

**SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**



**CENTRAL SOLUTIONS, INC.**

3130 BRUNNERHOFF RD  
KANSAS CITY, KANSAS 66115

EPA REG. NO. 211-44 EPA EST. NO. 211-K31 NET CONTENTS

GAL.

FINAL STAGE is a proven "one-step" cleaner-disinfectant-sanitizer-fungicide-virucide in the presence of moderate amounts of organic soil.

Apply FINAL STAGE to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks and bedframes with cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled walls, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

**Disinfection** — To disinfect hard non-porous surfaces, add 1/2 oz per gallon of water. Treated surfaces must remain wet for 10 minutes. At this use-level, FINAL STAGE is also virucidal and fungicidal.

**Sanitizing** — To sanitize porous or non-porous surfaces, add 1/4 oz per gallon of water.

1/2 oz. per gallon use-level. The broad spectrum activity of FINAL STAGE has been evaluated in the presence of 5% serum and found to be effective against the following by the AOAC Use-Dilution test:

Pseudomonas aeruginosa	Escherichia coli	Salmonella schottmuelleri
Staphylococcus aureus	Klebsiella pneumoniae	Streptococcus faecalis
Salmonella choleraesuis	Enterobacter aerogenes	Shigella dysenteriae
	Brevibacterium ammoniagenes	

**AOAC Fungicidal Test**

FINAL STAGE is effective against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, shower and bath areas, exercise areas, dressing rooms, etc.

**Virucidal Performance**

\*At 1/2 oz per gallon use level, FINAL STAGE was evaluated in the presence of 10% serum and found to be effective against the following viruses: Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A<sub>2</sub> (the Hong Kong flu virus) on inanimate environmental surfaces.

**Sanitizing-Non-Food Contact Surfaces** (such as floors, walls, tables, etc.). At 1/4 oz per gallon use level, 30 second contact time. FINAL STAGE is an effective sanitizing agent in waters of up to 600 ppm hardness against Staphylococcus aureus and Klebsiella pneumoniae in the presence of 5% serum on porous and non-porous environmental surfaces.