

Precautionary Statements
Hazard to Humans and Domestic Animals

DANGER

Keep Out of Reach of Children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Do not use, pour, spill or store near heat or open flame.

Environmental Hazards

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat or open flame.

Storage and Disposal

- Do not contaminate water, food, or feed by storage or disposal.
- Do not store on side.
- Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.
Metal Container: Triple rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. (If container is 1 gallon or less, use this container disposal statement.)
Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.

Q 30.0 LAUNDRY BACTERIOSTAT

**BACTERIOSTATIC
LAUNDRY SOFTENER CONCENTRATE**

Based on Twin Chain Quaternary
Ammonium Compounds

Commercial Laundry Softener With
Residual Bacteriostatic Activity*

Active Ingredients

Octyl decyl dimethyl ammonium chloride	15.0%
Dioctyl dimethyl ammonium chloride	7.5%
Didecyl dimethyl ammonium chloride	7.5%

Inert Ingredients

70.0%
100.0%

*Under humid or wet contamination conditions. See left panel for further comment.

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT


In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

**SEE LEFT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

EPA ESTABLISHMENT NO. 211-KS1
EPA Registration No. 211-



**For Sale For Use And Storage By
Maintenance Personnel Only**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

-To soften laundered fabrics and obtain residual bacteriostatic activity against gram negative and/or gram positive odor-causing bacteria, use 1.00 fluid oz. (2.94 ounces) per 100 lbs of fabric (dry weight.)

Dilute the appropriate amount of Q30.0 Laundry Bacteriostat in one to two gallons of water; then add to the washwheel in the final rinse.

Retreat fabric after each washing.

Q30.0 Laundry Bacteriostat is based on a highly active mixture of three Twin Chain quaternary ammonium compounds together with an effective fabric softener.

Soiled and contaminated fabrics such as diapers, hospital and institutional linen and athletic equipment is a major house-keeping problem not only in hospitals but in institutions, hotels, restaurants and schools. Used as directed Q30.0 Laundry Bacteriostat imparts an effective residual bacteriostatic treatment together with softening to laundered items such as diapers, hospital and institutional linens and athletic apparel. This finish will effectively protect the fabric against rapid bacterial growth caused by moisture and wet contamination.

Q30.0 Laundry Bacteriostat is designed for commercial and institutional laundry use by addition to the final rinse. Laundered fabric may also be treated and softened by soaking in a solution of Q30.0 Laundry Bacteriostat. For recommended solution concentration, see "DIRECTIONS FOR USE".

Q30.0 Laundry Bacteriostat Bacteriostatic Laundry Softener Concentrate is economical to use because it is concentrated. It should be handled with care.

**ACCEPTED
with COMMENTS
in EPA Letter Dated:**

OCT 03 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

211-61