

ARCADIAN

NET WEIGHT 50 POUNDS

POWDERED

CALCIUM ARSENATE

With Other Calcium Compounds

ACCEPTED


MAR 10 1969

UNDER THE FEDERAL INSECTICIDE ACT
FOR THE PURPOSES OF THE ACT
ED UNDER 28-17
TO ATTACHED

CODE 9332

USDA Reg. No. 218-17

ACTIVE INGREDIENT: Calcium Arsenate	69.28%
INERT INGREDIENTS	30.72%
TOTAL ARSENIC:	
Expressed as Metallic Arsenic (As)	26.00%
ARSENIC IN WATER SOLUBLE FORM:	
Expressed as Metallic Arsenic (As)	0.49%



ALLIED CHEMICAL CORPORATION
DEPARTMENT AG
40 RECTOR STREET
NEW YORK, N.Y., U.S.A.

DIRECTIONS

FOR SPRAYING

CABBAGE, CAULIFLOWER, BROCCOLI and OTHER CRUCIFERS: For Cabbage Worm and Flea Beetle use 3 to 4 pounds in combination with an equal amount of Hydrated Lime (Spray Grade) to each 100 gallons of water. Start applications when insects appear and repeat as necessary. Apply 75 to 125 gallons per acre depending on the size of the plants. Do Not apply after edible parts start to form.

FOR DUSTING

CABBAGE, CAULIFLOWER, BROCCOLI and OTHER CRUCIFERS: For Cabbage Worm and Flea Beetle prepare a dust by mixing one part of Calcium Arsenate with four parts of Hydrated Lime and apply at the rate of 20 to 35 pounds per acre. Increase rate of application to 35 to 50 pounds per acre if Diamond-back Moth is present on cabbage. Do Not apply after edible parts start to form.

CAUTION

Do not use Calcium Arsenate on stone fruits including peaches, or on other plants susceptible to arsenical injury.

WARNING! POISONOUS IF INHALED OR SWALLOWED

Do not breathe dust or spray mist.

Do not get on skin, or in eyes or on clothing.

Wash thoroughly after handling.

Store away from feed or food products.

Completely empty container and dispose of pesticide by burying. Burn container immediately and stay out of smoke. Bury ashes and residue.

!! POISON !!

DANGER: Keep out of reach of children

ANTIDOTE: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then two tablespoonfuls of epsom salt or Milk of Magnesia in water and force fluids. Have patient lie down and keep warm.


Call a Physician IMMEDIATELY

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

CODE 9332

USDA R

ACTIVE INGREDIENT: Calcium Arsenate 69.28%
INERT INGREDIENTS 30.72%
TOTAL ARSENIC:
Expressed as Metallic Arsenic (As) 26.00%
ARSENIC IN WATER SOLUBLE FORM:
Expressed as Metallic Arsenic (As) 0.49%



ALLIED CHEMICAL
DEPARTMENT AG
40 RECTOR STREET
NEW YORK, N.Y., U

DIRECTIONS

FOR SPRAYING

CABBAGE, CAULIFLOWER, BROCCOLI and OTHER CRUCIFERS: For Cabbage Worm and Flea Beetle use 3 to 4 pounds in combination with an equal amount of Hydrated Lime (Spray Grade) to each 100 gallons of water. Start applications when insects appear and repeat as necessary. Apply 75 to 125 gallons per acre depending on the size of the plants. Do Not apply after edible parts start to form.

FOR DUSTING

CABBAGE, CAULIFLOWER, BROCCOLI and OTHER CRUCIFERS: For Cabbage Worm and Flea Beetle prepare a dust by mixing one part of Calcium Arsenate with four parts of Hydrated Lime and apply at the rate of 20 to 35 pounds per acre. Increase rate of application to 35 to 50 pounds per acre if Diamond-back Moth is present on cabbage. Do Not apply after edible parts start to form.

CAUTION

Do not use Calcium Arsenate on stone fruits including peaches, or on other plants susceptible to arsenical injury.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**WARNING! POISONOUS IF INHAL
SWALLOWED**

Do not breathe dust or spray mist.

Do not get on skin, or in eyes or on clothes.

Wash thoroughly after handling.

Store away from feed or food products.

Completely empty container and dispose of pesticide in a safe manner. Do not reuse container immediately and stay out of smoke. Bury ash.

POISON

DANGER: Keep out of reach of children.

ANTIDOTE: Give a tablespoonful of salt in a glass of water, repeat until vomit fluid is clear. Then two tablespoonful of Milk of Magnesia in water and force fluids. Have patient rest and keep warm.

Call a Physician IMMEDIATELY